
soft sector

The Monthly Magazine For Sanyo Personal Computer Users

# Sanyo Symphonia



Fine Tuning WordStar

Setting
The Tone
For Tax Time

768K: Memory Upgrade On A Grand Scale





# The ULTIMATE In Computer Graphics Programs

#### PICASSO by Bill Dunlevy

This is the one to set the standards! PICASSO does more than many graphics programs costing thousands of dollars more. Never before has such power and simplicity been available to the user.

What does PICASSO do? Everything!

- Large, helpful picture menus, eliminate the need to memorize control keys or cumbersome graphic languages.
- Keyboard, Joystick, or even Graphic Tablet controlled, in "directional" or "free-hand" format.
- You can choose from 64 pre-mixed colors, or mix your own for over 10,000 possible patterns, and save your favorites to a palette on disk!
- \* Over 20 different "brushes" let your draw with symbols in different "densities" for an air-brushed effect.
- Special "Rubber band" graphics let you see what you're doing AS you make adjustments on lines, rays, boxes, circles, polygons, stamps, etc.
- Versatile Fill" permits you to change multi-color patterns.
- \* You're not restricted to simple circles and elipses here! You can create ANY kind of polygon: from triangles, to eliptical pentagons, to perfect circles and everything in between!
- \* Powerful "Stapp" system lets you copy, move, save, and perform complexed operations with any sections of your pictures
- You can use your picture files with Mich Tron's new FREEZE FRAME graphic printipg utility for fantastic bardcopy pictures, and in your own BASIC or machine language programs for all your graphic needs.

What DOESNY PICASSO do? Bestrict your imagination

PICASSO is guaranteed to knock your smocks off!

256K SANYO MRC-550/556 required Loystick recommended

\$99.95


## Mittelipp

576 S Telegraph Road Pontiac, Michigan 18053 Orders & Info: (313) 334-5700

# SANYO High Performance Computers

Land Committee of the C	2121	EM2	
MBC 550			\$669
MBC 550-2			\$720
MBC 550-4			6040
			\$849
MBC 555			\$899
MBC 555-2			\$1049
MBC 555-4			\$1249
MBC 555-XT, 1	0 mea .		Special
MBC 775 Porta	ble		Special
			- Property
SAI	NYO O	PTION	S

SANYO	PTIONS
DM 5109, Hi Res, 9" Gre	en
DM 2112, 12' Green	\$8
DM 2212, 12' Amber	\$80
CRT 30, 12" Hi Res	\$109
CRT 36, 12" Hi Res	614
CRT 50, RGB Color	\$14
CRT 70 PGP Color	\$34
CRT 70, RGB Color CT 1300 RGB/Com	\$54
	\$24
160K drive \$119	w/software \$259
360K drive \$149	w/software \$35
800K drive \$169	w/software \$39
Add on RS232 Port	
Add on 64K memory	\$30
512K memory upgrade	Kit Specie
Video Ram Board	Coopie
10 meg internal hard dis	Specia
10 meg external hard dis	Specia
To mey external hard dis	SK Specia



#### STANDARD FEATURES

- 128Kb RAM. Expandable to 512Kb
   MS-DOS operating system
   Detachable Keyboard
   Interface For Centronics Parallel Printer

- Color Graphics
- Choice of 160kb, 360kb, 800kb, or 10 meg disk drives
  FREE Bundled Software
  Wordstar, Calcstar, & Easy Writer I
  Bonus Pak Options (with two drive models)

\$199

EASYPAK

Easy Writer II Easy Planner

Data Star Report Star Spell Star

#### NEW DEVELOPMENTS

512 Memory Upgrade

Sanyo MBC Now Upgradable to 512K RAM★

\$ Special

\* \* \* \* \* \* \* \* \* \* \* Video RAM Board

Run Lotus 123 on your Sanyo MBC Computer

\$Special

**MBC 555-XT** 

Internal 10 meg hard disk system

\$Special

MBC 775 Portable

- \*• Built in 9" Color Monitor
- Dual 360Kb drives
- \*• IBM expansion slots

\$79

\$Special

10 meg External Hard Disk

- Designed especially for the Sanyo Matching color case

# **CHECK OUT THESE LOW PRICES!!!**

#### MONITORS

#### AMDEK

ENITH

(exe)(ININE) 12" Hi Res Green
12" Hi Res Green
12" Hi Res Amber
13" Composite
13" Composite
13" Hi Res Apple Card
13" Hi Res RGB
13" Hi Res RGB \$84

Panasonic. 12" Hi Res Green 12" Hi Res Amber 13" RGB/Composite 0" Dual Mode Composit 10" Super Hi Res RGB 14" Hi Res RGB \$159

SANYO

\$129

#### **PRINTERS**

Centronics Model 152 150 cps RS-232 15 Carriage

(exelvina)

\$359

OKIDATA

ate 20 New Color NLO
New 120 cps
120 cps
120 cps wide carriage
200 cps near letter quality
160 cps near letter quality
200 cps near letter quality
350 cps NLO Special

\$199 \$289 \$449 \$629 \$499

SILVER-REED

**DISK DRIVES** 

SS/DD DS/DD For Radio Shack, 18M TEAC

✓ Shugart SA-455 10 meg w/controller (IBM)

GD CONTROL DATA

MODEMS

NCHOR AUTOMATION, INC.

Volks 12 New 300/1200 baud Volksmodern 300 baud Signalman Mark X Signalman Mark XII 300/1200 Volksmodern Cables \$199

Accessories

\$14.95

**Innovative Concepts** \$3.95

Datum

SOFTWARE

## Michilion

DS DOS Plus M-Disk MI-TERM \$39 Personal Mo Mighty Mail Quick-N-Sii Soft Spool MI-KEY MI-KEY
Picasso
Freeze Frame
Grafiti
Master Graph
Thunder Chief
Cashman
Major Motion
Time Bandit
Cornerman
Others

U.S. DIGITAL

\$79

**OLYMPIC** 

Inventory
Payroll
General Ledger
Accounts Receivable
Accounts Payable
Order Entry
Postmaster II
Money Analysis
Finance Manager
Appointment Book
Touch Skills
States & Capitals
Body Systems
Others \$74

STAR SOFTWARE SYSTEMS

ORDER TOLL FREE 800-334-8261



& in N.C. 919-832-3479



Hours: 9-6 Mon. - Sat. E.S.T.

COMPUTER WFREHOUSE A Syntel Company
1407 DOWNTOWN BLVD., RALEIGH, N.C. 27603

THE

## soft sector

#### The Monthly Magazine for Sanyo Personal Computer Users

Vol. I, Issue 8

March 1985

**Editor and Publisher** Lawrence C. Falk

Managing Editor T. Kevin Nickols Copy/Reviews Editor Belinda Kirby Technical Editor Danny Humphress Submissions Editor Jutta Kapfhammer Editorial Associates Monica Dorth, Tamara Solley Consulting Editors Gordon Monnier, Courtney Noe Contributing Editors Fred Blechman, Michael W. Ecker, Ph.D., Tim Purves Brian M. Stone, Charlotte A. Stone Editorial Assistants Jody Doyle, Wendy Falk, Debbie Hartley, Suzanne Benish Kurowsky, Lynn Miller, Shirley Morgan

Art Director Neal C. Lauron Design Staff Jerry McKiernan, Eileen O'Malley, Kevin Quiggins

**Advertising Coordinator** Doris Taylor Advertising Assistant Debbie Baxter

Technical Assistant Ed Ellers

FPSS, Ag. Publishing Enterprises, Inc. President Lawrence C. Falk

Editorial Director James E. Reed Creative Director Sally Gellhaus

General Manager Patricia H. Hirsch **Assistant General Manager for Finance** Donna Shuck

Bookkeeper Diane Moore **Advertising Accounts** Bev Taylor Dealer Accounts Judy Quashnock **Administrative Assistant To The Publisher** Marianne Booth
Manager of Public Relations

Charles L. Springer
Director of Fulfillment Services Bonnie Shepard

Assistant Customer Service Manager Sandy Apple Customer Service Representatives Deidra Henry, Monica Wheat

Word Processor Manager Lynda Wilson Research Assistants Laurie Falk, Judi Hutchinson, Debbie Leake, Loretta Varda

Dispatch Janice Eastburn Production Assistant Melba Smith

SOFT SECTOR — The Monthly Magazine for Sanyo Personal Computer Users (ISSN 8755-7460) is published every month of the year by FPSS, Ag. Publishing Enterprises, Inc., 9529 U.S. Highway 42, P.O. Box 386, Prospect, KY, 40059. Phone (502) 228-4492. SOFT SECTOR — The Monthly Magazine for Sanyo Personal Computer Users and the SOFT SECTOR logotypes are registered \* trademarks of FPSS, Ag.

Second class postage pending at Prospect, KY and additional offices. POSTMASTER: Send address changes to SOFT SECTOR, P.O. Box 385, Prospect, KY 40059. Forwarding Postage Guaranteed.

Entire contents copyright \* 1985, by FPSS, Ag. SOFT SECTOR — The Monthly Magazine for Sanyo Personal Computer Users is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever.

Sanyo MBC-550/555 and 775 are registered \* trademarks of the Sanyo Business Systems Corp.

Subscriptions to SOFT SECTOR — The Monthly Magazine for Sanyo Personal Computer Users are \$28 per year in the United States. Canadian rates are U.S. \$35. Surface mail to other countries is U.S. \$64, air mail U.S. \$85. All subscriptions begin with the next available issue.

Payment accepted by VISA, MasterCard, American Express, Cash, Check or Money Order in United States currency only.

For Soft Sector Advertising and Marketing office information, see Page 94.

FEATURES	
WizStar — Polishing A Classic/J. Weaver Jr	8
Patching WordStar to add several new features	
The Sanyo Synthesizer/Marcia L. Peters	.16
The 768K Solution/John Domingues	.36
Mastering MS-DOS/Danny Humphress	.40
BASIC Training/Fred Blechman	.44
An Exploded Piechart/Felipe Lebron	.52
Five Card Draw/Rodney Viessman	.60
Taking A Swipe At Ambiguity/Danny Humphress	.84
Printing Tax Forms With CalcStar/Randolph Mateer Letting your software help to get you through April	.88
DEPARTMENTS	
Advertisers Index	
Back Issue Order Form	
Business Sector/Charlotte & Brian Stone	
Input/Output/Tim Purves	48

Advertisers Index	94
Back Issue Order Form	85
Business Sector/Charlotte & Brian Stone Solutions to your applications problems	28
Input/Output/Tim Purves	48
Letters To The Editor	6
Racksellers	93
Soft Talk	82
Submitting Material	62
Subscription Information	

## REVIEWS

CheckFile	
Knobelspiel Generahl	8
Robounce	
SuperTax	
Tanner & The Jungle Temple	73
VersaCom	70
W-ED	

Cover illustration copyright® 1985 by Marjie Faul

## Sanyo users get a NEW software deal . . .

# NOW, Your Sanyo can Write Programs for You

Your computer is fantastically fast...once it knows what to do. You probably realize that a computer is the combination of hardware and software, working together smoothly, to give you what you want. Either one alone is useless. Software is really the key...the "mind" of a computer system. Every project or task you want to do requires a new specific software application to make your computer behave exactly the way you desire.

Of course you may be able to "force fit" your application into some existing canned package you have, but to really be flexible you need a separate program for your special purpose.

Until now, that meant you were forced to pay money for application software off the shelf, or if you could afford it, have it custom written for you, or if you were qualified, do it yourself...spending endless hours figuring it out and writing it. Now, your computer can write individual application programs for you. These programs are each separate, unique software programs that run in the standard BASIC on your computer.

## Programs Without Programming

ICR FutureSoft has released the NEW and improved version of automatic program writers called QUIKPRO+II. It is a program that actually writes separate BASIC Programs for you...to do exactly what you want to do. And it's simple and easy to use...you create a new program in minutes instead of hours.

You can quickly generate a new program when you want it. You can generate thousands of different unique programs, each one standing alone as a complete program that runs in BASIC. Best of all, you do not have to be a programmer to use it. The QUIK-PRO+II software becomes your personal programmer, waiting to do your work for you any time of day or night you choose to use it.

## The All-In-One Program

The custom programs you can generate from the new QUIK-PRO+II will let you perform Personal Filing, Fast Data Retrieval, including Changes, Deletions and Searches. You can selectively Print Custom Letters, all kinds of forms (if you have a printer). This new feature is called Free Form Reporting. You can even include calculations in the programs you create. QUIKPRO+II is perfect for creating inventory programs. You can use QUIKPRO+II to prepare letters and selectively address the letters to only certain people. And of course you can SORT your reports so that they print out information in the order that you want it, or print out only certain information. In fact, you can actually use QUIKPRO+II to create an easy to use Data management program or a simple spread sheet. You can do all of this and more with this All in One program...and the best part is that you need no BASIC programming experience.

#### How Does It Work?

You can do it simply by answering easy questions that appear on your screen. You won't have to learn any Computer commands or special Programming Languages. Instantly the QUIKPRO+II software instructs the computer to write efficient error free, BASIC Programs and puts the Programs right onto your own disk, ready for you to use.

The resulting custom program is truly a separate BASIC program. You can list it. You can modify it. You can customize it to your own liking. You can actually see what makes it tick

## User Proven and Widely Used

QUIKPRO Software is used worldwide in thousands of sites by executives, schools, small businesses, universities and major companies like: Johns Hopkins

University, Chicago State, U.S. Dept. of Agriculture, General Electric, Duracell International, Ford Motor Company, Westinghouse United Technologies, American Express, University of Pennsylvania, City of New York and many, many more.

#### Read What Users Say. . .

From a GENERAL CONTRACTOR/ CONSTRUCTION COMPANY owner:

"The program seems to be good and I must compliment you on the documentation. It is the **best** of its kind that I have seen."

From an INSURANCE AGENCY MANAGER:

"I would like to compliment you on an excellent...program."

From a HOBBIEST USER out in Oklahoma:


"I thought I would drop a quick note about QUIKPRO. I have it running and it **will do** what I bought it for. I am very pleased with it..."

This from a Vice-President of a Federal Savings & Loan:

"In the past several weeks, I have used QUIKPRO software on four different programs. I am pleased with the results achieved so far and with your help over the telephone.

### Special Sanyo Deal

Sanyo users can get QUIKPRO+II direct at the introductory price of \$74.50 plus shipping and handling with a special 10 day satisfaction guarantee from delivery. You can order now by calling TOLL FREE 24 hours daily 1-800-824-7888, ask for operator 441. In California call 1-800-852-7777, operator 441. Specify your Sanyo Model. Send mail orders to: ICR-FutureSoft, 1718 Kingsley Ave., P.O. Box 1446-SA, Orange Park, FL 32073 Dealer inquiries call (904) 269-1918 QUIKPRO+II is also available on IBM-PC, TRS-80, CP/M 8" and Osborne.



#### SKETCH-IT VER. 2

Editor:

I'd like to congratulate Dan Webber and Galen Oellig on their superb program, Sketch-It Ver. 2. It does indeed provide the awesome computing power and fun that we all knew our Sanyos could deliver. Furthermore, its educational value is increased by the authors' clear programming style and concise documentation.

I noticed one minor bug. When you type a filename of eight letters, the final character does not appear on the screen. Here's the fix for it. Change Line 1275 to read:

1275 LOCATE 25, COL: PRINT TXT5;
''':: WEND: RETURN

Thanks to everyone whose input makes SOFT SECTOR the excellent resource that it is

Marcia L. Peters Providence, RI

Editor's Note: And thank you, Marcia. I'm certain Mr. Webber and Mr. Oellig will consider that high praise indeed after they take a look at your own program in this issue.

Fditor.

I would like to thank Mr. George Algie of Richmond Heights, Ohio, for locating and correcting two possible errors with the Sketch-It Ver. 2 program listing in the January, 1985, issue.

There are two things I have found in Sketch-It that you might want to change. In Line 1210, the RESUME 1180 should read RESUME 1175. The other item is that in using the pie chart wedges, if you want the first point to be horizontal to the right, you will not get a radial line. This is because it becomes zero degrees. I have solved

the problem by adding Line 1068: 1068 IF REAL1=0 THEN REAL1=-1.

Dan Webber Rolla, MO

#### PATIENCE IS A . . .

Editor:

I called [your offices] about two weeks ago and was told by your receptionist that the magazine mailing was late, but I should get my copy soon.

You mentioned we should alert you if we don't get our copy by the 25th of the month. I must say I have never gotten my copy that early, but certainly never later than the first or second of the month.

Can you send me a duplicate copy, or has your mailing been even later?

Carl Milner Aurora, CO

Editor's Note: At risk of stating the obvious, we have been running several days behind our usual publishing schedule since the January issue. This has been due, in a phrase, to there simply not being enough hours in a day. With good fortune and support from the readers and advertisers, SOFT SECTOR has been able to grow in size by a whopping 50 percent over the past five months. You would expect the added workload to accompany such rapid growth, and of course, it has.

But that's our problem, right? You just want your magazine! Well we understand that, and you can rest assured that we will be working feverishly until we have returned to schedule.

By the way, though: Our "Subscription Information" section reads that you should contact us if you haven't

received your copy "by the 15th of the month of publication." Of course, we know everyone wants their SOFT SECTOR well before then, and we intend to see to it that you get them.

#### THE OLD RUN'ROUND

Editor:

After having tried the sound routine from Run'Round (December '84), and getting the same weird patterns across the screen or an error in Line 30, resulting in having to reboot the system, I realized I was doing something wrong. Never once did I get a sound from my Sanyo, and I have tried all different programs. What am I doing wrong?

Mike Stangel Merritt Island, FL

Editor's Note: J. Weaver Jr., the author of Run'Round, was asked to respond.

Sorry, Mike, the fault is mine. The variable 'I' in the routine that reads the machine language code and POKEs it to memory (Line 50 in the original program) must be defined as a string variable, and the two variables in the CALL to the sound routine must be defined as integers. Adding the DEFINT and DEFSTR statements from Line 40 of *Run'Round* will solve your problem.


J. Weaver Jr. Factory Programming Monroe, MI

#### ENTER THE WIZARD

Editor:

I would like to obtain a copy of the WordStar user patch listing that changes

Continued on Page 86





"TLS is the best MS-DOS training
we have seen" and asked us to configure it
for their MBC550 & 555 Computers.

These Manufacturers Agree TLS IS BEST!!

AT&T, Compaq, Heath/Zenith, ITT, Sperry, Tandy, Visual & Wang

## SANYO TRAINING BONUS PACK A \$70.00 Value for only \$39.95

Includes TLS and TLS Tutor for WordStar/MailMerge

#### "TLS"

A Disk Based Tutorial for MS-DOS

Graphics and text create a pleasant learning environment. Individual levels of training are selectible by First Time Experienced or Professional users. Training is hardware specific, enabling the user to define hard disk, single or dual floppy instructions. A reference guide leads first time users through getting started. All command subjects are summarized for easy review.

Retail Price \$39.95

## "TLS Tutor-WordStar/MailMerge"

Interactive Training on Audio Cassette

In less than an hour you will be using WordStar to create correspondence, mailing lists, form letters and all the other features of these powerful programs.

Audio cassette training from Total Learning

Audio cassette training from Total Learning Systems lets you use the actual software not a simulation. TLS Tutor step-by-step instructions are as effective as if you had a private trainer, but much less expensive,

Retail Price \$29.95

Combined Price "Sanyo Bonus Pack" \$39.95°

TLS Tutor for CalcStar and InfoStar Special \$30.00 (\$60.00 value)

TLS for IBM-PC and PC Compatibles available from most Sanyo dealers and participating Heathkit, Entre and Computerland Stores.

## **NEW FOR SANYO 775**

TLS-plus PC compatible version adds color/sound option and hard disk instructions. Includes TLS Tutor for EasyWriter II and book style storage case. \$49.95


TLS TUTOR EASY PLANNER/FILER \$30.00

## ORDER BY PHONE (305) 485-6882

	OR BY	MAIL	
□ Bonus Pack \$	39.95 🗖 TLS	S Tutor \$30.00	☐ TLS Plus \$49.95
Charge My: Visa/Mast	circle car		xpires
☐ My check handling is en		_ plus \$4.0	0 shipping and
I riding is on	iciouca		
Ship to:			
		Name)	
		Name) (Address)	

Total Learning Systems, Inc., 3451 N.W. 55th Street, Fort Lauderdale, FL 33309

Dealer Inquiries Invited



rordStar has been around a long time, and its various implementations on most other computers are fairly complete in their use of the computer's functions and in their treatment of the computer's eccentricities. Then, there's the Sanyo version. For example, WordStar users can only take advantage of 10 of the 550/555's 20 function keys. The NUM LOCK key is almost useless, since a bug in WordStar spews out a string of garbage when you press it which toggles the "insert" mode, among other things. Changing the menu and text colors involves wading through WSCOLOR, and changing the function key presets requires INSTALL (which most people would rather forget they own), and leaves the function key descriptions on the screen's bottom line confusingly unchanged. In addition, the generic MS-DOS version of WordStar shipped with the 550/555 fails to take full advantage of the screen routines in the Sanyo's DOS, making the already-slow screen updates nearly excruciating during line inserts and deletes.

The solution to all of this is WizStar, a BASIC program that can drastically improve your existing copy of WordStar 3.3. Besides fixing the NUM LOCK bug and correcting the screen oversights, WizStar also expands the function key definitions to include all 20 available keys. The descriptions of all 20 on the bottom of the screen can be modified


to suit your tastes — you can even change their colors (never before possible!). Menu and text colors (both foreground and background) can be easily and quickly changed. There is also an option to reconfigure the BACKSPACE and INS/DEL keys to match their functions while in Sanyo BASIC. And best of all, that annoying MicroPro licensing agreement you have to sit through every time WordStar starts is eliminated! (The copyright notice, of course, is left intact.)

Type in the program listing and you're ready to go. Be especially careful with the patch routines and their DATA statements in lines 700 to 850. After you RUN the program, you'll need to enter the name of your WordStar file (best use a backup copy, just in case). The default file name is WS.COM, so if WizStar is on the same drive as your WordStar file and has not been renamed, you can just hit the RETURN key at the prompt. If you have a WS.COM file on another disk, just enter the drive spec, such as B:. If you have renamed WordStar, type in the new name (don't forget the .COM extension). When the file is found by WizStar, it checks to see if the WizStar patches have already been made. If they have not, you will see three different messages as the command description line and function key definition table are expanded and the patches are installed.

When the loading and patching is

completed, the screen clears and you will see the *WizStar* main display. The function key names are displayed using the current menu color in the left-hand column. The definitions for the keys are shown next, using the current text color. The right-hand column shows the descriptions that will appear at the bottom of the screen, in their current colors. A single line near the bottom echoes your current color and backspace choices, and the menu line at the bottom edge shows the available commands.

To change keys PFI to PF5, just press the key you wish to change. For PF6 to PF10, hold down the SHIFT key and press the proper function key. For PF11 to PF15, hold down the CTRL key and press the function key. For PF16 to PF20, hold down both the SHIFT and CTRL keys and press the function key. Once the proper key is selected, press 'T' to change the text (the actual keystrokes entered when the key is pressed), or 'D' to change the description. You can also press ESC if you've selected the wrong key. Both text and description are limited to six characters. Control characters may be entered into key texts by holding down the CTRL key while pressing the proper letter. You can enter a RETURN into a text by using CTRL-M. Descriptions are limited to printable ASCII characters only. Use BACKSPACE (the dark gray left-arrow key, next to INS/DEL) to erase



mistakes, and press RETURN when you're finished. ESC will abort any text or description change in progress.

Changing the screen colors is even easier - just press the letter corresponding to the color block you wish to change. Use an uppercase letter (such as 'M') to change the foreground color of the block, and a lowercase letter (like 't') to change the background color. The descriptions are printed using two different color sets - one for the numbers (one through 10) printed next to the descriptions, and one for the descriptions themselves. Whenever a color change is selected, the "Redraw" bar on the color line will change to inverse video, indicating that the main screen display colors do not match your newly selected colors. To redraw the screen in your new colors, press 'R'.

Pressing 'B' toggles between the two backspace options — with the "left arrow" option, the BACKSPACE key duplicates the left arrow on the numeric keypad, and DEL gives you a destructive backspace. With the "destructive backspace" option selected, the BACKSPACE key becomes the destructive backspace, while the DEL key deletes the character at the cursor (like the CTRL-G command).

When you've finally got WordStar the way you want it, press ESC from the main command line. WizStar will finish writing your changes to the disk file, clear the screen, and return you to the BASIC "Ready" prompt. Trying

out your new version of WordStar, the first thing you'll notice (besides the WizStar message) is the quicker startup time caused by the elimination of the licensing agreement. One extra line has been stolen from the bottom of the screen for the additional function key descriptions, which will be in your selected colors (as will the menus and text). You'll also notice that the NUM LOCK key is now completely supported, and that inserting or deleting a line in the middle of the screen is much, much faster than before. INSTALL can still be used to change the first 10 function key definitions and other WordStar parameters (such as printer codes, start up defaults, and so on). You can also continue to use WSCOLOR to change the menu and text colors if you really want

Finally, a couple of technical notes for those who may have previously patched the WordStar code. The WizStar modifications are completely compatible with the patches necessary to implement CorrectStar on the 550/555. WizStar uses the MORPAT area from 2E0 to 35C Hex for the improved screen driver, which will replace the Microcomputing screen patch by Richard Kruse, if it is installed. This is necessary, since the previous patch did not allow for changes in screen size, while the WizStar patch does. The only other section of code used is the

licensing agreement text, which is replaced by the expanded function key table and description lines. Any patches to *WordStar* which use other areas of the code, and which are faithful to the parameters in the ABSVAR section, should work with *WizStar*.

For a copy of WizStar on disk, send a blank disk and \$5 for shipping, handling and postage to:

Tri-Mike Network East 33 Virginia Drive #22 Monroe, MI 48161



(J. Weaver Jr. is a free-lance computer programmer, consultant and author. His recent works for the Sanyo 550/ 555 include Mi-Term, Solitaire, Maz and Cornerman. He is also the National Recording Secretary of CHART[Computer Hobbyists Against Raiders and Thieves], a national organization dedicated to the legal and ethical use of computer technology. He can be reached through CompuServe [71446,1362], MCI Mail [Fact Prog], or at WH Enterprises, 859 Winston, Monroe, MI 40161; 313-241-WHWH.)

9

WizStar Routines				
40- 50	Start up			
60	Read in assembler routine (keyboard scan)			
70- 80	Set pointers to WordStar file			
90-110	Get filename, open file			
120-130	Get color specs from file			
140-170	Print main screen			
180	Get keyboard byte, jump to subroutines			
190-260	Color change routines			
270-290	'T' or 'D' select			
300-340	Text entry routine			
350	Save new text to disk file			
360-400	Description entry routine			
410-420	Save new description to disk file			
430-440	Save colors to disk file			
450	Clear keyboard buffer, end program			
460-530	Print function key data line			
540-560	Print character (^ for control characters)			
570	Set colors			
580	Change foreground color			
590	Change background color			
600	Wait for recognized keystroke			
610	Clear bottom screen line			
620-630	Move command description line			
640-650	Install patches in disk file			
660-680	Move function key table			
690	Patch data read routine			
700-750	Data for patches, assembler routine			

CRMESS	Pointer to copyright message
ERAEOL	Pointer to "erase to end of line" pointer
F	Disk file offset
FUNTAB	Pointer to new function key table
HITE	Pointer to screen height variable
II, IO	Disk buffer variables
INAM	Name of WordStar disk file
LFNTAB	Pointer to pointer to FUNTAB
LINDEL	Pointer to "line delete" pointer
LININS	Pointer to "line insert" pointer
MENU	Menu color
MORPAT	Pointer to patch area
NCOL	Number color
NUMBER	Pointer to description numbers color
OLDCOM	Pointer to original command line
OLDFUN	Pointer to original function table location
PATCAL	Pointer to call to BIOS patch
PCMLIN	Pointer to "print command line" routine
PF1-PF5	Flags for print routines
PTTL	Pointer to "print title" routine
RDFTAB	Pointer to "function table search" routine
SCRCAL	Pointer to "clear screen" routine
TCOL	Description color
TEXT	Text color
TXT	Pointer to description text color
V	Return from assembly keyboard routine
VOFF	Pointer to text color variable
VON	Pointer to menu color variable
Z	Key number pressed

#### WizStar Variables

Arrays

C Used to transfer command description line
K Keystroke codes

Variables

A, B, C, I General purpose
C1 Foreground color
C2 Background color

COMLIN Pointer to command description lines



# SERIAL BOARD \$44.95 (SPECIAL PURCHASE)

MEMORY 64K \$29.95 / 128K \$57.95

+\$2.50 S&H - VISA & MASTERCARD add 3% - GEORGIA ADDRESSES add 3%

MICRO-G P.O. BOX 102 DULUTH, GA. 30136 (404) 476-0586



#### **FUN WITH LEARNING**

At last, a learning program designed especially for children 4 to 8 years of age. Watch your children spend hours learning about shapes and solving problems. Fun graphics, easy to use design. Have fun with learning. \$29.95



#### MATH CASTLE

ect your castle from the attacks e alien flying saucer using arith-c. Answering the math problems ectly gives you the ammunition

#### MS-DOS COMPATIBLE BUSINESS SOFTWARE **OES INVENTORY**

Designed for ease of use while still providing many features. Automatic reorder list, turnover, last date sold. Holds 1250-2800 accounts. Cash register function prints receipts, sales totals, salesperson's commission and 9 departments. Calculates LIFO, FIFO or Weighted Cost methods of inventory control. Computes Cost

OES ACCOUNTS RECEIVABLE
Complete billing system. Prints statements of account on computer or preprinted forms, ages accounts, finance rate chart, minimum payment chart. Holds up to 500 accounts. Complete audit trail is provided for safety. Integrates with the Order Entry and General Ledger programs to provide maximum efficiency and auto balance transfer. \$99.95

#### OES ORDER ENTRY

Invoicing with computer or preprinted forms. Integrates with the Inventory and Receivable programs to provide a complete sales system. Sales Journal record daily sales, Cost of Goods Sold and the Gross Profit Margin. Automatic Back Order list.

ORS GENERAL LEDGER
Income Statement and Balance Sheet. Holds 500 accounts. Accommodates one or several divisions or companies. Audit trail. Trial balance. Integrates with Accounts Receivable, Accounts Payable and Order Entry programs. Chart of \$99.95

OES ACCOUNTS PAYABLE
Tracks one-time and recurring payables. Holds up to 500 accounts. Integrates with General Ledger. Prints checks; you set the format. An optional voucher system is included. Menu driven.

\$99.95

#### **OES PAYROLL**

Computes payroll for up to 100 employees. Printer required. Prints checks and employee pay slips. Computes local, state and federal taxes for any pay period. Salaried, hourly or piece work pay rates. Each employee has a file with employment information.

MONEY ANALYSIS
Two amortization calculations. Mortgage analysis. Interest on savings. Installment payments. Great for real estate investors or anyone who needs to calculate payments. Menu driven and easy to use.

\$39.95

#### POSTMASTER II

Complete mailing list. Easy to use. Up to 1600 names may be stored using a double drive system. Sorts by name or zip code. Formats labels for any size. Great for computer rolex cards. These and other features make this a great mailing.

#### APPOINTMENT BOOK

Plan appointments from now until 1999 with this program. Excellent graphic calendar for each month. Print out a list of appointments for each day. Data disk

FINANCE MANAGER
Works like an accounts payable program, but for the home. Keeps track of items you want to include for your taxes. Program also comes with a graphic calculator and budget helper functions.

#### GAME SOFTWARE

#### TRIVIA MANIA

The hottest new trend in games has gone computer! Several different trivia disks are available. Fun for the whole family. \$39.95

FLYBOY
With only 9 minutes of fuel left, you must land your aircraft safely. Graphic instrument panel. Pilot's license not required. \$39.95

Plays just like the real thing. Graphic playing cards make this a very colorful game. There is never a boring minute with Black Jack. \$29.95

#### **EDUCATIONAL SOFTWARE**

#### BYTE BUSTERS

You are the "Byle Buster." Your mission is to clear all of the "Byles" from the maze before the "Nybblers" put the bite on you. \$29.95

#### BLACK JACK

A fun strategy game with several skill levels. Play the computer or another person. \$29.95

#### **TOUCH SKILLS**

A complete typing tutor for the beginning to intermediate typist. Typing drills, a graphic keyboard and game are included. \$39.95

## BODY SYSTEMS

Skeletal, respiratory, digestive and circulatory systems are covered. A quiz and review are included. Excellent graphics. \$39.95

STATES & CAPITALS
Learn each of the fifty United States by their shape. Learn the capitals also. A fun
program for learning about the U.S.
\$29.95

#### INCHWORM

A learning game for children, a strategy game for adults. Guide your long-growing inchworm through different learning situations. \$29.95

#### SPELLING BEE

Learn to spell with your own list of words or use the computer's list of over 500 words of varying length. Make spelling fun to learn. \$39.95

#### FLASH CARD

Flash Card will sharpen your math skills in addition, subtraction, multiplication & division. Solve problems right on the screen. \$29.95

CALL: (206) 874-4044 OR (206) 952-4114



EDUCATIONAL SOFTWARE

1220 S. 356TH ST., SUITE 208W P.O. BOX 3679 FEDERAL WAY, WA 98063

AND EXPIRATION DATE). CHECK WE ACCEPT MASTERCARD, VISA, AND AMERICAN EXPRESS (INCLUDE CARD — AND EAPIRATION DATE). CHECK COD, OR MONEY ORDER, ALL ORDERS ARE SHIPPED UPS, FREE OF CHARGE PLEASE ALLOW 4 DAYS TO RECEIVE YOUR ORDER WASHINGTON STATE RESIDENTS, PLEASE ADD 7.8% SALES TAX DEALER INQUIRIES INVITED. PROGRAM SUBMISSIONS WELCOME

#### The listing: WIZSTAR. BAS

- 10 ' WIZSTAR.BAS Copyright (C) 1985 by J. Weaver Jr.
- 20 ' Permission granted to copy for personal use ONLY
- 30 1
- 4Ø COLOR 2, Ø:CLS:CLEAR 2:DEFINT A-Z:DEFSTR I:DIM K(33)
- 5Ø PRINT "WizStar": PRINT : PRINT "Copyright (c) 1985 by J. Weaver Jr."
- 6Ø DEF SEG=SEG(4):FOR A=Ø TO 6:READ I:POKE A, VAL("&H"+I):NEXT:DEF USR(A)=Ø:FOR A
- =1 TO 33: READ I: K(A) = VAL("&H"+I): NEXT
- 7Ø F=255:HITE=&H248-F:ERAEOL=&H26D-F:LINDEL=&H274-F:LININS=&H27B-F:VON=&H284-F:VOFF=&H28B-F:NISUB=&H2A5-F:MORPAT=&H2EØ-F:PATCH2=&H32B-F:PATCH3=&H34Ø-F:BS1=&H49B-F:DEL1=&H53A-F:OLDFUN=&H66E-F:BS2=&H6E6-F:DEL2=&H71C-F
- 8Ø LFNTAB=&H2437-F:RDFTAB=&H244D-F:PATCAL=&H2E4C-F:PTTL=&H4D3E-F:SCRCAL=&H4E7E-F:PDSLIN=&H5Ø41-F:OLDDES=&H5Ø67-F:DESLIN=&H5Ø7Ø-F:NUMBER=DESLIN+1:TXT=DESLIN+3:FUNTAB=&H51B1-F:CRMESS=&H52ØC-F
- 9Ø PRINT :INPUT "Name of Wordstar file to modify (CR=WS.COM) ";INAM:IF INAM="" O R (LEN(INAM)=2 AND RIGHT\$(INAM,1)=":") THEN INAM=INAM+"WS.COM"
- 100 ON ERROR GOTO 110:OPEN"i",1,INAM:CLOSE:OPEN"r",1,INAM,1:FIELD 1,1 AS II:IF L OF(1)<>21376 THEN CLOSE:PRINT "Not a Wordstar 3.30 file":BEEP:GOTO 90 ELSE 120 110 IF ERR=64 THEN PRINT "Bad file name":BEEP:RESUME 90 ELSE IF ERR=53 THEN PRIN
- T "File not found.":BEEP:RESUME 9Ø


  12Ø ON ERROR GOTO Ø:PRINT :GET 1,VON:MENU=ASC(II):GET 1,VOFF:TEXT=ASC(II):GET 1,
  LFNTAB+1:IF ASC(II)=Ø THEN GOSUB 7ØØ:GOTO 14Ø ELSE PRINT "Reinstall patches (Y, N) ? ";
- 13Ø V=USR(Ø):IF V=&H1559 OR V=&H1579 THEN PRINT "Y":PRINT :GOSUB 73Ø ELSE IF V=& H314E OR V=&H316E THEN PRINT "N" ELSE 13Ø
- 14Ø GET 1, NUMBER: NCOL=ASC(II):GET 1, TXT: TCOL=ASC(II):GET 1, BS1:BS=INT(ASC(II)/15 Ø):CLS:LOCATE 1,1,Ø:PRINT "Key", "Text", "Description":LOCATE 22,1:PRINT CHR\$(218

## Canadian Sanyo owners and dealers



Compusoft manufactures and distributes
Michtron software programs
in Canada.

We fully support the Sanyo 550 and 555 series of computers. Please write for your FREE catalog and newsletter.



P.O. BOX 11659, EDMONTON, ALBERTA T5J 3KB. (403) 423 1175

1-800-437-4757

**EXT. 241** 

## Communicate

with your Sanyo Computer

Send for our catalog

- Modems
- Terminal Software



Send large SASE

for current list of

IBM software that

runs on the Sanyo

550 series.

#### 300/1200 BAUD INTELLIGENT MODEM

...Features Autodial and Auto Answer ...Hayes<sup>TM</sup>compatible.

\$ 279.95

Cable included

omputer ssociates

Tech. Support 701-281-0549 24 HOUR BBS 701-281-0233

West Fargo, ND 58078

);:FOR A=1 TO 5:PRINT STRING\$(12,196)CHR\$(194);:NEXT 15Ø PRINT STRING\$ (12,196) CHR\$ (191): FOR A=1 TO 6: PRINT CHR\$ (179) SPACE\$ (12); :NEXT: PRINT CHR\$(179)" "CHR\$(192);:FOR A=1 TO 5:PRINT STRING\$(12,196)CHR\$(193);:NEXT:P RINT STRING\$ (12,196) CHR\$ (217); 16Ø GOSUB 69Ø:FOR A=Ø TO 19:GOSUB 53Ø:NEXT:PF1=1:PF2=1:PF3=1:PF5=Ø 17Ø LOCATE 23,2:C=MENU:GOSUB 65Ø:PRINT " Menu ";:LOCATE 23,15:C=TEXT:GOSUB ";:LOCATE 23,28:C=NCOL:GOSUB 65Ø:PRINT " Text OCATE 23,41:C=TCOL:GOSUB 65Ø:PRINT " Descript'n "; 18Ø LOCATE 23,54:COLOR 2,Ø:IF BS=Ø THEN I="=left arrow" ELSE I="=dstrctv BS" 19Ø PRINT CHR\$(27)1; TAB(65);: IF PF1+PF2+PF3+PF5<>3 THEN COLOR Ø,2 200 LOCATE 23,67:PRINT " Redraw "; 21Ø IF PF4=Ø THEN GOSUB 69Ø:PRINT"Press PF key or letter (M,m,T,t,N,n,D,d,B,R) t o change, or ESC to end.";:PF4=1 22Ø GOSUB 68Ø:IF Z=1 THEN 49Ø ELSE IF Z<22 THEN A=Z-2:GOTO 32Ø ELSE ON Z-21 GOTO 24Ø, 25Ø, 26Ø, 27Ø, 28Ø, 29Ø, 3ØØ, 31Ø, 16Ø, 16Ø, 23Ø, 23Ø 23Ø BS=1-BS:GOTO 17Ø 24Ø C=MENU:GOSUB 66Ø:MENU=C:PF1=Ø:GOTO 17Ø 25Ø C=MENU:GOSUB 67Ø:MENU=C:PF1=Ø:GOTO 17Ø 26Ø C=TEXT:GOSUB 66Ø:TEXT=C:PF2=Ø:GOTO 17Ø 27Ø C=TEXT:GOSUB 67Ø:TEXT=C:PF2=Ø:GOTO 17Ø 28Ø C=NCOL:GOSUB 66Ø:NCOL=C:PF3=Ø:GOTO 17Ø 29Ø C=NCOL:GOSUB 67Ø:NCOL=C:PF3=Ø:GOTO 17Ø 300 C=TCOL:GOSUB 660:TCOL=C:PF3=0:GOTO 170 31Ø C=TCOL:GOSUB 67Ø:TCOL=C:PF3=Ø:GOTO 17Ø 32Ø PF5=1:LOCATE A+2,49:COLOR 7,Ø:PRINT "<----";:GOSUB 69Ø:PRINT "Press T to cha nge text, D to change description, or ESC to abort.";:PF20=PF2:PF30=PF3

33Ø GOSUB 68Ø:IF Z=1 THEN 34Ø ELSE IF Z=24 OR Z=25 THEN 35Ø ELSE IF Z=28 OR Z=29

# We take the BYTE out of high prices!

#### Accessories

THEN 42Ø ELSE BEEP:GOTO 33Ø

# PANASONIC CT 1300D COLOR MONITOR ... 279.00 RS-232C PORT ... 65.00 ANCHOR MARK X... 259.00 ANCHOR MARK X... 129.00 6' KEYBOARD EXTENDER ... 9.95 10 DS/DD DISKETTES ... 21.95 WORDSTAR TEMPLATE ... 9.95 BASIC REFERENCE MANUAL ... 30.00 DATASTAR REFERENCE ... 30.00 REPORTSTAR REF. MANUAL ... 45.00 MS-DOS REFERENCE MANUAL ... 45.00 MS-DOS REFERENCE MANUAL ... 49.00 128K RAM EXPANSION ... 75.00 COMPUSERVE KIT ... 31.95 TEAC 160K DRIVE ... 39.00

#### **Printers**

PANASONIC KX-P1090	219.00
PANASONIC KX-P1091	295.00
OLYMPIA RO LETTER QUALITY	
COMREX CR-1	549.00

#### Software

PAYROLL OR	
INVENTORY	
ACCOUNTS PAYABLE	
RECEIVABLE	
GENERAL LEDGER	100000000000000000000000000000000000000
THUNDER CHIEF	
SOFT SPOOL	
SOLITAIRE	34.95
MI-TERM MODEM	
SOFTWARE	
DS-DOS	
MAJOR MOTION	24.95
TIME BANDIT	34.95

Visa, MC add 3%. Personal checks allow 10-15 days to clear. No CODs. In MD add 5% tax. Add 3% for shipping, \$3.00 minimum. Send for free Sanyo catalog.

## Comp-U-Type



P.O. Box 777, Millersville, MD 21108 (301)987-4272



# WORDSTAR EASY???

ProgramKeys's 24" x 36" full color WordStar Reference Chart makes understanding and using WordStar easy.

Learn WordStar at least TWICE AS FAST or your money back!!

Saves countless hours of your valuable time by showing you graphically, with pictures and full color, how the WordStar commands work.

Includes MailMerge!

Send your check or money order for \$9.95, plus \$1.50 for first class mail postage and handling to:

ProgramKey 100 Tamal Plaza, Suite 152, Dept S Corte Madera, CA 94925

You be the judge. If you are not completely satisfied, return your chart within thirty days and get a full refund.

```
34Ø GOSUB 53Ø:PF2=PF2O:PF3=PF3O:PF5=Ø:GOTO 21Ø
35Ø GOSUB 69Ø:PRINT "Enter new text - press CR when done, or ESC to abort.";: I="
":LOCATE A+2,49:COLOR 7,1:PRINT SPACE$(6)
36Ø V=USR(Ø):IF V=&H11B THEN 34Ø ELSE IF V=&H1CØD THEN 4ØØ ELSE IF V<>&HEØ8 THEN
 37Ø ELSE IF I="" THEN BEEP:GOTO 36Ø ELSE I=LEFT$(I,LEN(I)-1):GOTO 38Ø
37Ø IF LEN(I)=6 THEN BEEP:GOTO 36Ø ELSE IF V/256=INT(V/256) THEN BEEP:GOTO 36Ø E
LSE I=I+CHR$ (V AND 255)
38Ø LOCATE A+2,49:COLOR 7,1:FOR B=1 TO LEN(I):C=ASC(MID$(I,B,1)):GOSUB 63Ø:NEXT:
IF LEN(I) <6 THEN FOR B=LEN(I)+1 TO 6:PRINT " ";:NEXT
39Ø COLOR 2,Ø:PRINT " ";:GOTO 36Ø
400 PF2=0:IF A<10 THEN B=A*9+OLDFUN+2 ELSE B=(A-10)*9+FUNTAB+2
41Ø LSET II=CHR$(LEN(I)):PUT 1,B:LSET II="*":FOR C=1 TO 6:PUT 1,B+C:NEXT:IF I>""
 THEN FOR C=1 TO LEN(I):LSET II=MID$(I,C,1):PUT 1,B+C:NEXT:GOTO 34Ø ELSE 34Ø
42Ø GOSUB 69Ø:PRINT "Enter new description - press CR when done, or ESC to abort
.";:I="":LOCATE A+2,49:COLOR 7,1:PRINT SPACE$(6)
43Ø V=USR(Ø):IF V=&H11B THEN 34Ø ELSE IF V=&H1CØD THEN 47Ø ELSE IF V<>&HEØ8 THEN
 44Ø ELSE IF I="" THEN BEEP:GOTO 43Ø ELSE I=LEFT$(I,LEN(I)-1):GOTO 45Ø
44Ø IF LEN(I)=6 THEN BEEP:GOTO 43Ø ELSE IF V/256=INT(V/256) THEN BEEP:GOTO 43Ø E
LSE V=V AND 255:IF V<32 OR V>127 THEN BEEP:GOTO 43Ø ELSE I=I+CHR$(V)
45Ø LOCATE A+2,49:COLOR 7,1:FOR B=1 TO LEN(I):C=ASC(MID$(I,B,1)):GOSUB 63Ø:NEXT:
IF LEN(I) <6 THEN FOR B=LEN(I)+1 TO 6:PRINT " ";:NEXT
 46Ø COLOR 2,Ø:PRINT " ";:GOTO 43Ø
 47Ø PF3=Ø:B=A*16+DESLIN:IF A=9 OR A=19 THEN B=B+2
 48Ø LSET II=" ":FOR C=1 TO 6:PUT 1,B+C*2:NEXT:IF I>"" THEN FOR C=1 TO LEN(I):LSE
 T II=MID$(I,C,1):PUT 1,B+C*2:NEXT:GOTO 34Ø ELSE 34Ø
 49Ø GOSUB 69Ø:PRINT "Writing changes to "INAM"...";:LSET II=CHR$(MENU):PUT 1,VON
 :LSET II=CHR$(TEXT):PUT 1,VOFF:LSET II=CHR$(TCOL):FOR A=DESLIN+1 TO DESLIN+319 S
 TEP 2:PUT 1, A:NEXT:LSET II=CHR$ (NCOL)
 500 FOR A=DESLIN+1 TO DESLIN+319 STEP 16:PUT 1,A:NEXT:LSET II=CHR$(2):FOR A=DESL
 IN+15 TO DESLIN+319 STEP 16:PUT 1,A:NEXT:LSET II=CHR$ (NCOL):PUT 1,DESLIN+147:PUT
  1,DESLIN+3Ø7:LSET II=CHR$(TCOL):PUT 1,DESLIN+159:PUT 1,DESLIN+319
 51Ø LSET II=CHR$(BS*161+13):PUT 1,BS1:LSET II=CHR$(BS*5+126):PUT 1,BS1+1:LSET II
 =CHR$ (BS*11+8):PUT 1,BS2:LSET II=CHR$ (127-BS*120):PUT 1,DEL1:PUT 1,DEL2
 52Ø IF INKEY$>"" THEN 52Ø ELSE CLOSE:CLS:END
 53Ø IF PFI=Ø THEN LOCATE A+2,2:I=STR$(A+1):C=MENU:GOSUB 65Ø:PRINT "PF"RIGHT$(I.L.
 EN(I)-1);
 54Ø IF PF2=1 THEN 57Ø ELSE LOCATE A+2,17:C=TEXT:GOSUB 65Ø:IF A<1Ø THEN GET 1,A*9
 +OLDFUN+2 ELSE GET 1, (A-1Ø) *9+FUNTAB+2
 55Ø IF ASC(II)>Ø THEN FOR B=1 TO ASC(II):GOSUB 62Ø:NEXT
 56Ø COLOR 2,Ø:PRINT SPACE$(33-POS);
 57Ø IF PF3=1 THEN 6ØØ ELSE LOCATE A+2,33:B=A*8:IF A=9 OR A=19 THEN B=B+1
 58Ø C=NCOL:GOSUB 65Ø:I=" ":IF A=9 THEN I="1"
 59Ø PRINT I;:GET 1,B*2+DESLIN:PRINT II;:C=TCOL:GOSUB 65Ø:FOR C=B+1 TO B+6:GET 1,
 C*2+DESLIN: PRINT II; :NEXT: COLOR 2, Ø: PRINT SPACE$ (49-POS);
 600 IF PF5=1 THEN LOCATE A+2,49:COLOR 2,0:PRINT SPACE$(30);
 61Ø RETURN
 62Ø IF A<1Ø THEN GET 1,A*9+B+OLDFUN+2:C=ASC(II) ELSE GET 1,(A-1Ø)*9+B+FUNTAB+2:C
 =ASC(II)
 63Ø IF C<32 THEN PRINT "~"CHR$(C+64); ELSE PRINT CHR$(C);
 64Ø RETURN
 65Ø COLOR C AND 15, (C AND 24Ø)/16:RETURN
 66Ø C1=C AND 15:C2=(C AND 24Ø)/16:C1=(C1+1) AND 7:C=C1+C2*16:RETURN
 67Ø C1=C AND 15:C2=(C AND 24Ø)/16:C2=(C2+1) AND 7:C=C1+C2*16:RETURN
 68Ø V=USR(Ø):FOR Z=1 TO 33:IF V<>K(Z) THEN NEXT:BEEP:GOTO 68Ø ELSE RETURN
 69Ø PF4=Ø:LOCATE 25,1:COLOR 2,Ø:PRINT SPACE$(79);:LOCATE 25,2:RETURN
 700 PRINT "Expanding description line...": I="": FOR A=0 TO 159: GET 1, A+OLDDES: I=I
 +II:NEXT:FOR A=Ø TO 159:LSET II=MID$(I,A+1,1):PUT 1,A+DESLIN:NEXT:FOR A=DESLIN+1
 61 TO DESLIN+319 STEP 2:PUT 1, A:NEXT
 710 LSET II=" ":FOR A=DESLIN+160 TO DESLIN+318 STEP 2:PUT 1,A:NEXT:LSET II=CHR$(
```

త్

```
Ø):PUT 1,DESLIN+32Ø
72Ø PRINT "Expanding function table...":FOR A=Ø TO 9:B=A*9+FUNTAB:LSET II=CHR$(A
+1Ø4):PUT 1,B:PUT 1,B+1:LSET II=CHR$(Ø):PUT 1,B+2:LSET II="*":FOR C=B+3 TO B+8:P
UT 1,C:NEXT C,A:LSET II=CHR$(Ø):PUT 1,FUNTAB+9Ø
73Ø PRINT "Installing patches...": A=HITE: B=1: GOSUB 77Ø: A=ERAEOL: B=2: GOSUB 77Ø: A=
LINDEL: B=2:GOSUB 77Ø: A=LININS: B=2:GOSUB 77Ø: A=NISUB: B=PATCH3-NISUB-F-2:GOSUB 78Ø
:A=MORPAT:B=75:GOSUB 77Ø:A=PATCH2:B=11:GOSUB 77Ø:A=PATCH3:B=3:GOSUB 77Ø
74Ø A=PATCH3+3:B=FUNTAB:GOSUB 78Ø:A=PATCH3+5:B=1Ø:GOSUB 77Ø:A=LFNTAB:B=PATCH2-LF
NTAB-F-2:GOSUB 78Ø:A=RDFTAB:B=7:GOSUB 77Ø:A=PATCAL:B=MORPAT-PATCAL-F-2:GOSUB 78Ø
:A=PTTL-2:B=CRMESS:GOSUB 78Ø:A=PTTL:B=3:GOSUB 77Ø:A=SCRCAL:B=1:GOSUB 77Ø
75Ø A=PDSLIN:B=1:GOSUB 77Ø:A=PDSLIN+1:B=DESLIN:GOSUB 78Ø:A=PDSLIN+3:B=44:GOSUB 7
7Ø: A=CRMESS: B=6Ø: GOSUB 77Ø
76Ø CLOSE:OPEN"r",1,INAM,1:FIELD 1,1 AS II:RETURN
77Ø FOR C=A TO A+B-1:READ I:LSET II=CHR$(VAL("&H"+I)):PUT 1,C:NEXT:RETURN
78Ø B=B+F:C=INT(B/256):LSET II=CHR$(C AND 255):PUT 1,A+1:LSET II=CHR$((B-C*256)A
ND 255):PUT 1,A:RETURN
79Ø DATA 32,E4,CD,16,89,Ø7,CB
800 DATA 011B,3B00,3C00,3D00,3E00,3F00,4000,4100,4200,4300,4400,6800,6900,6A00,6
BØØ,6CØØ,6DØØ,6EØØ,6FØØ,7ØØØ,71ØØ,324D,326D,1454,1474,314E,316E,2Ø44,2Ø64,1352,1
372,3042,3062
81Ø DATA 17,01,01,01,02,01,03
82Ø DATA 3C,Ø1,74,ØB,3C,Ø2,74,Ø9,3C,Ø3,74,Ø5,E9,63,2B,F6,D8,53,5Ø,B4,Ø3,CD,1Ø,8A
,ØE,49,Ø2,2A,CA,B5,ØØ,9D,78,1F,8A,EE,B1,ØØ,B8,Ø1,Ø7,72,Ø2,B4,Ø6,8B,16,48,Ø2,86,F
2,FE,CE,FE,CA,3A,EE,72,Ø9,8A,ØE,49,Ø2,B5,ØØ,B8,2Ø,Ø9,BB,ØØ,Ø7,CD,1Ø,5B,C3
83Ø DATA E8,1D,21,72,FA,BB,A5,ØØ,E9,15,21,56,57,BE,BF,A5,ØØ,B9,5C,ØØ,F3,A4,5F,5E
,Ø8,CØ,74,D5,38,C4,F9,E8,97,D3,17
84Ø DATA BF, 32, D2, 8A, 36, 48, Ø2, 33, DB, B9, Ø1, ØØ, B4, Ø2, CD, 1Ø, FE, C2, 3A, 16, 49, Ø2, 75, Ø4
,32,D2,FE,C6,B4,Ø9,8A,Ø5,ØA,CØ,74,Ø8,47,8A,1D,CD,1Ø,47,EB,EØ,C3
85Ø DATA 2Ø,2Ø,6D,6F,64,69,66,69,65,64,2Ø,62,79,2Ø,57,69,7A,53,74,61,72,2Ø,2D,2Ø
,43,6F,7Ø,79,72,69,67,68,74,2Ø,28,63,29,2Ø,31,39,38,35,2Ø,4A,2E,2Ø,57,65,61,76,6
5,72,2Ø,4A,72,2E,2Ø,2Ø,ØF,ØØ
```

SANYO 550 OWNERS: Receive A Diskette With Latest Updates Of Sanyo:

1. User Groups 2. Software For Sanyo 3. Exchange of Programs (SUPPLIED VIA PUBLIC DOMAIN) 4. Bulletin Boards 5. List of Sanyo Magazine Articles 6. Hardware For Sanyo

SEND \$6.00 TO:

DIVERSIFIED COMPUTERS P.O. BOX 1083 SPRINGFIELD, TN 37172-1083

OR

**DIVERSIFIED COMPUTERS** 623 RED LANE RD. SUITE 104 BIRMINGHAM, AL 35215 Phone (205) 836-5049

## LOOK!

Legal Software Thought Works-Hard Disks Medical-Medicalus Farmers-Vertical Software

General Accounting-Star Software Micro Main-Hard Disks Accountants-TCS Software McGraw Hill-Software + Publications

SANYO 555-2 W/CRT 30 ONLY 1200.00 + FREIGHT SANYO 555-2 W/CRT 36 ONLY 1230.00 + FREIGHT

#### **DEALER INQUIRES INVITED**

**B-T Distributors** P.O. Box 3115 Carbondale, IL 62902-3115 (618) 529-5557 (618) 687-3368

Catalog available upon Request

### **AUTOTYPE FOR THE** SANYO COMPUTER

This is a program which allows anyone with the Sanyo computer to add typewriting capability to their computer.

"Q" (to Quit typing) and With only two control sequences "to remember" C (to Clear the screen) Autotype is simple to use with a letter quality or dot matrix printer at a fraction of the cost. Also, the only limitations to the style of printing available are those of the printer used.

Why use two different keyboards when you are accustomed to your computer's.

14008 Nacogdoches

San Antonio, Tx 78247

## **MEMORY MADNESS**


128K Upgrade ... **IBM TO SANYO** IBM Basica to Sanyo Basic .....\$34.50 Unprotect IBM/Sanyo Basic .....\$29.50 

THE SOFTIES P.O. Box 26484 Minneapolis, MN 55426 612-593-9857

DEALER **INQUIRIES** WELCOME

# & THE SANYO SYNTHESIZER

From rock to Rachmaninov, when you stroke the keys now, you can get more than numbers and words.



respectively and intuitively obvious user interface for creating, saving and playing tunes. You with the bother of memorizing commands or calculating frequencies.

Tunes are stored in the form of strings in the array TUN\$(Q). When it's time to play the tune back, the code at lines 2100 through 2190 "compiles" the information into pitch and duration data which are then passed to the sound driver.

Let's take a short tour through the logic and variables.


**Definitions And Startup** 

Lines 60 to 120 contain definitions. Lines 140 to 160 place the machine language sound driver object code (data at Line 1890) into memory at location &H100. The pitch data at lines 1900 through 1960 is read into the array NOTES(A). Lines 190 to 290 ask for a filename and open the proper file where the data of TUN\$(Q) can be stored. Lines 310 through 350 draw the screen, calling a subroutine at Line 1740.

#### **Panels**

The eight panels and keyboard are called PLAYBOX, QUITBOX, NAMEBOX, STOREBOX, NOTEBOX, HELPBOX, VALBOX, LENGTHBOX and TEMPO BOX. Parallel structured code from Line 370

(Marcia L. Peters first became involved with computers in 1972. Before her Sanyo, she owned an early TRS-80 Model I. She travels frequently in her job at Telex Data Systems supporting 3270 SNA and BSC telecommunications software. She holds a music degree from Swarthmore College. The author may be contacted at 141 Woodbine Street, Providence, RI 02906; 401-273-4467.)



through 1300 contains the logic which processes keystrokes and enables you to move from one panel to another, as well as to process keystrokes having a function for any given highlighted box. A one-line subroutine at Line 1870 receives keystrokes and returns their ASCII codes. The ASCII values of the arrows, tab, backspace and ENTER keys are given on Line 120.

Whenever you move to a new panel, a subroutine at 1430 is passed two parameters: NEWBOX, the number of the new panel to be highlighted, and OLDBOX, the number of the prior panel, so it may be "unhighlighted."

#### **Keyboard Picture**

We draw the keyboard at lines 1770 through 1800 during start-up. Then whenever we go to the keyboard panel, the NEWBOX subroutine at 1430 highlights it by drawing a box around the keyboard.

#### Follow The Bouncing Ball

On the keyboard, a dot shows which note we're currently pointing to. The left and right arrow keys move the dot chromatically (by half-tones; i.e., from C to C#). The tab and backspace keys jump one octave up or down.

The subroutine at lines 2240 to 2540 draws the "bouncing ball" on the keyboard. I could have used BASIC'S CIRCLE command with PAINT to draw the bouncing ball, but for speed chose PUT instead. Because the dot arrays BDDT, WDDT, BKEY and WKEY are very small (only 31 words each), I hope that Sanyo users with less than 256K will not have difficulties with PUT and GET. During initialization the dots were drawn for the first time, then GET transferred the picture data into arrays at lines 2560 through 2620.

#### File Error Handling

If an error such as "Disk full" or "File not found" occurs, the code at lines 2830 to 2910 will display an error message without bumping you out of the program. You can input a corrected filename.

#### **Data Structure**

The tune in TUN\$(Q) is in the form of a list of short strings. Notes are

numbers one through 84. Tempo changes are in the form 'Tn' where 'n' is a number between 40 and 300 beats per minute. Musicians, this is a metronome marking. Note values are 'NT' (thirty-second note) through 'NW' (whole note). Lengths are stored as 'Ln' where 'n' is a length from one through 16. In other words, if the note value is 'NQ' (quarter notes) and length equals three, the resulting duration will be a dotted half note — three beats.

#### Editing Tunes

Editing and stepping through the tune are enhancements that were in my original design for this program. However, with my busy schedule, *Music* might not be published for months if I spent time to add those features. I hope readers will be inspired to enhance MUSIC.BAS and share their work with all of us.

Tune data can, of course, be edited using *WordStar* or EDLIN and played back again through MUSIC.BAS. Also, notes entered in error can be deleted with the DELETE key.

#### Portable Tunes

Adding tunes to a game program, for example, can be done in two ways. The longer, but easier, way requires incorporating most of lines 80 to 170, the data at lines 1890 to 1960, and the music "compiler" from lines 1980 through 2180 into the target program.

The shorter way, which will require a little programming, would be to compile tunes and save the arrays F(X) and D(X) (frequencies and durations), then run those arrays directly through the sound driver.

#### **Technical Notes**

On my Sanyo, the sound was much too loud. Although I first disconnected the speaker and later eliminated the BASIC beep through software, when I started developing various sound routines, I needed to keep it functional. Eventually, I cut one speaker wire and soldered a 100-ohm resistor in series to attenuate the sound to a desirable level. If you do this, be sure to insulate the resistor leads so they won't short to the circuit board. Also, I recommend placing paper over the circuit board

while working to avoid dropping solder onto it.

#### How Can I Tune It?

With this program, you can't. As low as just two octaves above middle C, we approach a limit where break is being toggled less than 30 times for each note. The USART (sound generator) is being clocked at 1200 Baud. Accordingly, the higher the frequency, the less precise the pitch.

#### A Novel Method For Sanyo Sound

There is another method of making sound which is highly accurate, but so far only works well when I run the routine from DEBUG, not from BASIC.

Our Sanyo 550/555s contain two USART chips. The one at IO addresses 28H and 2AH is reserved for serial communications through the RS-232 port. The other, at ports 38H and 3AH, is used as a receiver of serial keyboard data and as a transmitter for making sound through the speaker.

The Intel 8251A is a Universal Synchronous/Asynchronous Transmitter/Receiver (USART). The key word here is "synchronous." As used by the keyboard, the chip is limited to asynchronous, 1200 Baud operation with a start bit, parity and two stop bits per byte transmitted. The input clock frequency is divided by 64 to yield a 1200 Baud rate. However, whenever we need to make a musical sound, we can reinitialize the chip as a synchronous, eight-bit transmitter, with no parity or stop bits. The basic clock frequency is established by Counter 0 of the 8253 Programmable Interval Timer. In synchronous mode, the input frequency is not divided by 64. Therefore, we have a basic frequency of 78.6 KHz to work with - well above the 18 to 20 KHz limit of audibility.

A minor drawback is that the 8251 USART must again be reinitialized after use so it can talk with the keyboard. This presents a major hurdle during debugging — every bug necessitated a system reset to bring the keyboard back to life!

A minimal assembler program demonstrating this latter method of sound generation is included for those who wish to experiment.



```
Listing 1: MUSIC.BAS
10 ' MUSIC.BAS
20 ' by MARCIA L. PETERS, 141 Woodbine St., Providence, RI 02906
30 ' copyright (C) 1985 by Marcia L. Peters
40 ' permission granted for personal use only
5Ø '
6Ø '---- definitions & startup
7Ø '
8Ø CLEAR 2Ø: DEFINT A-Z: RESTORE 189Ø: ON ERROR GOTO 283Ø
9Ø DIM NOTES(84), F(1ØØØ), D(1ØØØ), TUN$ (5ØØØ), WDOT(31), BDOT(31), WKEY(31), BKEY(31)
100 PLAYBOX=1: QUITBOX=2: NAMEBOX=3: STOREBOX=4: HELPBOX=5: NOTEBOX=6: VALBOX=7
11Ø LENGTHBOX=8:TEMPOBOX=9: V$="TSEQHW": MAX=73:SPEED=12ØØ:NUL$=STRING$(8Ø," ")
12Ø ENTER=13:TABB=9:DEL=127:INSERT=18:BACKSP=8: UP=3Ø: DOWN=31:LEFT=28:RIGHT=29
140 '---- set up machine language music driver and note data
16Ø DEF SEG=SEG(4):FOR A=&H1ØØ TO &H13B:READ I$:POKE A, VAL("&H"+I$):NEXT
17Ø GOSUB 255Ø: RESTORE 19ØØ: FOR A=1 TO 7*12: READ NOTES(A):NEXT
190 '---- mess with files
21Ø PRINT "Will this be a NEW tune or an EXISTING one? ": GOSUB 186Ø
22Ø IF I$<>"N" AND I$<>"n" THEN 23Ø ELSE GOSUB 278Ø :OPEN "O", #1, FILE$+".BAK":
23Ø PRINT "Music files on this disk are:":PRINT :FILES"*.MUS":GOSUB 278Ø
24Ø OPEN "I", #1, FILE$+".MUS": Q=Ø
25Ø IF EOF(1) THEN 26Ø ELSE Q=Q+1: INPUT #1,TUN$(Q): GOTO 25Ø
26Ø CLOSE: KILL FILE$+".BAK"
27Ø NAME FILE$+".MUS" AS FILE$+".BAK": GOTO 3ØØ
28Ø GOSUB 278Ø
3ØØ '
31Ø '---- make it pretty
32Ø CLS
33Ø FOR A=1 TO 5:LINE(Ø,A*3)-(639,A*3),1:LINE(Ø,A*3+172)-(639,A*3+172),1:NEXT
35Ø GOSUB 174Ø: GOTO 4ØØ: draw initial screen
37Ø '---- logic for screen panels and keystrokes
39Ø OLDBOX=NEWBOX: NEWBOX=PLAYBOX: GOSUB 143Ø
400 GOSUB 1860
41Ø IF I<>ENTER THEN 42Ø ELSE GOSUB 2Ø2Ø: GOTO 4ØØ
42Ø IF I=TABB THEN 48Ø
43Ø IF I=BACKSP THEN 76Ø
440 IF I=DOWN THEN 840
45Ø IF I=UP THEN 96Ø
46Ø GOTO 4ØØ
47Ø '----
48Ø OLDBOX=NEWBOX: NEWBOX=QUITBOX: GOSUB 143Ø
49Ø GOSUB 186Ø
500 IF I=ENTER THEN GOSUB 1310
51Ø IF I=TABB THEN 57Ø
52Ø IF I=BACKSP THEN 39Ø
53Ø IF I=UP THEN 96Ø
54Ø IF I=DOWN THEN 84Ø ELSE 49Ø
55Ø GOTO 49Ø
560 '----
57Ø OLDBOX=NEWBOX: NEWBOX=NAMEBOX:GOSUB 143Ø
```

```
58Ø GOSUB 186Ø
59Ø IF I<>ENTER THEN 6ØØ ELSE GOSUB 133Ø
600 IF I=TABB THEN 650
61Ø IF I=BACKSP THEN 48Ø
62Ø IF I=UP THEN 96Ø
63Ø IF I=DOWN THEN 84Ø ELSE 58Ø
65Ø OLDBOX=NEWBOX: NEWBOX=STOREBOX:GOSUB 143Ø
66Ø GOSUB 186Ø
67Ø IF I<>ENTER THEN 71Ø ELSE OPEN "O", #1, FILE$+".MUS": FOR A=1 TO Q: WRITE #1,
TUN$ (A): NEXT : CLOSE
       LOCATE 19,1,Ø: PRINT FILE$+".MUS stored. Will you Continue editing,"
       PRINT "Quit, begin a New tune, or work with an Existing tune?": GOSUB 186
690
695 IF I$="O" OR I$="a" THEN END
700 IF I$="C" OR I$="c" THEN GOSUB 2740: GOTO 710 ELSE Q=0: GOTO 200
71Ø IF I=TABB THEN 76Ø
72Ø IF I=BACKSP THEN 57Ø
73Ø IF I=UP THEN 96Ø
74Ø IF I=DOWN THEN 84Ø ELSE 66Ø
76Ø OLDBOX=NEWBOX: NEWBOX=HELPBOX:GOSUB 143Ø
77Ø GOSUB 186Ø
78Ø IF I=ENTER THEN GOSUB 14ØØ
79Ø IF I=TABB THEN 39Ø
8ØØ IF I=BACKSP THEN 65Ø
81Ø IF I=UP THEN 96Ø
82Ø IF I=DOWN THEN 84Ø ELSE 77Ø
```

# TANNER and the JUNGLE TEMPLE

TOP QUALITY ADVENTURE GAME WITH NINE LEVEL DUNGEON/MAZE FOR SANYO 550/555 FILLED WITH MONSTERS AND PITFALLS TO CATCH THE UNWARY. A CRYPTIC NOTE IS YOUR ONLY CLUE TO UNRAVEL THE HIDDEN WAYS AND FIND THE TREASURE, GUARDED SINCE THE DAWN OF TIME. YOUR WITS AND CUNNING ARE ALL THAT STAND TWIXT YOU AND SUDDEN DEATH. IF YOU ARE LUCKY, YOU MAY PICK UP ENOUGH MONEY TO BUY WEAPONS AT THE GENERAL STORE. IF NOT, YOU CAN ALWAYS TRY AGAIN.

AVAILIABLE NOW!!!! ORDER TODAY!!!!!

WRITTEN IN PASCAL- RUNS ON ANY 550 SERIES COMPUTER WITH ONE DRIVE AND MONITOR.

ORDER C.O.D. OR SEND MONEY ORDER OR CERTIFIED CHECK FOR \$25.00 TO:

THE MOONWOLF GAME COMPANY 1480 F TERRELL MILL ROAD (SUITE 712) MARIETTA, GEORGIA 30067

# TAX TEMPLATES FOR CALCSTAR™

\$29.95 for 14 tax forms

Calculate Forms: 1040, 1040A, 1040EZ, A, B, C, E, G, SE, W, 2441, 4562, 3903, 2106

30 Day Money Back Guarantee I TH, Inc. Barry Weintraub Esq.

7700 Leesburg Pike Falls Church VA 22043 (703) 442-8330

**DEALER INQUIRIES WELCOME** 

# SPECTRUM SOLUTIONS 800K DRIVE...\$159 360K DRIVE...\$129 180K DRIVE...\$69 128K (150NS).\$64 8087 APU....\$149 VIDEO BOARD..\$175 DISKS!!!! SPECTRUM BULK DISKS SS/DD (QTY 30)..\$32 DS/DD (QTY 30)..\$37 30 OR MORE....CALL

Q-BREAKER(UNPROTECTS BASIC)..\$ 20

JOYSTICK....\$ 18

7029B TAYLORSVILLE RD, DAYTON, OH 45424

84Ø OLDBOX=NEWBOX: NEWBOX=NOTEBOX: GOSUB 143Ø 86Ø IF I=ENTER THEN N\$=STR\$ (PITCH): GOSUB 222Ø: GOSUB 3ØØØ 87Ø IF I=DEL THEN IF O<2 THEN 89Ø ELSE Q=Q-1 88Ø 'IF I=INS THEN GOSUB 213Ø 89Ø IF I<>TABB THEN 9ØØ ELSE IF PITCH>MAX-13 THEN 9ØØ ELSE OLD=1: GOSUB 225Ø: PITCH=PITCH+12: GOSUB 2250 900 IF I >BACKSP THEN 910 ELSE IF PITCH 13 THEN 910 ELSE OLD=1: GOSUB 2250: PITCH=PITCH-12: GOSUB 225Ø 91Ø IF I<>RIGHT THEN 92Ø ELSE IF PITCH>MAX-1 THEN 92Ø ELSE OLD=1: GOSUB 225Ø: PITCH=PITCH+1: GOSUB 225Ø 92Ø IF I<>LEFT THEN 93Ø ELSE IF PITCH<2 THEN 93Ø ELSE OLD=1: GOSUB 225Ø: PITCH=PITCH-1: GOSUB 225Ø 93Ø IF I=UP THEN 39Ø 94Ø IF I=DOWN THEN 96Ø ELSE 85Ø 950 '----96Ø OLDBOX=NEWBOX: NEWBOX=VALBOX:GOSUB 143Ø 97Ø GOSUB 186Ø 98Ø IF I=ENTER THEN N\$="V"+MID\$(V\$,V,1):GOSUB 222Ø 99Ø IF I<>RIGHT THEN 1Ø1Ø ELSE V=V+1: IF V>6 THEN V=6 1000 GOTO 1020 1010 IF I<>LEFT THEN 1030 ELSE V=V-1: IF V<1 THEN V=1 1Ø2Ø LOCATE 23,2,Ø:PRINT "VALUE= ";MID\$(V\$,V,1); 1030 IF I=TABB THEN 1080 1Ø4Ø IF I=BACKSP THEN 12ØØ 1050 IF I=UP THEN 840 1060 IF I=DOWN THEN 390 ELSE 970 1Ø8Ø OLDBOX=NEWBOX: NEWBOX=LENGTHBOX:GOSUB 143Ø 1090 GOSUB 1860 1100 IF I<>RIGHT THEN 1130 ELSE L=L+1: IF L>16 THEN L=16 GOTO 114Ø 112Ø IF I=ENTER THEN N\$="L"+STR\$(L):GOSUB 222Ø 113Ø IF I<>LEFT THEN 115Ø ELSE L=L-1: IF L<1 THEN L=1 LOCATE 23,17,0:PRINT "LENGTH="L; 114Ø 115Ø IF I=TABB THEN 12ØØ 116Ø IF I=BACKSP THEN 96Ø 117Ø IF I=UP THEN 84Ø 118Ø IF I=DOWN THEN 39Ø ELSE 1Ø9Ø 1190 '----1200 OLDBOX=NEWBOX: NEWBOX=TEMPOBOX:GOSUB 1430 121Ø GOSUB 186Ø 122Ø IF I=ENTER THEN N\$="T"+STR\$ (NUM):GOSUB 222Ø 123Ø IF I<>RIGHT THEN 124Ø ELSE IF NUM>299 THEN 127Ø ELSE NUM=NUM+1:GOTO 126Ø 124Ø IF I<>LEFT THEN 127Ø 1250 IF NUM<41 THEN 1270 ELSE NUM=NUM-1 LOCATE 23,32,Ø:PRINT "TEMPO="NUM; 126Ø 127Ø IF I=TABB THEN 96Ø 128Ø IF I=BACKSP THEN 1Ø8Ø 129Ø IF I=UP THEN 84Ø 1300 IF I=DOWN THEN 390 ELSE 1210 131Ø '---- quit 1320 OPEN "O", #1, FILE\$+".MUS": FOR A=1 TO Q: WRITE #1, TUN\$ (A): NEXT: CLOSE: END 133Ø '---- name 134Ø LOCATE 18,1: PRINT "The name of this tune is "FILE\$".MUS. Do you want to c hange it? ";:GOSUB 186Ø: IF I\$="N" OR I\$="n" THEN 137Ø ELSE CLOSE: GOSUB 278Ø: GOSUB 266Ø 135Ø OPEN "O", #1, FILE\$+".MUS"

```
136Ø GOSUB 266Ø
137Ø GOSUB 274Ø
138Ø RETURN
1390 '
1400 LOCATE 18,1: PRINT "Use TAB, BACKSPACE, ARROWS to move around. Select usin
g ENTER. You can create tunes by selecting notes on the keyboard, changing note
VALUE from quarter thru thirty-second, note LENGTH, and TEMPO. Try it!";
141Ø GOSUB 187Ø: GOSUB 274Ø: RETURN
1420 '
143Ø '---- HIGHLIGHT newbox; unhighlight oldbox; return ----
1440 '
145Ø 'input NEWBOX (if >1 = highlighted), OLDBOX (if >1=unhighlighted)
147Ø GOTO 161Ø
148Ø ON NEWBOX+1 GOTO 15ØØ,151Ø,152Ø,153Ø,154Ø,155Ø,156Ø,157Ø,158Ø,159Ø
1490 '
1500 RETURN
151Ø X= Ø:Y=33: LINE(X,Y)-(X+1ØØ,Y+2Ø),2,BF:LOCATE 6,2,Ø:PRINT PLAYY$;:RETURN
152Ø X=12Ø:Y=33:LINE(X,Y)-(X+1ØØ,Y+2Ø),2,BF:LOCATE 6,17,Ø:PRINT "QUIT";:
153Ø X=24Ø:Y=33:LINE(X,Y)-(X+1ØØ,Y+2Ø),2,BF:LOCATE 6,32,Ø:PRINT"RENAME";:RETURN
154Ø X=36Ø:Y=33:LINE(X,Y)-(X+1ØØ,Y+2Ø),2,BF:LOCATE 6,47,Ø:PRINT"STORE";:RETURN
155Ø X=48Ø:Y=33:LINE(X,Y)-(X+1ØØ,Y+2Ø),2,BF:LOCATE 6,62,Ø:PRINT "HELP";:RETURN
156Ø LINE (34,68) - (554,122),2,B: RETURN
157Ø X=Ø:Y=17Ø:LINE(X,Y)-(X+1ØØ,Y+2Ø),2,BF:LOCATE 23,2,Ø:PRINT"VALUE=";:
     PRINT MID$ (V$, V, 1); : RETURN
158Ø X=12Ø:Y=17Ø:LINE(X,Y)-(X+1ØØ,Y+2Ø),2,BF:LOCATE 23,17,Ø:PRINT"LENGTH="L;:
     RETURN
```



# ENHANCE WordStar

## P-r-o-p-o-r-t-i-o-n-a-l Spacing on WordStar

You are reading text printed by WordStar in proportional spacing, providing a professional, easy to read, typeset appearance, direct from the print command on any version of WordStar. Also print two or more columns on a page, underline spaces between words, and much more. Works with most letter quality printers (Diablo, Qume, NEC, Juki, Brother, C. Itoh, Silver Reed, others).

"The best and least expensive method of dramatically improving the appearance of any WordStar text" - LIST Disk version (CP/M, MS/PC-DOS) automatically modifies WordStar 575 including manual. Manual only (100 pages - with full details for implementing PS using Install) \$25. No technical skill is needed. Text can be right justified. Printer does not require PS logic. Prices include shipping in U.S. NYS add tax.

Okay! My check is enclosed for \$...... (or charge my VISA/MC --- exp -----).

#### Writing Consultants

Suite 253, 11 Creek Bend Drive - Fairport, NY 14450 1-800-828-6293 (in NYS 1-716-377-0130) phones open 24 hours - dealers please call or write

```
159Ø X=24Ø:Y=17Ø:LINE(X,Y)-(X+1ØØ,Y+2Ø),2,BF: LOCATE 23,32,Ø:PRINT"TEMPO="NUM;:
     RETURN
16ØØ '
161Ø ON OLDBOX+1 GOTO 148Ø,163Ø,164Ø,165Ø,166Ø,167Ø,168Ø,169Ø,171Ø,172Ø
162Ø '
163Ø X=Ø:Y=33: LINE(X,Y)-(X+1ØØ,Y+2Ø),1,BF:LOCATE 6,2,Ø:PRINT PLAYY$;:GOTO 148Ø
164Ø X=12Ø:Y=33: LINE(X,Y)-(X+1ØØ,Y+2Ø),1,BF:LOCATE 6,17,Ø:PRINT"QUIT";:
     GOTO 148Ø
165Ø X=24Ø:Y=33:LINE(X,Y)-(X+1ØØ,Y+2Ø),1,BF:LOCATE 6,32,Ø:PRINT"RENAME";:
     GOTO 148Ø
166Ø X=36Ø:Y=33:LINE(X,Y)-(X+1ØØ,Y+2Ø),1,BF: LOCATE 6,47,Ø:PRINT"STORE";:
     GOTO 148Ø
167Ø X=48Ø:Y=33:LINE(X,Y)-(X+1ØØ,Y+2Ø),1,BF:LOCATE 6,62,Ø:PRINT"HELP";:
     GOTO 148Ø
168Ø LINE (34,68) - (554,122),1,B: GOTO 148Ø
169Ø X= Ø:Y=17Ø:LINE(X,Y)-(X+1ØØ,Y+2Ø),1,BF: LOCATE 23,2,Ø:PRINT"VALUE=";
1700 PRINT MID$ (V$, V, 1);:GOTO 1480
171Ø X=12Ø:Y=17Ø:LINE(X,Y)-(X+1ØØ,Y+2Ø),1,BF:LOCATE 23,17,Ø:PRINT"LENGTH="L;:
     GOTO 148Ø
172Ø X=24Ø:Y=17Ø:LINE(X,Y)-(X+1ØØ,Y+2Ø),1,BF: LOCATE 23,32,Ø:PRINT"TEMPO="NUM;:
     GOTO 148Ø
1730 '
1740 '---- draw initial screen
175Ø NEWBOX=Ø: PLAYY$="PLAY": V=4: L=1: NUM=6Ø: PITCH=25
176Ø N$="VQ":GOSUB 222Ø:N$="L1":GOSUB 222Ø:N$="T6Ø":GOSUB 222Ø
1770 '---- draw kbd.
178Ø TOP=7Ø: BOT=12Ø: LINE(36, TOP)-(552, BOT), 2, BF
179Ø FOR X=44 TO 52Ø STEP 84:LINE(X, TOP) - (X+8, 100), Ø, BF:
     LINE (X+12, TOP) - (X+2\emptyset, 1\emptyset\emptyset), \emptyset, BF:LINE (X+36, TOP) - (X+44, 1\emptyset\emptyset), \emptyset, BF:
     LINE (X+48, TOP) - (X+56, 100), 0, BF:LINE (X+60, TOP) - (X+68, 100), 0, BF:NEXT
1800 FOR X=36 TO 552 STEP 12: LINE(X, TOP)-(X, BOT), 0:NEXT
1820 FOR OLDBOX=1 TO 9: GOSUB 1430: NEXT
183Ø NEWBOX=HELPBOX: OLDBOX=Ø: GOSUB 143Ø
184Ø GOSUB 27ØØ: GOSUB 225Ø: GOSUB 14ØØ: RETURN
186Ø '----- wait for input; translate string into number; return
187Ø IS=INKEYS: IF LEN(I$)<1 THEN 187Ø ELSE I=ASC(I$): RETURN
189Ø DATA eb, 2, Ø, Ø, fa, 8b, ec, 1e, c5, 5e, 8, 8b, f, c5, 5E, 4, 8B, 17, E, 1F, 2E, 89, E, 2, 1, B8, 35
,Ø,34,8,E6,3A,FE,CC,75,3,4A,74,9,E2,F7,2E,8B,E,2,1,EB,EC,34,8,3C,35,75,2,E6,3A,1
F, CA, 8, Ø
1900 DATA 622,595,561,528,499,469,440,417,391,371,351,331
1910 DATA 311,294,277,262,248,233,220,208,196,185,175,165
1920 DATA 155,147,138,130,123,116,109,104, 97, 92, 86, 82
1930 DATA 77, 72, 69, 64, 61, 57, 54, 51, 48, 45, 42, 40
194Ø DATA 38, 36, 34, 32, 3Ø, 28, 26, 25, 23, 22, 21, 19
1950 DATA 18, 17, 16, 15, 14, 13, 13, 12, 11, 10, 10, 9
1960 DATA 8, 8, 8, 8, 7, 7, 7, 6, 6, 5, 4,
197Ø '----
1980 ' The HEART of the program
1990 ' evaluates stored strings as the arrays F(X) (frequencies) and
2\emptyset\emptyset\emptyset ' D(X) (durations) and passes them to the sound driver at &H100
2020 C=0: FOR I=1 TO Q: I$=TUN$(I): GOSUB 2040: NEXT: GOSUB 2170: RETURN
2Ø3Ø '
2040 IF LEN(I$)=0 THEN RETURN
2050 IF LEFT$(I$,1)<>"T" THEN 2070 ELSE NUM=VAL(MID$(I$,2,LEN(I$)-1))
        TEMPO=60/NUM*SPEED: RETURN
2060
```

```
2070 IF LEFT$(I$,1)="V" THEN 2130
2080 IF LEFT$(I$,1)<>"L" THEN 2090 ELSE L=VAL(RIGHT$(I$,1)): RETURN
2090 PITCH=VAL(I$):IF PITCH>0 AND PITCH<MAX+THENEN12010LEESEEREENRN
2100 '
2110 '---- a note
212Ø C=C+1: F(C)=NOTES(PITCH): D(C)=TEMPO*V*L/32: RETURN
2130 '---- Value
214Ø I$=RIGHT$(I$,1)
215Ø IF I$="E" THEN V=4 ELSE IF I$="O" THEN V=8 ELSE IF I$="S" THEN V=2 ELSE
     IF I$="T" THEN V=1 ELSE IF I$="H" THEN V=16 ELSE IF I$="W" THEN V=32
216Ø RETURN
217Ø '---- play it
218Ø FOR X=1 TO C: F=F(X): D=D(X): CALL &H1ØØ, F, D: NEXT: RETURN
2200 '---- subroutines -----
2210 '---- concatenate string of tune info - each new info passed as n$
222Ø Q=Q+1:TUN$(Q)=N$: IF Q=5ØØØ THEN STOP ELSE RETURN
223Ø '
224Ø '---- the bouncing ball
225Ø OCT=33+INT(PITCH/12)*84
226Ø PLUS=PITCH MOD 12: IF PLUS<>Ø THEN 227Ø ELSE PLUS=12: OCT=OCT-84
227Ø IF OLD<>1 THEN 228Ø ELSE PLUS=PLUS+12: OLD=Ø
228Ø BY=93: WY=113
229Ø ON PLUS GOSUB 231Ø,232Ø,233Ø,234Ø,235Ø,236Ø,237Ø,238Ø,239Ø,24ØØ,241Ø,242Ø,
                   243Ø,244Ø,245Ø,246Ø,247Ø,248Ø,249Ø,25ØØ,251Ø,252Ø,253Ø,254Ø
2300 RETURN
 231Ø PUT(OCT+6,WY), WDOT: RETURN
 232Ø PUT (OCT+12, BY), BDOT: RETURN
```



Use your Sanyo to improve your performance at the track! These fine programs for **Thoroughbreds**, **Harness Horses** and **Greyhounds** combine the power of your Sanyo 550 series computer with the savvy of a veteran handicapper. Spend a few minutes entering data, and The Handicapper will rank the horses or dogs in each race. All the information is readily available from the Thoroughbred Racing Form, harness or greyhound track program. We even provide a diagram showing you where to get the data you need!

Horse racing factors include speed, class, past performance, post position, stretch gain, beaten favorite, jockey or driver's record, weight (for thoroughbreds) and parked-out signs (for trotters). Greyhound factors include speed, past performance, class, favorite box, kennel record, breaking tendencies, beaten favorite.

Complete instructions and wagering guide included. Thoroughbred, Harness or Greyhound Handicapper, only \$49.95 each. Any two, just \$74.95. All three only \$99.95. Checks, Money Orders or VISA/MC welcomed.



Federal Hill Software 825 William Street Baltimore, MD 21230 301-685-6254



## FIND THE RIGHT WORD with

Synonym Finder A *Thesaurus* for

## WordStar and Multimate!

Improve your writing by quickly finding the perfect word. Put your cursor on a word, give the command, and up pops a list of alternate words (synonyms). Pick one, hit return, and voila, your new word replaces your old word, without having to delete or retype! Enhance your communications for only \$12495 (or, find a friend and buy 2 or more copies at only \$99.95 each!).

Plus \$2.50 shipping - NYS residents add sales tax. Installs in a jiffy on most machines that run WordStar (3.3 or 3.0), Multimate, or Word Perfect. Specify word processor, computer, operating system (MS/PC-DOS or CP/M 80) and disk format.

Okay! My check is enclosed for \$\_\_\_\_\_ (or charge my VISA/MC acct # \_\_\_\_\_\_\_exp \_\_\_\_\_\_).

## **Writing Consultants**

Suite 311, 11 Creek Bend Drive - Fairport, NY 14450 Orders only: 800-828-6293 Info: 716-377-0130 dealers please write

```
233Ø PUT(OCT+18,WY),WDOT: RETURN
234Ø PUT(OCT+24,BY),BDOT: RETURN
235Ø PUT(OCT+3Ø,WY),WDOT: RETURN
236Ø PUT(OCT+42,WY),WDOT: RETURN
237Ø PUT(OCT+48,BY),BDOT: RETURN
238Ø PUT(OCT+54,WY), WDOT: RETURN
239Ø PUT(OCT+6Ø, BY), BDOT: RETURN
2400 PUT(OCT+66,WY), WDOT: RETURN
241Ø PUT (OCT+72, BY), BDOT: RETURN
242Ø PUT(OCT+78,WY), WDOT: RETURN
243Ø PUT (OCT+6, WY), WKEY: RETURN
244Ø PUT(OCT+12,BY), BKEY: RETURN
245Ø PUT(OCT+18,WY), WKEY: RETURN
246Ø PUT(OCT+24,BY), BKEY: RETURN
247Ø PUT(OCT+3Ø, WY), WKEY: RETURN
248Ø PUT (OCT+42, WY), WKEY: RETURN
249Ø PUT(OCT+48,BY), BKEY: RETURN
2500 PUT (OCT+54, WY), WKEY: RETURN
251Ø PUT(OCT+6Ø,BY),BKEY: RETURN
252Ø PUT(OCT+66,WY),WKEY: RETURN
253Ø PUT (OCT+72,BY), BKEY: RETURN
254Ø PUT(OCT+78,WY), WKEY: RETURN
255Ø '
2560 '----- initialize dots for PUT and GET on keyboard picture
257Ø '
258Ø COLOR Ø,2: CLS: GET(97,97)-(103,103), WKEY
259Ø CIRCLE (1ØØ,1ØØ),4,,,Ø: PAINT(1ØØ,1ØØ),Ø
26ØØ GET(97,97)-(1Ø3,1Ø3), WDOT: COLOR 2,Ø: CLS: GET(97,97)-(1Ø3,1Ø3), BKEY
261Ø CIRCLE (1ØØ,1ØØ),4,,,,2: PAINT(1ØØ,1ØØ),2: GET(97,97)-(1Ø3,1Ø3),BDOT
262Ø COLOR 2,Ø: CLS: RETURN
263Ø '
264Ø '---- blank the name
265Ø '
266Ø SYMBOL(43Ø,17Ø)," ",2,2,2: RETURN
268Ø '---- draw the name
2690 '
2700 SYMBOL (430,170), FILE$+".MUS",2,2,2: RETURN
271Ø '
272Ø '---- blank 3 lines
274Ø LOCATE 18,1: PRINT NUL$; NUL$; NUL$: RETURN
275Ø '
276Ø '---- ask for filename
277Ø '
278Ø LOCATE 18,1: PRINT NUL$;: LOCATE 19,1,Ø: INPUT "Enter filename (maximum 8 c
haracters): ";FILE$
279Ø FOR A=1 TO LEN(FILE$): B=ASC(MID$(FILE$,A,1))
2800 IF B>96 AND B<123 THEN B=B-32: MID$(FILE$,A,1)=CHR$(B): NEXT: 'upper case
281Ø GOSUB 274Ø: RETURN
282Ø '
2830 '---- file error handling
284Ø '
285Ø IF ERR<>53 THEN 286Ø ELSE PRINT "File not found": RESUME 21Ø
286Ø IF ERR<>55 THEN 287Ø ELSE CLOSE: RESUME
2870 IF ERR<>58 THEN 2880 ELSE PRINT "File already exists": RESUME 210
288Ø IF ERR<>61 THEN 289Ø ELSE PRINT "Disk full": RESUME 21Ø
289Ø IF ERR<>62 THEN 29ØØ ELSE PRINT "Input past end": RESUME
2900 PRINT "Other error has occurred.";: STOP
```

## ACCOUNTING FOR MICROS

**\$395** Set of Four **\$325** Set of Three **\$465** Set of Five

ACCOUNTING FOR MICROS IS a set of interactive accounting programs which meet professional standards. Programs are fast and easy to use, with complete and concise documentation. Slipcase and binder manual also includes valuable tutorial information on bookkeeping and general small computer use.

Allows up to 6,000 parts. Keeps 3 month history of unit sales as well as year to date. With AR, can be used as point of sale system (prints invoices, handles cash). Reports include Inventory Value and Stock Report, Internal and Customer Price List.

Will handle up to 100 employees with six deductions per employee. Deductions may be determined as fixed dollar amounts or percentages, or referred to a table for automatic look-up. Tax tables are easily entered, or purchased separately.

 SET OF FIVE
 \$465

 SET OF FOUR
 \$395

 SET OF THREE
 \$325

## PROGRAMS RUN ON MOST CPM AND MSDOS MACHINES

Apple CPM
Columbia
Compaq
Corona
Cromemco
Eagle
Epson QX-10
IBM PC, XT, PC Jr, AT

Kaypro II, 4&10 Morrow MD2, MD3, MD11 Osborne I & Executive Otrona Panasonic

Tandy 1200 HD
Tandy 2000
TeleVideo
Xerox 820 5"
8" CPM
Other CPM or MSDOS

\$18.00

Accounting for Micros

Accounting for Micros

Brown Micro

Brown Micros

Brown Micro

Brown Micros

Brown Micro

Try all 5 programs, order our DEMO DISK for \$18.00 (includes shipping). Condensed versions of the programs will give you the "feel" of both data entry and access. Includes sample reports and instructions.

Available direct, from computer dealers, and some B. Dalton Bookstores.


**ORDERING:** Please specify machine and density. Send check or money order, or use your VISA or MasterCard (please supply expiration date as well as account number). Price includes shipping (MN residents add 6% sales tax). Your order will be shipped by return mail. C.O.D. add \$2.00 per order.

James River Group

125 North First Street Minneapolis, MN 55401



OR ORDER BY PHONE (612) 339-2521 3ØØØ '----- play each note as it's selected
3Ø1Ø F=NOTES(PITCH): D=6Ø/NUM\*SPEED\*V\*L/32: CALL &H1ØØ,F,D: RETURN
3Ø2Ø '-----



Listing 2: PRELUDE.MUS. The following listing is a sample piece of music for playing with the *Music* program (no one said it was going to be easy). It may be typed in using a word processor in non-document mode in a single long column. Two copies of the file must be on disk, one with a .MUS extension and one with a .BAK extension.

MODEM SOFTWARE, RS232, AND WESTERN UNION EASY LINK TERM-123 BY TIM PURVES SUPPORTS DFT, SDT, ASCII, UP AND DOWNLOADING, ALL IN MACHINE LANGUAGE AND IS FULLY INTERRUPT DRIVEN. A SUPER \$240.00 VALUE, NOW ONLY \$99.

HAVE YOU EXPANDED YOUR SANYO? ADDED MEMORY? DOUBLE SIDE DRIVES? LOTUS BOARD? IF THE ANSWER TO ANY OF THESE IS YES THEN YOU HAVE A POWER PROBLEM, WE CAN FIX IT!!!! POWER SUPPLY UP—GRADE KIT AND INSTRUCTIONS \$29.95

FLOPPY DRIVES (160k-360k-800k) INTERNAL OR EXTERNAL \$CALL\$

CBBS-PBBS COMMERCIAL OR PERSONAL BULLETIN BOARD SYSTEMS BY TIM PURVES, THIS ONE DOES IT ALL, EASY TO CONFIGURE, EASY TO USE. IT MAKES YOUR COMPUTER A 24 HOUR PER DAY SALESPERSON \$99.95 OR \$59.95

SYNC INVERTER, USE A PANASONIC OR OTHER NEGATIVE SYNC RGB MONITOR WITH THE LOTUS BOARD, IT ALSO PERFORMS THE CABLE ADAPTATION YOU NEED. \$39.95

HARD DRIVES (5 MEG - 10 MEG) INTERNAL OR EXTERNAL \$CALL\$

POWERLINE FILTERS, PROTECTS YOUR VALUABLE INVESTMENT FROM DAMAGING "SPIKES" ON YOUR A/C POWER CIRCUIT. SIX OUTLETS, 15AMP, M.O.V. TECHNOLOGY. (3) MODELS \$39-\$49-\$59

\*\* BRAND NEW \*\* UNLOCKIT, A PROGRAMMER'S UTILITY BY TIM PURVES, UNLOCKS AND REMOVES THE PROTECTION ON A PROGRAM SAVED WITH THE "Q" OPTION IN SANYO BASIC \$29.95.

MEMORY UP-GRADE KITS WITH FULL INSTRUCTIONS TAKE YOUR SANYO ALL THE WAY TO 512k OR ADD 64k BANKS AS YOU NEED THEM. SOLDERING SKILLS REQUIRED. \$CALL\$ FOR QUOTATIONS

KEYBOARD EXTENDER CABLE ADDS SIX FEET OF REACH \$12.95

\*\* NEW \*\* LEVEL IV'S SANYO CATALOG, SOFTWARE, HARDWARE, ACCESSORIES, UP-GRADES AND MORE. PURCHASE PRICE IS REFUNDABLE BY COUPON ON YOUR FIRST ORDER. ONLY \$3.00

\*\* NOTICE \*\* PRICES CHANGE FASTER THAN OUR ADS CAN, USUALLY DOWN! CHECK OUR DAILY DISCOUNT PRICES WHEN ORDERING ANY ITEM. WE PRICE ALL OF OUR PRODUCTS ON A COST PLUS BASIS!

\*\* DEALER AND GROUP PURCHASE DISCOUNTS ARE AVAILABLE \*\*

LEVEL IV PRODUCTS, INC. 28194 SCHOOLCRAFT ROAD LIVONIA, MICHIGAN 48150 (313) 525-6200

FACTORY AUTHORIZED SANYO SALES/SERVICE CENTER

DEALER INQUIRIES INVITED

VISA/MASTER CARD/CHECKS/C.O.D.

SHIPPING/HANDLING/INSURANCE 2% (\$3 MINIMUM)

HALON .		" 22"	" 23"	" 22"
"VQ"	" 29"	" 22"	" 15"	" 25"
"T6Ø"	" 25" " 28"	" 27"	" 23"	" 32"
"VE"	" 25"	" 23"	" 11"	" 25"
"T 9Ø"	" 20"	" 22"	" 23"	" 22"
" 13"	" 25"	" 23"	" 3"	" 25"
" 25"	" 20"	" 22"	" 25"	" 22"
" 28"	" 16"	" 15"	" 31"	" 16"
" 32"	" 20"	" 22"	" 34"	" 22"
" 28"	" 13"	" 11"	" 31"	" 13"
" 25"	" 2Ø"	" 22"	" 25"	" 22"
" 28"	" 11"	" 8"	" 31"	" 3"
" 25"	" 2Ø"	" 20"	" 25"	" 22"
" 2Ø"	" 25"	" 23"	" 16"	" 25"
" 25"	" 28"	" 27"	" 25"	" 31"
" 16"	" 25"	" 23"	" 13"	" 25"
" 25"	" 2Ø"	" 2Ø"	" 25"	" 22"
" 13"	" 25"	" 23"		" 25"
" 25"	" 2Ø"	" 20"	" 27" " 32"	" 22"
" 28"	" 16"	" 11"	" 35"	" 15"
" 32"	" 2Ø"	" 2Ø"	" 32"	" 22" " 1Ø"
" 28"	" 13"	" 8"	" 27"	" 22"
" 25"	" 2Ø" " 9"	" 2Ø" " 4"	" 32"	' 3"
20		The State of the S	" 27"	"vo"
23	" 29"	" 23"	" 20"	"L1"
20	" 25" " 28"	" 27"	" 27"	"T6Ø"
" 25" " 16"	" 25"	" 32"	" 15"	"VE"
" 25"	" 20"	" 27"	" 27"	"Т 90"
" 13"	" 25"	23	" 3"	" 20"
" 25"	" 20"	" 27" " 23"	" 27"	" 23"
" 3Ø"	" 16"	" 20"	" 31"	" 29"
" 33"	" 2Ø"	" 23"	" 42"	" 23"
" 3Ø"	" .13"	" 16"	" 31"	" 20"
" 25"	" 2Ø"	" 23"	" 27"	" 23"
" 3Ø"	" 8"	" 13"	" 31"	" 2Ø"
" 25"	" 2Ø"	" 22"	" 27"	" 14"
" 21"	" 25"	" 28"	" 22"	" 2Ø"
" 25"	" 28"	" 32"	" 27"	" 11"
" 18"	" 25"	" 28"	" 19"	" 2Ø"
" 25"	" 2Ø"	" 22"	" 27"	" 3"
" 13"	" 25"	" 28"	7	" 19"
" 25"	" 2Ø" " 16"	" 22"	" 26" " 32"	" 22"
30	" 20"	" 13"	" 35"	" 28"
" 33" " 3Ø"	" 13"	" 22"	" 32"	" 22"
" 25"	" 20"	" 1Ø" " 22"	" 26"	
" 3Ø"	" 7"	" 3"	" 32"	" 22"
" 25"	" 22"	" 22"	" 26"	" 13"
" 21"	" 25"	" 25"	" 20"	" 19"
" 25"	" 28"	" 31"	" 25"	" 10"
" 18"	" 25"	" 25"	" 16"	" 19"
" 25"	" 22"	" 22"	" 25"	" 3"
" 13"	" 25"	" 25"	" 3"	" 20"
" 24"	" 22"	" 22"	" 25"	" 23"
" 27"	" 16"	" 15"	" 28" " 34"	" 27"
" 3Ø"	" 22"	" 22"		" 23"
" 27"	" 13"	" 10"	" 28" " 25"	" 2Ø"
24	" 7"	" 22"	" 28"	" 23"
" 27"	" 22"		" 25"	" 2Ø"
" 24"	" 25"	" 22"	" 19"	" 15"
" 24"	" 28"	" 31"	" 25"	" 2Ø" " 8"
" 18"	" 25"	" 25"	" 15"	
" 24"	" 22"	" 22"	" 25"	20
" 13"	" 25"	" 25"	" 3"	" 3" " 2Ø"
" 24"	" 22"	" 22"	" 23"	" 22"
" 27"	" 19"	" 13"	" 29"	" 25"
" 3Ø"	" 22"	" 22"	" 32"	" 22"
" 27"	" 15"	" 1Ø"	" 29"	" 20"
" 24"	" 22"	" 22"	" 23"	" 22"
" 27"	" 8"	" 3"	" 29"	" 2Ø"
" 24"	"VQ" "L1"	" 23"	23	" 16"
" 21"	"T6Ø"	" 27"		" 2Ø"
" 24"	"VE"	32	" 23" " 14"	" 13"
" 18"	"T 9Ø"	4/	" 23"	" 2Ø"
" 24"	"Т 90"	23	" 3"	" 3"
" 13"		" 27"	Harris Barrell	" 19"
_		1		

## Listing 3: Sample assembly language sound generation program.

```
; SOUNDSYN.COM
; synchronous sound for the Sanyo
; example by Marcia L. Peters
        STI
                        ; disable interrupts
                CX,0600; duration
        MOV
                AX,ØØØØ ;
        MOV
                        ; command register is port 3A
        OUT
                3A,AL
        MOV
                AL,40
        OUT
                3A.AL.
                       ; chip reset
; mode instruction: 1 sync character,
        MOV
                AL,8C
        OUT
                3A,AL
                        ; parity disabled, 8-bit data, sync mode
        MOV
                AL.ØØ
                        ; chip expects one sync byte following mode instr.
        OUT
                3A,AL
                        ; so make it a zero
        MOV
                AL,35
                        ; command: request to send, reset error flags,
                3A.AL
                            receive enable, transmit enable.
; output low half of wave-form
                AH,ØØ
                         ; set up data that will be output
LOOP1:
        IN
                AL,3A
                         ; read status register
        TEST
                AL,Ø1
                        ; transmitter ready for more data yet?
        JZ
                LOOP1
                        ; no, ask again later
                        ; data will be output from AL
        MOV
                AL, AH
                        ; output 1 byte of ØØ
        OUT
                 38.AL
; output high half of wave-form
HIGH:
                 AH,FF
                         ; set up data that will be output
                AL,3A
                         ; read status register
LOOP2:
        IN
        TEST
                 AL,Ø1
                         ; transmitter ready for more data yet?
                 LOOP1
                         ; no, ask again later
        MOV
                 AL.AH
                         ; data will be output from AL
        OUT
                 38,AL
                        ; output 1 byte of FF
; repeat for duration
        LOOP
                         ; decrement CX and loop if not zero
; reinitialize 8251 USART so keyboard can talk to CPU again
        MOV
                AL.ØØ
                         ; stop transmit immediately
        OUT
                 3A,AL
        MOV
                 AL, 40
                         ; reset chip
        OUT
                 3A,AL
                         ; Mode instruction: 2 stop bits, even parity,
        MOV
                AL, FF
        OUT
                             parity enable, 8-bit data, clock rate / 64
                 3A,AL
        CLI
                         ; enable interrupts
```

# CAC TUTORS

#### FOR THE SANYO 55X

Exciting Educational Games to learn foreign vocabulary. Ideal for children and adults. Learn while playing

SPANISH FRENCH GERMAN ITALIAN PORTUGUESE ENGLISH (for Spanish-speakers)

• DEALERS INQUIRIES INVITED •

## CAC BULK

#### LIFETIME WARRANTY!

\$135 ea. QTY. 20 54" DSDD QTY.

ALSO:	
6 Outlet Surge Protector	\$59.95
64K RAM Memory Set (150ns) .	. 39.95
RS-232 for Sanyo 55X	. 69.95
COPYLINK	. 79.95

CALL US FOR OUR LATEST PRICES ON COMPUTERS, MODEMS, PRINT-ERS, GAMES & BUSINESS SOFTWARE

#### **PROGRAMMERS**

We are now reviewing programs written for the 55X and Generic MS-DOS. Call or write for information

#### COMPUTER ALPHA CORPORATION

P.O. Box 182, Brooklyn, NY 11217 (718) 855-9029

Monday through Friday 10 am-5 pm Saturday 9-12

TO ORDER: send M.O. or cashier check, Personal/company checks—allow 3 weeks for clearance. Add \$3.50 for shipping. CODS: add \$2. NYS residents add 8¼% sales tax.

### NEW YORK SANYO USERS GROUP

More than 200 members. Newsletters, meetings, a public domain library with 50+ volumes (send \$3 for latest catalog).

Call our BBS (718) 596-5802 NYSUG, P.O. Box 182 Brooklyn, NY 11217

## **BUSINESS SECTOR**

**CHARLOTTE & BRIAN STONE** 

Soft Sector Contributing Editors

s you are aware, we are trying to answer all of your questions in order to make use of your Sanyo computer more productive and less confusing. In order for us to be able to do this, when you send questions to SOFT SECTOR, please try to include as much information about your problem or question as possible. Too much information is better than not enough.

Please include the following information:

- Model of computer; i.e., MBC-550, MBC-555-2, etc.
- Amount of memory: 128K, 192K or 256K.
- Manufacturer and model number of your printer.
- Is the printer a dot matrix or daisy wheel?

It may seem that we should know if a particular printer is a dot matrix or not, but with all of the manufacturers who make both types, it is hard to know them all.

If you need specific information about how to get a special function to work from *WordStar* for example, send copies of the manual pages that detail the control codes and you will get your reply much faster. We have manuals on many printers, but not all of them. Remember, we send answers directly to everyone who includes an address so that you do not have to wait for the reply to be printed in the magazine.

If your question is relative to *InfoStar*, please send a CONTROL-W listing of the form or report definition file you are having a problem with and, also, a sample report printout if you feel the report is not handling the data correctly.

Q. I am having trouble with the WordStar program. When I go to print a file and ask for a pause between paper changes (I do not use a tractor mechanism), eight lines of print go beyond the end of my paper. I tried to use the pagination command, but then that command is printed as a separate line and the rest of the file is printed as if nothing happened. Because of this, I have had to watch the printer and press the online button when I want to change paper. I am using a Sanyo PR-5000 letter-quality printer. Can you tell me how to remedy this situation?

Steve Gocke York, NE

A. The problem you are having with WordStar is not understanding how the defaults for page size are set up. Without using any "dot" commands, your letter will look like the following:

Margin Top = 3 Lines	1
	3
Text Area = 55 Lines	1
	55
Margin Bottom = 8 Lines	1
	8

The total of 3+55+8 = 66 lines, the length of a standard page of 8½- by 11-inch paper. A problem you may also be having is leaving too much room at the top of the page. Remember, *WordStar* will always print three blank lines unless told not to.

If you put .MT0 at the top of your file (it must be the

# Performance Enhancements

Quality peripherals for the Sanyo MBC-550



DEALER/DISTRIBUTOR INQUIRIES INVITED

2341 S. FRIEBUS SUITE 19 TUCSON, AZ 85713 (602) 325-9455

first line), you will gain the three blank lines (the top margin). You could also use .MB0 as the second line in your file and this will eliminate the bottom margin, giving you a full 66 printed lines on your page. Both .MT0 and .MB0 must have the dot (period) in the first column of your screen. If not, they will be printed as text. Now, if you have done both of the above, you will have to adjust your page length so that you don't run off the page before WordStar stops for the insertion of the next sheet of paper. If you wanted to print 48 lines of text per page, you could do the following:

.MT0 This eliminates the top margin.

.MB18 This sets the bottom margin to 18 blank lines.

Now you could adjust your paper in the printer with a 1½-inch margin at the top and have a 1½-inch margin at the bottom. The best thing to do is experiment and see what happens. The Sanyo PR-5000 printer will do all of the things *WordStar* is capable of doing. It just takes some practice. Also, if you would like to get a very good book to learn *WordStar*, find *Introduction To WordStar*, by Arthur Naiman, published by Sybex, ISBN #0-89588-134-9.

Q. I have a Gemini-10X printer and would like to use 1½ line spacing rather than single or double spacing. Also, I would like to use WordStar to produce newsletter-style pages with the ^KN columnar mode function, but it does not work. It seems to get turned off as soon as I try to use it.

How can I get CalcStar to print condensed print without going into WordStar, printing a condensed print file and then going into CalcStar? And how can I get WordStar

to print the graphics that the Gemini-10X is capable of printing?

Marion Hugos St. Clair Shores, MI

A. Regarding your problem in making WordStar do 1½ line feeds on every line, I would need a copy of the manual pages outlining all of the control and escape sequences to determine if this could be done. Under normal circumstances, dot matrix printers are not set up to do partial or larger than one line feed at a time. However, they usually do have incremental line feed capability, which in most cases is used for graphics generation.

WordStar's ability to work in the columnar mode is not intended to function as you would like to use it. The following is a quote from the WordStar user's manual:

Column mode has no impact on normal text entry or editing within a column. You still type from margin to margin, whether or not you are in column mode.

This mode is intended to be used to rearrange columns of data when working on material similar to a spreadsheet. The column mode, ^KN, does function as intended. You can use single columns, but not multiple columns on the same page.

If this is something that you feel you must be able to do, the process of "snaking" is explained in all of its painful detail in a very good book, Getting The Most From WordStar and MailMerge, by M. David Stone, published by Prentice-Hall, Inc., ISBN #0-13-354382-X.

It is not necessary to use *WordStar* to set up your printer for condensed print. This can be done from DOS by typing the following in *capital letters only* (under MS-DOS 2.11). Your screen will look like this:

# \$ 1995 PORTABLE

INCLUDES EASYWRITER II—EASYFILER—EASYPLANNER—GW BASIC

· NINE INCH COLOR MONITOR · TWO 360K DRIVES

· IBM COMPATIBLE · TWO IBM CARD EXPANSION SLOTS

## PARKWYRTH SERVICES

2517 ST. PAUL STREET • BALTIMORE, MD 21218 • (301) 243-7700 ADD \$15.00 SHIPPING & HANDLING. MD RESIDENTS ADD 5% TAX CHARGE CARDS ADD 2%



#### COPY CON PRN and press RETURN ^[F^O^Z and press RETURN

Getting the above on the screen is accomplished as follows:

I by holding the CONTROL key and pressing the '[' key.

F by pressing the 'F' key.

^O by holding the CONTROL key and pressing the 'O'

^Z by holding the CONTROL key and pressing the 'Z' kev.

Now press the RETURN key.

All of the above must be done with the printer turned on and online, ready to print. The above sequence will work with most Epson-compatible printers, as well as substituting other codes for expanded print, etc. Experiment. Remember, you can't hurt your computer from the keyboard. Thanks to Chuck Thompson for his help on this one. Also, see the letter to Sally Mitchell elsewhere in this month's column.

As for graphics with WordStar, you are thinking of using word processing software for something it was never intended to do. You would be much better off with some of the graphics software that is available from several of the advertisers in SOFT SECTOR.

**U.** How can I get WordStar to print continuously on roll paper without page breaks, headers and footers? I want to eliminate the page length limitation and can't seem to find the answer.

Robert Schmitz Hunt, TX

A. Due to the fact that WordStar will not allow an infinite page length, we will have to cheat. The dot commands of WordStar will allow you to make the necessary adjustments to your document to print it on roll paper without page breaks or top and bottom margins.

You will want to create your original document with

WordStar in its default mode, either 'N' or 'D'. It will not matter which. After you are finished with the document and ready to print it, you must do the following. Enter the "edit" mode 'N' or 'D' and place these dot commands at the first three lines of the file, .MTO, .MBO and .PL1. These commands will do the following: .MT0 will eliminate the top margin, .MB0 will eliminate the bottom margin, and .PL1 will tell WordStar that each page is one line long. The only thing that will really be confusing is what will happen to the display after you enter these dot commands. Each and every line of text will have a "page break" indication after it. But it will work.

**U.** I have a problem installing the printer features for WordStar with my Gemini-10X printer. The article by Brian M. Stone in the premier issue of SOFT SECTOR helped me install the user patches successfully, but I cannot decipher the other control sequences from the printer manual. As I understand it, the printer is capable of all of the special features found in the program, but some of the dot commands involving line height, character pitch or margins do not work. If you could assist me with the correct control sequences for the custom printer installation, it would produce one less frustrated reader.

Gordon Shuford Hanahan, SC

A. You will not be able to get all of the WordStar features with a dot matrix printer. WordStar was designed to be used with a daisy wheel printer and many dot matrix printers are not able to duplicate all of the functions. You specifically refer to line height and character pitch; these are two of the features which most dot matrix printers cannot duplicate the same as daisy wheel printers.

The reason character pitch cannot be duplicated is that daisy wheel printers use fully formed characters on a print wheel or a thimble and just vary the spacing between the letters. Most daisy wheel printers are capable of dividing each inch of horizontal movement into 1/120th of an inch. This means that at 10 pitch, each character will take 12/120th of an inch and 12 pitch will take 10/120th of an inch and

## Accounts Receivable, Accounts Payable, General Ledger and Inventory. Bookkeeper

## BEAUTIFULLY SIMPLE!


Completely menu driven, double entry accounting with excellent documentation.

## Powerful!

Dynamic file allocation allows an average of 200 accounts with over 750 monthly transactions on 160Kb drives.

Does everything you'd expect a powerful accounting system to do: prints invoices, statements, checks, trial balance, profit & loss, balance sheet, detailed ledgers, on-hand/re-order reports, sales analysis & extended standard reporting. Other features include Rolodex cards/mailing labels, auto billing, finance charges, auto/manual invoice pay selection, auto interfaces and three color displays.

Everything considered, including a ninety-day limited warranty, the LPR Bookkeeper is Simply BEAUTIFUL!



Single Module \$150 Tri-Pak \$375 Quad-Pak \$475 AP, AR, GL AP, AR, GL, INV Also available in MS/PC-DOS & CP/M Minimum requirements: dual 160Kb drives, 128K RAM, 80 Column printer.



3001 Northridge Dr. "D" P.O. Box 10612, Farmington, NM 87499

(505) 326-5833 Dealer inquiries invited

# INTELLICOM

## MAKES YOUR COMMUNICATIONS EASY

NOW AVAILABLE FOR THE SANYO 550/555 COMPUTER, Intellicom allows you to "reach out" and tap the tremendous number of information data bases available within easy reach of your telephone. Information services such as The Source, CompuServe, Dow Jones and Newsnet can easily be accessed. Communicate with your office mainframe and transfer files while in the comfort of your home. Check into remote bulletin board systems and download free public domain software. Send and receive electronic mail. The list of possibilities is limited only by your imagination. Intellicom provides the INTELLIgent COMmunications program your Sanyo needs.

Don't Compromise. Your Sanyo PC can be the smartest terminal you could ever hope for. Intellicom is a full feature terminal emulation program that allows you to choose from a menu of terminals that include:

- Digital VT52
   ADDS 25
- ADDS Viewpoint
- Digital VT100
   Televideo 910
- ADM3A
- Simple TTY
- ADM 5

Both binary and text files can be transferred using simple ASCII, ASCII Capture, Xon/Xoff, XMODEM and CompuServe A protocol! You can operate at any speed up to 4800 baud!

Intellicom features an easy to use menu selection system with a built in Help facility that leaves the reference manual on the shelf.

Autodial directories are supported (requires Hayes or equivalent modem) as is simultaneous printer operation. Version 2.1 even includes a DOS WINDOW that allows you to actually run another program concurrently!

If you're linking to an in-house digital DecSystem 10, 20 or VAX, the mainframe host support code is available for only \$10.00 at time of purchase!

Hard to believe? Send us \$15.00 and we'll ship you a completely functional demo version. We are sure you will agree Intellicom V2.1 is the best price performer on the market today.

Please note version 2.1 of Intellicom requires MSDOS 2.0 or higher. Terminal emulation includes most or all attributes of the specific terminal emulated. A less extensive version is available for users with MSDOS 1.25 (Intellicom 1.9S).

# INTELLICOM is priced at only \$69.95 Order INTELLICOM from your local Sanyo dealer or direct from:

## THE COMPUTER TOOLBOX

1325 East Main Street — Waterbury, Conn. 06705

Toll Free Number 1-800-321-DATA

In Connecticut Telephone (203) 597-0273

MasterCard, Visa and COD orders are welcome. Specify DOS Version when ordering. Connecticut residents add 71/2% sales tax — orders (except for demo version) add \$5.00 for shipping.

COMPARE AT ANY PRICE

so on. Dot matrix printers must form the characters as they are printed and this is done by software in the printer. The software is limited in most cases to 10 pitch standard (80 columns), 17 pitch compressed (132 columns) and five pitch double wide (40 columns), all on an 80 column printer using 8½-inch paper. Some printers will allow the combination of compressed (132 column) and double wide (40 column) to yield 8.5 characters per inch. In most cases this is the limit that we can work with because of the built-in limitations of the printer.

Some of the newer, more expensive dot matrix printers are also capable of proportional spacing, but in most cases this feature does not work well because WordStar does

not fully support it.

Regarding line height, you are again into the daisy wheel versus dot matrix printer functions. Daisy wheel printers are capable of dividing each vertical inch of space into \(^{1}\stack48\text{th}\) of an inch. Most dot matrix printers only support \(^{1}\stack6\text{th}\) of an inch line feeds when used in text print mode. Yes, many are capable of much higher dot per vertical inch printing, but in graphics mode only.

In regard to the use of margins, you should not have a problem. I would be better able to answer you if I knew what kind of a problem you are having. The default values

for WordStar are as follows:

Top margin — three lines (blank)
Text area — 55 lines
Bottom margin — eight lines (blank)
Page offset — eight columns (First character in the ninth column)
(Text area is 65 characters wide)

To change any of these values you would use the following dot commands:

.POx 'x' would be the number of columns skipped before characters are printed.

.PLxx 'xx' will be the page length (.PL90 for 15 inches).

.MTx 'x' will be the number of blank lines at the top of the page.

.MBx 'x' will be the number of blank lines at the bottom of the page.

.MTx and .MBx will determine the line count (text area) unless you change .PLxx. If you use .MT10 and .MB10, you will have a text area of 46 lines.

I recognize the value of running a FormSort on my database from time to time, but is there any way, apart from entering leading zeroes (which I do not want in my printed copy) to get the index to order the records correctly during data entry?

Peter Nicholson Honolulu, HI

A. There is no way, except by entering leading zeroes, to have the index show you your records in correct numerical order. The index has no effect on the actual order of the records in the file. It is simply a finding system which looks at numbers in exactly the way you describe. The Edit Scan Mask looks at right-justified numbers by placement, but I don't see that it would be of help to you.

If you want to be able to scan through your file in numerical order, use FormSort before your scan, then scan in data order. If you want a report printed in numerical order, use FormSort first, then have your report access the data file sequentially. I am guessing that these are the

two results that you wanted from the index.

Q. My problem is how to write "qualified" additional data files with InfoStar. I wanted to have four separate mailing lists and yet be able to enter all new names and

addresses into just one list.

I created a file called MAILLIST and, along with the usual name, address1, address2, city, state, zip, I included four additional fields to signify whether or not the particular record would be included in that particular mailing list. They were simply PSS\_, TA\_, CUST\_, and OTHER\_. I then entered a 'Y' in the single column field for the one or more lists I wanted that record to be included in. That seemed simple enough to me. Now, however, I can't figure out how to get InfoStar to write new data and index files for the four separate mailing lists out of the one master MAILLIST. The only qualifier is in ReportStar - "Include If" - and here I simply would say "Include If Field #10 Equals Y." But, how do you get ReportStar to write a new set of the same comma-delineated DTA and NDX files for this qualified set of records, or in fact, all four sets of records that will come out of the master MAILLIST file.

> Steve Garman Oklahoma City, OK

A. You have done an excellent job in preparing for the result you want to achieve. Here's how to finish what you started.

**Q.** The key field in my database is numerical and the field is right justified. The contents range from one to about 8,000. The index scans the first digit, then the second, then the third, without regard to right justification, so that the numbers are ordered like this: 1, 1000, 132, 14, 260, 27, 3, etc. FormSort treats the same numbers correctly and puts them in whole-number order: 1, 3, 14, 27, 132, 260, 1000.

Make four copies of your MAILLIST.DEF file, renaming them in some way to indicate their desired contents—possibly PSSLIST.DEF, TALIST.DEF, CUSTLIST.DEF and OTHERLST.DEF. Next, write a report to access MAILLIST and output to one of the other four files. To save time, you can use RGEN to start and then edit the result. Name the report to indicate the desired result; for example, PSS.RPT. Select MAILLIST when asked for the name of





## **Computer Gallery**

WE MEET OR BEAT ALL PUBLISHED PRICES ON SANYO MBC-PACKAGES!

20 Hillwyck Drive . P.O. Box 7420 . Toledo, Ohio 43615 • (419) 535-7370

## 128K RAM — 89.95

SOFTWARE WE STOCK ALL MICHTRON

AND OTHER SOFTWARE FOR THE SANYO AND IBM

ALL SOFTWARE IS A MINIMUM

0 OFF FREE SHIPPING ON SOFTWARE

**TURBO** PASCAL \$44.95

TURBO **WITH 8087** SUPPORT \$81.95

**WITH 8087** CHIP \$239.00

#### HARDWARE SPECIALS

TEAC-55B	169.00
2 TEAC-55Bwith DS-DOS PLUS 360-400K	376.00
SANYO RS-232-PORT	. 79.00
OUBLE 2004200 SMARTMOREM	1000

\$329.00 QUBIE 300/1200 SMARTMODEM. WORKS JUST LIKE HAYES 1200 MODEM LOOKS JUST LIKE HAYES 1200 MODEM DOES NOT COST LIKE HAYES 1200

WE HAVE THE LARGEST SELECTION OF HARDWARE & SOFTWARE FOR THE SANYO PC. CALL OR WRITE FOR CATALOG!

#### PRINTER SPECIAL

PANASONIC KXP-1096

IBM & EPSON COMPATABLE GRAPHICS AND CODES FRICTION AND TRACKTER FEED CORRESPONDENCE MODE

ONLY \$235.00 CALL FOR OTHER PRINTER PRICES

#### SOFTWARE SPECIALS

PICASSO	\$89.95
THUNDER CHIEF	31.95
TIME BANDIT	34.95
MAJOR MOTION	26.95
FREEZE FRAME	34.95
M-DISK	31.95
MI-TERM	71.95
CORNER MAN	44.95
SUPER ZAP	44.95
SOFT SPOOL	
DS-DOS PLUS	44.95

**OES BUSINESS PACKS** Only \$59.95 Each!

CALL FOR MORE!

# ...

#### SANYO MBC-550-2

CRT-30 Monitor as shown in photo. Not a CHEAP substitute. SOFTWARE FREE WORDSTAR - CALCSTAR EASYWRITER - SANYO BASIC MS-DOS 2.11

\$850.00

GRAP

#### SANYO MBC-555-2

CRT-30 Monitor as shown in photo. FREE SOFTWARE in package #1 PLUS MORE! SPELLSTAR - MAILMERGE INFOSTAR - DATASTAR REPORTSTAR

\$1195.00

# ASTER

## WITH WINDOWS!

ULTRA FAST WINDOWS MAKE IT EASY AND FAST TO USE

**FULL SCREEN EDITOR MAKES DATA** ENTRY FASTER THAN A SPREADSHEET

LOADS IN DATA FROM SPREADSHEETS LIKE CALCSTAR!!!!

BUILT-IN SCREEN DUMP PRODUCES SHADES OF B&W OR COLOR!

LOADS & SAVES SCREENS TO DISK FOR INTERFACING WITH PICASSO AND FREEZE FRAME


# CURVE FITTING

#### SUPPORTED PRINTERS

IBM AND EPSON COMPATABLES PROWRITER 8510A, 8510BPI NEC-8023 GEMINI 10, GEMINI 15X QUADJET COLOR INKJET CANNON COLOR INKJET MANNSMANN TAL . MT180 AND SPIRIT 80 MASTER GRAPH 3

ONLY


ALSO AVAILABLE FROM YOUR DEALER



IAKES BAR, 3-D, LINE, AREA, PIE, XPLODED PIE, MULTIPLE PIE, AND EXT ONLY GRAPHS.

EXT MAY BE ENTERED ANYWHERE ON HE GRAPH IN ANY SIZE AND COLOR.

IAKES PRESENTATION, BUSINESS, ND STATISTICAL GRAPHS EASILY!!



the form definition file. Choose all of the fields that you want in the new data file. You do not need to choose your four code fields. When you have chosen all the fields, enter CONTROL-C to go to the exit screen. On the exit screen, choose 'F' to save the form and edit the file definition.

Use the RETURN key to run through the existing file definition, checking all the responses:

Next file to define or review: 001/MAILLIST Associated definition file: 001/MAILLIST Disk drive where definition file is located: \_

Used for Input or Output: I (This is your source file.)

Access data file: S Index order: N Disk buffer: 008

More than one volume: N

Enter data file name at run time: N

Enter data file name — Disk drive: (Be sure to answer





Include If: (Leave blank.)
CONTROL-C will take you to the report layout screen.

You may edit out the lines for the report title and date that RGEN inserted. Then move the cursor into the first report field and type CONTROL-R to redefine the field. Use



with the drive on which you will place the source data file when you run this report.) - File name: MAILLIST.DTA

Change disks: 'N' if the file will be where you specified above. 'Y' if you need to change disks to accomplish your answer above.

Include If: (You've tested this, so answer relative to whichever of your qualifiers, such as PSS, you are using first. RETURN will take you to the second file definition screen.

Now you define an output file to receive the data you will send from your MAILLIST file. Here are your possible answers:

Next file to define or review: 002/PSSLIST Associated definition file: 002/PSSLIST

Disk drive where definition file is located: (Location during this process.)

Used for Input or Output: O (This is your destination file.)

Error if old version present or Add to it? (E/A): A ('A' will let you write data records to this file. 'E' will refuse to let you write records and respond with an error message at run time.)

Should an index file also be written? N (You don't need one to use this file with *MailMerge*. If you ever want to use it with *DataStar* or as a reference file in a report, you can use *FormSort* to create an index.)

Disk buffer: 008

More than one volume: N (I assume your list is not too big to fit on one disk.)

Enter data file name at runtime: N

Enter data file name — Disk drive: (Be sure to answer with the drive on which you will want the destination data file when you run this report.) - File name: PSSLIST.DTA

Change disks: 'N' if the file will be where you specified above. 'Y' if you need to change disks to accomplish your answer above.

the RETURN key to run through the existing field definition until just after the prompt about when the field is loaded. The next prompt asks "Output field to file (Y/N)." Answer yes.

The next prompt is "File number/name." Type 002 and PSSLIST will fill in.

The next prompt is "Field number/name." Type the number for the appropriate field from your PSSLIST.DEF file.

Continue on through each field in the report that you want to write to the new data file. Each one must be redefined as above.

When you run this report, sending it to disk will give you both a PRN file, plus a data file on disk. Sending it to the printer will give you both hard copy of the records in the new data file, plus a data file on disk.

Since you want to maintain and update only your master MAILLIST file, delete the "qualified" data files and recreate them with these reports each time you need them for a mailing, because adding to an existing qualified data file will result in duplicate records.

When you have finished your first qualified report definition file, make three more copies of it, renaming them for the other three desired lists. Then use REDIT to change them to the proper references, such as the Include If statement in the input file definition and the file references in the output file definition and field definitions.

(Charlotte A. Stone, office manager for the Detroit office of the Shaw/Walker Co., has been using a Sanyo computer in her daily work routine since October of 1983. Brian M. Stone has been using a variety of Sanyo computers since May of 1983. Charlotte and her husband, Brian, have been involved with computers since July of 1978 and presently own and use five computer systems on a daily basis, three of which are Sanyos.)

## From the best resource for your Sanyo computer comes the best software deal on the market!

Each and every month of the year, SOFT SECTOR offers an assortment of programs for the home and office — utilities, business applications, games and more - all for the price of typing in the listings. But for the person on the move, that's a high price to

Now, at long last, we introduce

## SOFT SECTOR ON DISK

Finally, no more sleepless nights, no more lost weekends! No more tedious typing and typing, debugging and debugging! Think of it: every program from the pages of SOFT SECTOR, ready to LDAD and RUN with only a few keystrokes!

Ask yourself how much your labor is worth. Five dollars an hour? Ten? Even 20? Now ask yourself how many hours it takes to type in and debug just one of those wonderful (but long) programs from SOFT SECTOR

Several of the first issues of SOFT SECTOR are now out of stock, so this may be your only chance to get the programs that you've missed. And since the articles in the magazine always include instructions needed to run the programs properly, text files of the original articles are included on Volumes I and II, ready to be routed to your screen or printer with a simple TYPE command.

Just look at this list of programs that will be available on each

disk:

#### Volume I: August/September/October 1984

- The Gambler (Craps)/Roger S. Heitzeg A sure bet for your game collection
   Fastloan/Michael Ecker, Ph.D.
- program to calculate loans and
- Label Maker/Claire Gelinas me BASIC fundamentals to get your
- The Custom Character Genera-

Designing and installing your own char-acter font (including a custom designed

The NFL Point Spread Predictor/Bob A program that lets one winner nick

 Goldmine/Clayborne D. Taylor, Jr.
 A novel diversion for kids and businessmen alike

## November/December 1984

- January 1985

  The Interest In Interest/Michael W.
- Ecker, Ph.D. Determining where your best interest
- Payroll System/Mike Charlton
  Putting your 550/555 on the payroll
  The Sounding Board/Richard Kruse
  A software mod to add a click to your
- •Window On The World/Dan Webber
- •The Run'Round Challenge/J. Weaver Jr
- A fast-paced game with sound galore

  •Does Anybody Really Know
  What Day It Is?/Michael W. Ecker, Ph.D.
  Leap years, day from date, and Boolean
  algebra
- Database Manager/John M. Lesher
- Taking Stock in The Market/Randolph
   Mateer

A little help in determing the best

Sketch-It Version 2 —
 Expanding The Window/Dan Webber
 A graphics editor that will amaze and

#### Volume III: February 1985

- Color Mixing On The Sanyo Palette/David W. Neuendorf All the colors available to the Sanyo programmer
   Sanyo Handiman/Leonard Hyre
- Computing home renovation costs

  •Compilers And The C Language/John D. Unger Both a BASIC program and a .CDM file that strip the codes from *WordStar* text

- •Incorrect Values For The Sanyo's VAL(A\$) Function/Grant C. McCo A program demonstrating one of
- •The Wonders of Batch Files/J. Weaver,
- Five useful batch files

  \*Beep/Tim Purves

  A BASIC program and .COM file that change the Sanyo's honk to a pleasant

#### Volume IV: March 1985 •WizStar-Polishing A Classic/J. Weaver

- A program that adds several new features to WordStar

  The Sanyo Synthesizer/Marcia L. Peters
- A music program for the 550/555

  •Five Card Draw/Rodney Viessman
  Playing poker with the sharpest dealer
  around
- •An Exploded Pie Chart/Felipe Lebron A handy, full-featured pie graph
- Taking A Swipe At Ambiguity/Danny Humphress A program that adds a slashed zero to
- Printing Tax Forms With CalcStar/Randolph Mateer dolph Mateer CalcStar templates for the IRS 1040

SOFT SECTOR ON DISK subscription rate is: within the U.S., \$99; Canadian rate, \$115; all other countries, \$130. SOFT SECTOR ON DISK single volume rate is: within the U.S., \$12; Canadian rate, \$14; all other countries, \$16.

## Use the handy order card between pages 80 and 81.

## TOTAL OFFICE PLANNING TOP SOFTWARE

## The TOP POWER MANAGER

Special Introductory Price: \$224.95 Office Automation Through Powerful Database Management!

#### POWERFUL CAPABILITIES:

A greater STORAGE CAPACITY than higher-priced programs.

Each database can contain 32,767 records, with up to 150 fields in each record and 50 characters in each field.

This menu-driven program has a real ease-of-use and has SORT and REPORT GENERATION capabilities more POWERFUL than many of the hard-to-use databases.

SORTING on any field or on a combination of fields. Plus, extra power from the "OR SORT" and descending sort features.

Intricate math CALCULATING between fields based on for-

The POWER MANAGER comes with an extensive Tutor to help you be "up and running" right away.

#### GIVE YOU MORE ABILITIES:

POWER MANAGER can create CUSTOMIZED LETTERS, IN-VOICES, COLUMNAR REPORTS, OR LABEL FORMATS FOR MAILING!

Use the Report Generator feature in conjunction with a text editor or word processor to write PERSONAL LETTERS to a LARGE GROUP of individuals who meet the geographic, date or monetary

criteria you select!

\* Our Users put POWER MANAGER to work for them to do: . . .

CUSTOMER MAILINGS . . . PAST DUE NOTICES . . . INVOICING . . . SALES ANALYSIS . . . ORDER TRACKING . . . INVENTORIES . . . CREDIT, INSURANCE AND EMPLOYEE RECORDS, CLIENT PROFILE REPORTS, TRACKING STOCK PORTFOLIOS, AND MUCH MORE.

THE POWERFUL BOTTOM LINE: We take the competition head on, and . . The POWER MANAGER is at the TOP of its class!

head on, and . . . The **POWER MANAGER** is at the TOP of its class! Requires 128K. TOP programs run on the Sanyo MBC 550 and 555, and also are available for IBM and compatibles.

## The TOP FREEFORM FILER

Special Introductory Price: \$99.95 The Premier Text/Filing Program!

SOFT SECTOR MAGAZINE said no other filing program 'can match the abilities and capabilities' of the FREEFORM FILER for 'applications that require a lot of text, very variable search criteria, speed and efficiency.'

#### **UNIQUE CAPABILITIES:**

THE OBJECTIVE: Designed for busy and creative individuals who want the FREEDOM to randomly store information, but need the POWER to retrieve that information in seconds.

THE KEYWORD SYSTEM: As you enter or edit your text, you can select any word as a "KEYWORD" or "KEYPHRASE." Each "CARD" can contain as many as 117 KEYWORDS, and up to nine pages of text similar to a 3" x 5" card, with no field restrictions. Each "FILE DRAWER" can contain up to 32,767 pages!

THE EDIT: Includes an onscreen editing menu, word wrap, moving lines within a page, and card duplication.

THE SEARCH: Search for the Card Title, KEYWORD, or a combination of both. Plus, "WILD CARD SEARCHES" save time!

THE RESULTS: List the titles of cards found in the search, print the cards, or write them to a disk file for later printing or use with a word processor.

#### GIVE YOU MORE ABILITIES:

- \* BUSINESS: Appointments, office phone and address indexes, inventory, service calls, vendor lists, and sales orders.
- ATTORNEYS: Find the cases affected by new court decisions.
- DOCTORS: List all patients affected by new medications. WRITERS AND RESEARCHERS: For indexing, crossreferencing or cataloging.
- PERSONAL: The possibilities are endless . . . art and coin collections, bill paying, income tax records, and home inventory.

  NOTE: The FREEFORM/FILER integrates data into the "POWER" MANAGER."

#### Requires 64K

► ORDERING INFORMATION: TOP SOFTWARE 2431 E. Douglas • Wichita, Kansas • 67211 ► OR CALL TOLL-FREE: 1-800-255-1382 Ext.47

We accept VISA, MC, AMEX, money orders and checks. NOTE: TOP SOFTWARE, formerly TMP SOFTWARE, is a

division of The United Software Co.

Sometimes it seems like all Sanyo users are interested in only one thing. If you've forgotten, this article should refresh your memory.

## **The 768K Solution**

By John Domingues

quick and simple memory expansion for your Sanyo? Yes, up to one half million more bytes of memory. Added to the 256K you can already have, this will give you a total of 768K of memory. You can build your own, buy a kit, or buy the assembled and tested board.

First of all, I want to say that the information that I am going to disclose here represents a lot of work and many years of experience. For those of you who are interested in developing the best computer for the money and willing to do your own work, even though I have applied for a patent on this project, I'm going to include enough information to start from scratch and build your own memory expansion.

I would like to discuss some of the obstacles that need to be overcome when considering building an add-on memory board for the Sanyo MBC-550/555. I'll explain some of the technical problems and, for those of you who are willing to try building your own, I've included timing diagrams and

schematics.

First of all, the memory expansion should be easy to install. Secondly, it should fit inside the case to protect the rest of the world from computergenerated electronic noise. Next, it would be less expensive to build if it used the Sanyo's internal power supply. Lastly, it needs to be as reliable as

I decided to use a 62-pin socket on the board so that it can be plugged right onto the mother board inside the Sanyo. I also decided to use CMOS I.C.s (Notes 3 and 4). These chips (Note 2) draw current in the nanoamp range, which for all practical purposes is

negligible.

36

Technology has boomed since the

days when the 8080 microprocessor was high tech. The memory chips used in the Sanyo are more than adequate, but use up a lot of space and power. Here I decided to go with 256K dynamic RAMs. Using the 256K chips means 1/4th the number of memory chips for the same amount of memory. Less power and less space.

The fact that there is no "refresh" (explained later) brought off the mother board makes building a memory board a little more interesting, but I'll show you how to use the information that is available to develop the refresh that the dynamic RAMs need (dynamic RAMs are explained in just a few lines).

One part of the refresh solution is to specify the 150 nanosecond memory chip. These chips are tested by the manufacturer and guaranteed to refresh in 150 nanoseconds.


Sanyo has been good enough to bring out a signal that they call OSC IBM BUS. This signal is the one that is used to derive the CLK IBM BUS. This probably doesn't mean much yet, but note that the cycle time of OSC IBM BUS is 170 nanoseconds, which is long enough time to do a refresh. You may or may not know why we need a refresh. Maybe I can explain a little.

Each bit of information inside the computer is considered a one or a zero. Actually, the computer keeps ones as plus five volts and zeros as zero volts. In the dynamic RAM, each little area for bit storage is similar to a battery, but since it is so small, it loses its charge very quickly. So quickly, in fact, that it is necessary to recharge it at least every 1/4 of a second. On the Sanyo mother board there is a smart chip that handles refreshing the internal memory. Sanyo chose not to provide the signals from that chip to the outside world, probably because of the limitations of

the power supply. So we are left with developing our own refresh, refresh addressing (Note 5), and memory address decoding for memory read or write operations.

The sequence of events that needs to happen is shown next. The lines in front of each description relate to the numbers in the timing diagrams that are shown below. These show the steps that need to happen and the order in which they need to happen.

- 1) The refresh address counter needs to be incremented every memory access time. This makes sure that each address that needs to be refreshed is counted through.
- 2) The refresh address lines have to be turned on to the memory chips.
- 3) After the address lines are enabled, the Row Address Strobe (RAS) needs to be turned on for a minumum of 150 nanoseconds. This is the part that does the refresh.
- 4) Disable the refresh address counter and turn off the RAS.
- 5) Wait for the refresh addresses to turn off before turning on the next (see Note 1).
- 6) Turn on the first nine (the low order) memory address lines to the memory chips.
- 7) Set the RAS signal.
- 8) Turn off the low addresses.
- 9) Turn on the next nine (the higher order) memory address lines to the memory chips.
- 10) Turn on the Column Address Strobe (CAS) enable signal.
- 11) If the address is in either the second or third quarter of memory, then turn on the CAS.
- 12) When the read or write is finished, reset all signals to their beginning state.



The solution to these refresh and addressing problems comes from using the OSC IBM BUS signal to develop the necessary control signals. I use this signal to develop a refresh cycle every time the 8088 does a memory read or write. This turns out about 4,000 refresh cycles in a time frame in which only 256 are required. It doesn't cost any extra to do it this way and insures that the chips will not be close to their operating limit. Basically, there are three CLK IBM BUS signals for every read or write, and four OSC IBM BUS signals for each CLK IBM BUS. Using the OSC IBM BUS gives us the timing control we need to refresh and access expansion memory.


To refresh the memory chips, we need to put an address on the address input lines of the chip and then turn on a signal called Row Address Strobe (RAS). We have to do this with 256 different addresses. I use two counters in this design. The first one is counted every time that the central processing unit (CPU) does a memory read or write. I call it Refresh Address Counter (REFCTR). It counts 256 times and then starts over. Since the CPU can't do anything without doing a memory read or write, we get more than enough refresh cycles to keep our memory valid.

The second counter starts one OSC IBM BUS signal later than the refresh signal. I call it the State Counter. This part may be a little difficult to follow — hang tight. Since the OSC IBM BUS is brought directly off of the mother board, and the CLK IBM BUS has to go through a counter, the CLK IBM BUS happens typically 20 nanoseconds later. I use the CLK IBM BUS and ALE for inputs into the second counter and clock it with OSC IBM BUS. This

counter accepts only data on the rising edge of the clock pulse. The first OSC IBM BUS signal that happens while Address Latch Enable (ALE) is high, beats the CLK IBM BUS and so doesn't start the refresh cycle counter. I also use ALE and the first OSC IBM BUS to set a flip-flop that enables the refresh counter to the address lines of the

chips. The Refresh Strobe is really one of the state outputs, state 0 from counter two. It will last 170 nanoseconds and do the refresh.

Before I try to explain any more timing, I'm going to show some timing diagrams and then explain how they relate to each other and to running the memory board.




memory chips.

So now we have ALE clocking the REFCTR every memory read or write. We have the refresh address enabled to the memory chips and it happens as necessary, before we start the Refresh RAS.

At the next OSC IBM BUS, we turn on the Refresh Strobe to the memory

Is that all clear? If not, follow me for a while longer. There will be a little redundant information here, but I'm sure some of us will be able to appreciate it. It took me more than a few hours to get to here and I'm trying to help as many as possible understand some fairly complex logic.

Line A represents the OSC IBM



BUS. The numbers 00 through 07 are what I call phase or state numbers that I develop using a serial in/parallel out register. Simply stated, that means that if I put a high signal in at one end and clock the register with OSC IBM BUS, each of the eight parallel outputs will go high, one at a time and sequentially. The other numbers, one through 12, are to show which events happen at the same time and in what order.

Line B is the CLK IBM BUS. Notice that rising and falling edges of CLK IBM BUS happen slightly after the rising and falling edges of the OSC IBM BUS. This is where that typical 20 nanosecond delay happens that I have mentioned. It is important to know that on the falling edge of the third CLK IBM BUS is when the actual memory read or write happens.

Signal C is ALE. This is the signal that says "the address lines are valid now." You can see that I've put a small block at the leading edge of the high segment of ALE. This is because this signal can vary when it starts. Since it always starts sometime before the next CLK IBM BUS, I use it and CLK IBM BUS to start a refresh cycle and know that we still have enough time to do a regular read or write.

Line D represents the time that the refresh addresses are enabled to the memory chips.

Lines E through M follow the sequence numbers above and are handy for following the control flow.

Developing the address decoding for what I call the second and third quarters of the available one million bytes of memory address is very straight forward. The two high order bits of the address lines comprise a two-bit, four-state counter. When both bits are zero, they point to the low quarter of memory. With the high order bit at zero and the other bit at one, the second quarter of memory is addressed. If the high order bit is a one and the second bit is zero, the third quarter of memory is selected. Finally, if both bits are ones, the fourth quarter of memory is addressed.

I use an exclusive-OR gate here. This gate only turns on if one input is high and one is low. If both are high or low, then the exclusive-OR will not turn on.

I know many of you who are more technically inclined may be a little upset with my lack of specific syntax and some of you will be unhappy that I didn't explain everything with more detail, and probably a few will say "what did he say." I hope that many

of you will decide that a memory expansion is something that you can use and will build it.

Note 1: The devices used are tri-state. This means that if we happened to have two of them turned on at the same time they could try to eat each other up, so I turn them on and off at separate times.

Note 2: Chips — see Note 4.

Note 3: CMOS is a type of integrated circuit that uses very low amounts of power. These circuits used to be much slower than the standard chips, but now they are as fast. The ones that I specify are designed to work with the standard circuits. I call the chips that Sanyo uses standard circuits because that type of chip, the TTL (transistor-transistor logic), have been used more than any other type.

Note 4: I.C. stands for integrated circuit. Integrated circuit means many electronic components integrated into one computer logic device. This is also called a chip, or sometimes a logic circuit or many other names.

Note 5: Refresh addressing. When refreshing, the 256K dynamic RAM requires that each of 256 addresses, from zero to 255, gets a refresh strobe. The counter that I use counts from zero to 155 and then starts over at zero.

CAUTION! The 256K dynamic RAMs are very, very sensitive to static electricity. Unplug the computer and lay a sheet of aluminum foil down. Use lots — it's only helping you. Wrap the plug of the Sanyo in the foil. Lay the memory board on the foil and place both hands

on the foil. Now everybody and everything is at an equal potential. Lean your bare arms on the foil while you are doing anything to the chips or the boards with the chips plugged in. These steps are important. The company that ships the RAM chips doesn't even allow it's employees to wear nylon undergarments. Leather soles and carpets are dangerous too, so be careful.

This memory upgrade can be used from BASIC using PEEK and POKE. I write code in assembly language, so I access this memory with no problem. I have not had a chance as of yet to fully look into how MS-DOS or the various other DOSs on the market test for memory size, but it is my understanding that MichTron's DS-DOS boots up testing for this memory. I am presently laying out an expansion board with this additional memory and hope to have it available very soon in a kit.

One more thing: Most of the components are specified to run as reliably as they can. The by-pass capacitors on the CMOS chips could probably be changed, but the .33 on the memory chips need to be as specified. When these chips refresh, they use current in a surge. The .33 capacitors act like a little reservoir of power and keep these surges off of the power bus.


Finally, you can use faster logic chips anywhere on the board. I've selected chips that will not operate near any unreliable parameters, but I've also used no more than necessary to keep costs down.

# CLOCK/CALENDAR BOARD

# The Greywolf Clock/Calendar Board Gives You:

- · accuracy to within seconds a month
- ease of installation, plugging into Sanyo's internal 62 pin connector
- the ability to use the same 62 pin connector for other boards since the Greywolf board does not cover the connector
- an average battery life of two years
- the ability to set time directly from the DOS
- complete owners' manual with installation and battery change instructions
- works with any 550 series Sanyo computer, including the Greywolf Super System.

\$139.95



(203) 928-6555

(203) 928-3654

18 Dog Lane • Storrs, CT 06268

# MASTERING MS-DOS

# Plumbing For Beginners

skill and an art — it's a religion! Since the ancient days of the Roman aqueducts, the masters of this religion have been given holy status in society. We willingly shower them with precious gifts (at the rate of \$40 per hour) to route the holy waters into our lwellings. But recently a new breed of plumbers, known as "programmers," have challenged the ancient ones. Instead of water, they route the words of man through electronic paths and pipes. As with their ancestors, their followers pay them great sums for their. wealth of knowledge. It is my belief, however, that even the laity of this faith, the "users," can share in the mystical rites of data routing. It is through this month's column that I hope to achieve this goal.

You may have noticed references to "pipes," "routes" and "filters" while skimming through your MS-DOS manual. Chances are that you didn't pay much attention to their meanings or uses, but rather, you decided to leave those matters to the experts. That would be a mistake. They are the stuff that puts MS-DOS on a higher plane than other operating systems by allowing you to do some unusually powerful things without special programming.

Soft Sector Technical Editor

DANNY HUMPHRESS

[Editor's Note: Most of the commands covered in this installment of "Mastering MS-DOS" are not supported by MS-DOS Ver. 1.25. The filters mentioned, SORT, MORE and FIND, are not included on the MBC-550/555 system disk, but are integral parts of the MS-DOS operating system nonetheless. They are included on the system disks packaged with the MBC-775 and with Sanyo hard disk drives. Also, MDRE is supplied on the Video RAM Board system disk and SDRT, at least, is included on the utilities disk available for \$10 from Sanyo Business Systems Corp., Customer Service Division, Computer Division, 51 Joseph Street, Moonachie, NJ 07074.7

#### **Alternate Routes**

We used a form of routing some time ago with the CDPY command. If you'll remember, we used CDPY to copy data from one file or device to another file or device. There is a "purer" form of routing available, which actually redirects the output of a DOS command or a program to an alternate device or file. The symbol used for "route to" is

lumbing is not just a science a the greater-than sign ( ) Try the skill and an art — it's a religion! following command on your computer:

QIR > TEST

ENTER

The computer's disk spun a bit and another MS-DOS prompt appeared. Seemingly, nothing happened; but the computer did do some work, as you can see when you type this command:

TYPE TEST

ENTER

The first command line produced a directory of the default disk drive, but instead of putting the directory on the display, it was routed to a file called TEST. When you TYPEd the file, you saw that it contained the directory of the disk.

Output of any command or program may be routed to any file or output device (BASIC programs are an exception to this rule). You can even route output to the COM: device to send it to another computer via a modem. If you have a printer connected to your computer, try this command:

DIR > PRN:

ENTER

The output of the DIR command was routed to the line printer. What do you think this command would do?

TYPE TEST > PRN:

If you guessed that it would make a printed listing of the file, TEST, you're absolutely right. Do you remember the other way of getting a printout of a file? Remember the COPY command?

When you redirect output of a command to a file with '>', the file is

either created, if it does not exist, or it is erased and its data replaced with the new information. If you want the output of the command to be appended to a file, use a double greater-than (>>) instead of the single sign. For example, DIR>>TEST would append the output of the directory to the file called TEST.

The above examples all redirect the output of a command or program to an alternate place, but there is also a way to have a command or program get its *input* from an alternate source. This is done with the use of the "route from" symbol (<).

As with '>', '<' can use any device or file. The difference is that the device or file becomes the *input* for the command rather than the output. Hence, if a device is specified, it must

the file first. Use EDLIN or the following command to create DATEFILE with "1-25-85" in it:

COPY CON: DATEFILE ENTER
1-25-85 CTRL-Z ENTER


Now that "1-25-85" is in DATEFILE, we should be able to use it as input for the DATE command. Try it again:

DATE < DATEFILE

The computer responded just as if you had entered "1-25-85" from the keyboard.

ENTER

You might not see the practicality of this now, but you'll soon discover that this feature can be quite handy—especially for those frequently used



be an *input* device. The console keyboard and the communications port are input devices, while devices such as the line printer are output only. (This subject was discussed at length in an earlier installment of "Mastering MS-DOS").

To effectively demonstrate "route from," we'll need to use a command that requires input from the user. The DATE command is a good example since it requires that the user input the date from the console keyboard. Let's tell DATE to get its input from a file. Type this command:

DATE < DATEFILE ENTER

What? You got a "file not found" error? Of course you did; DATE was trying to get its input from DATEFILE, but ran into one little problem — DATEFILE doesn't exist! We must create

programs or commands that require you to enter the same menu selections or options each time you run it. If you put these keystrokes in a file just once, you can route the input of the command or program to come from your keystroke file and then just sit back and watch your computer run itself.

The idea of automating programs first came to me while I was using an IBM PC with a Tallgrass hard disk. The Tallgrass hard disk has a provision for making backups onto streaming tape cartridges, but it requires that you go through the acrobatics of a backup utility program to first erase the tape and then copy the hard disk to it. By putting the keystrokes required to run the program in a file, I was able to go off and let the computer do its thing — automatically. There have been dozens of times since then when I've used this technique.



Supplement-Commands that Sanyo omitted from its 550/555 Operations Manual. A "must" for only \$5.00.

Scotch DSDD Diskettes-Box of 10 only \$18.00 (while supplies last).

Keyboard Extension Cable-4 Keyboard Extension Cable- Special \$15.95.

IBM to Sanyo-Run IBM BASICA Programs on your Sanyo-"Ready to Run"-We've done the work for you. Incredibly only \$39.95.

3M/Scotch-Diskette Drive Cleaning Kit - Only \$17.95.

CPeMULATOR<sup>TM</sup>-Run CPM on Sanyo for only \$79.95.

200 + Programs - Over 200 Sanyo compatible programs listed by category program name company name and telephone numbers. Only \$4.00...

Sanyo Video Board-Run Lotus-Multiplan-PFS Series and many other IBM Programs. Includes MS-DOS 2.11 and GW Basic. Available Now-\$199.99.

Key Plus Program-Program over 3 dozen individuals function keys for use with Basic. \$19.95.

Sanyo Music Box-Add music and sound to your Sanyo. Complete for only \$29.95.

COPYLINK<sup>TM</sup>-Communications software "ready to run" on your Sanyo Complete flexibility and ease for **only** \$79.95.

128K Memory Upgrade-Do it yourself and save. (150-NS) Now only \$72.95.

Unprotect-Unprotects programs saved from Sanyo Basic and NOW IBM Basic. New Low Price \$39.95.

RS232-Serial Card-Communications Board. Only \$69.95.

Protect Your Investment-Custom-Made Sanyo Computer Dust Covers \$13.95 to \$29.95.

Technical Newsletter-\$15.00 per year.

HARDWARE PRICES-LOW \$\$ Sanyo Software Catalog-FREE

MODEMS-300/1200 -ON SALE! CALL

Sanyo Tutorial-Step-by-step instruction in the use and programming of Sanyo 500/555 Computer. "Bonus Pack" includes training tape for Wordstar/ MailMerge. Only 39.95.

Free Catalog-of all products available.

\* \$2.00 postage and handling charge \*

\* COD orders extra \*
 \* Dealers inquiries invited \*
 \* Check, Visa, Mastercard and Money Order \*

#### BLOCK MARKETING, INC. 6009 Wayzata Blvd., Suite 102B Minneapolis, MN 55416 (612) 546-3776

(Block Marketing is a recognized Sanyo Dealer.)
\*MN residents must add 6% Sales Tax.

41

	******
SANYO 550(1 160K)	\$650.00
SANYO 555(2 160K)	\$855.00
SANYO 550-2(1 320K)	CALL FOR PRICES
SANYO 555-2(2 320K)	CALL FOR PRICES
SANYO 555-4(2 640K)	\$1295.00
SANYO 770 (PORTABLE)	CALL FOR PRICES

#### ACCESSORIES

******	******
160K DRIVE	\$120.00
160K DRIVE W/SOFTWARE	\$289,00
360K DRIVE	\$175.00
360K DRIVE W/SOFTWARE	\$365.00
800K DRIVE	\$195.00
800K DRIVE W/SOFTWARE	\$449.00
VIDEO BOARD	\$189.00
RS-232C 550	\$65.00
MEMORY 128K 550	\$90.00
AUTO MODEM 550 (300 BAUD)	\$199.00
AUTO MODEM 550 (1200-300)	\$315.00
12" HI-RES GREEN	\$110.00
9" HI-RES GREEN	\$85.00
12" RGB COLOR	\$385.00

#### PRINTERS

******	********	******
PANASONIC	1091	\$295.00
	1092	\$365.00
OKIDATA	82A	\$295.00
	83A	\$529.00
	92P	\$375.00
	93P	\$585,00
	84P	\$685.00
EPSON	RX-80	\$254.00
	RX-80FT	\$349.00
	RX-100	\$450.00
	FX-80	\$467.00
	FX-100	\$670.00
SANYO	PR-5000	\$415.00
	PR-5500	\$595.00
SILVER REED	400	\$275.00
SEET TO THE P	500	\$335.00
	550	
		\$425.00
*****	770	\$755.00
JUKI	6100	\$445.00
LEADING EDGE		\$525.00
PRINTER CABL	E	\$22.00

## SOFTWARE

CP/M-86 OPER SYSTEM	\$90.95
CONTINENTAL HOME/ACC	\$105.00.
ACCOUNTING SYSTEM	\$360.00
INVESTMENT MANAGER	\$179.95
SMARTKEY II	\$82.00
CP/M EMULATOR	\$89.00
COPYLINK	\$89.00
SANYCOM	\$89.00
FLIGHT SIMULATOR	\$45.00
CASH MAN	\$31.00
DEMMON SEED	\$31.00

*****	******	*****	*****
MAXI	ELL	TI	OK
SS/DD	\$22.00	SS/DD	\$19.95
DS/DD	\$26.95	DS/DD	\$24.95
******	*******	******	******

FREE SHIPPING.
VISA/MC ORDER PLEASE ADD 3%.MONEY ORDER CASHIERS CHECK, WIRE TRANSFER ACCEPTED PRICES & AVAILABILITY SUBJECT TO CHANGE WITHOUT NOTICE. ALLOW 2-3 WEEKS DELIVERY


> SANYO CITY 1708 NW FEDERAL HIGHWAY

STUART, FLORIDA 33494 (305) 692-2455

Some commands, called "filters," are ready-made for alternate routing, SORT is one such filter. It accepts its input from the keyboard, a file, or other device, sorts the lines, and sends its output to the screen (or another device or file). Type these commands:

The first command, as you have learned, redirects the output of the DIR command to TEST. The second command line has the SORT filter program get its input from TEST and display the sorted output on the screen. Since TEST was simply a file used for input, its contents did not change - only the output on the screen was sorted. What do you suppose would be the command if we actually wanted TEST to be sorted? The input would be TEST and the output would also be TEST. Try this command:

SORT would take its imput from TEST, sort it, and redirect the output back to TEST. The result is a sorted



TEST file. TYPE it to see for yourself.

To route the output to the printer, the command would be:

#### Pipes

In the above example, we sorted the directory by first redirecting the directory to a file and then sorting the file. Wouldn't it be simpler to bypass the file entirely and just sort the directory? With what you know so far, you might try the following command:

But, that command will not work

since DIR is neither a filename nor a device. Should you try this command, you would get a "file not found" error because SORT is expecting DIR to be a file. You can redirect the output of one command to the input of another, however, with the use of "pipes."

The pipe symbol (1), causes the output of the command or program to be "piped" to another. Try this command (the '' is located above the backslash key):

This command caused the output of the DIR command to be piped to the SORT filter. SORT sorted its input and displayed the results on the screen. With this knowledge, how would you get a sorted directory on the printer? This is a multiple choice question:

- (A) DIR | SORT | PRN:
  (B) DIR | SORT > PRN:
- (C) Either A or B

The first choice, A, is incorrect because you are attempting to pipe the output of SORT to the printer. You only pipe to a command. Since PRN: is not a command or program, but a device, this line would give you a "bad command or filename"error.

The correct answer is B. You are piping the output of DIR to SORT and then redirecting the output to the printer.


The combinations of pipes (1) and redirectors '\c' and '\c' can look confusing at first glance. When you take a few moments to analyze what you are trying to accomplish and if you keep in mind the difference between commands, devices and files, it soon becomes obvious.

Today, we've covered what seems to be a complicated subject, but I think you'll find that with a little practical use, you'll get the hand of redirecting and piping in no time. We'll continue our discussion on piping next month with a closer look at the filters, SORT, MORE and FIND. Until then, remember your sacred task - experiment and learn. 8

(Danny Humphress, SOFT SECTOR'S Technical Editor, is the owner of a computer software and consulting firm in Louisville, KY. Danny brings to SOFT SECTOR his extensive experience with small business computers and applications software.)


# Three Reasons Why J&M Systems is the Leader in Sanyo Peripherals and Upgrades

PRICES SLASHED PRICES SLASHED



# 1. Drive Upgrade Kit

This kit allows you to upgrade your 160K disk drives to 360K capacity. You receive 2 disk drives, MS-DOS 2.1 operating system, and installation instructions. The upgraded drives will open the door to more IBM software. \$384 \$349 for either the 550 or 555.



# 2. RS-232 Board

Our board is better than "Sanyo compatible." With the J&M Systems RS-232, you can fully configure I/O lines to match your system needs. Buy our board for the same price as theirs and receive extra configuration ability FREE.

Just \$99. \$45.



# 3. 5Mbyte Hard Drive

5Mbyte capacity hard disk drive complete with manual, host adapter and software. Installs in minutes. Only \$795. While supplies last! 10 and 15Mbyte (\$1095) drives also available.

**Dealer Prices** Also Available

\*DS DOS is a registered trademark of MichTron

# To order, fill out this coupon or call (505/292-4182).

I'd like more information on these products. \_\_ Drive Upgrade \_\_\_ RS-232 \_\_\_ 5Mbyte Hard Disk Send me the following: Total Unit Price Qtv \$384 \$349 Drive Upgrade \$99 \$45 RS-232 Board \$1,195 \$795 5Mbyte Hard Disk \$1,995 \$1,095 15 Mbyte Drive Name Address City For those ordering with MC of Visa: Exp. date . Signature \_



15100-A CENTRAL SE ALBUQUERQUE, N.M. 87123 505/292-4182

# SIMPLE MATH FUNCTIONS

By Fred Blechman

re "number crunchers." Arithmetic operations like adding, subtracting, multiplying and dividing are easy to do on a computer, and probably will account for the majority of mathematical functions you'll be involved with. I will go somewhat beyond that for the remainder of this article, but will not cover all the math statements in Sanyo BASIC in detail.

Simple Arithmetic

We've already used the standard computer symbols for addition (+), subtraction (-), multiplication (\*) and division (/) in previous programs.

What may be confusing to you is how the computer processes the sequence of operations and parentheses. You can have many sets of nested parentheses and, in fact, should use parentheses to combine operations. The computer scans a program line from left to right. If calculations are involved, priorities exist. Parenthetical expressions are evaluated first, starting with the innermost parentheses and working outward. Within each expression, multiplication and division are done before addition and subtraction, working left to right. If there is any chance of confusing how numbers are to be treated, use parentheses!

For example, what is the value of 'X' in this "formula," assuming the value of 'A' is 2?

X=15\*A+10/5

The common "human" way to evaluate this would be to multiply 15 by the value of 'A', resulting in 30 (since A=2), and then add 10 (giving you 40), then dividing the total by 5 for a final result of X=8.

The computer, however, first multiplies and divides, with subtotals of 30 and 2 added together for a final result of X=32. Quite a difference!

To avoid the human confusion in interpreting this line, use parentheses as follows:

X=(15\*A)+(10/5)

Now both you and the computer understand how the expression will be evaluated.

## DEFining Numbers

Sanyo BASIC allows calculations of numbers with either integer, singleprecision or double-precision accuracy.

Unless otherwise instructed, numbers are treated in single-precision, displaying six digits (and holding a seventh digit in memory). Although not required

(Fred Blechman, an acknowledged authority on home computers, has written several articles and books related to microcomputers. He is self-taught in electronics and computer BASIC programming and specializes in writing for beginners. This article is based on material from a forthcoming book by the author, Sanyo MBC-550/555 Beginner/Intermediate Guide, soon to be published by Holt, Rinehart and Winston, a division of CBS College Publishing.)

Copyright® 1984 by Fred Blechman.

unless a variable has a previous use otherwise, an exclamation point (!) following a variable defines it as a single-precision number.

Double-precision displays 16 digits, and the variable is followed by the pound (#) symbol.

An integer is a whole number — no decimal places — and is shown by following the variable name with the percent (%) sign.

Note: Integer numbers are limited to the range from -32768 to +32767. This is often overlooked and can lead to program crashes with an "Overflow" error.

Integers use the least memory and are processed faster. Conversely, double-precision numbers use the most memory and are processed slower. Single-precision numbers are in between, in both memory use and speed of processing.

variable A will be an integer unless redefined later.

# Absolute, Sign And Integer Values

Normally, a number has a positive or negative value. However, ABS(X) will treat X as a positive number, regardless of sign.

Occasionally you may wish to evaluate the sign of a number to see if it is positive, negative or zero. SGN(X) will result in a +1 if the number represented by X is positive, a -1 if the number is negative, and a 0 if the number is 0.

The INT function always rounds a number down to the next whole number. Because it rounds down, 3.9 becomes 3 and -3.1 becomes -4.

The FIX(X) function is similar to INT. It drops the decimal part of a number, retaining the sign. For example, FIX(-234.567) returns -234 with no decimal. Notice, however, that it does

Notice that, because of the calculation shown, these numbers are rounded both up and down in the conventional manner. If the third decimal place is 5 or more, the second decimal place has one added.

To get three decimal place conversion, change both 100s in Line 20 to 1000. For one decimal place, change the 100s to 10. This is a very handy subroutine.

# Modulus Of A Number

If you divide two numbers, the result is an integer and a remainder. The MOD function gives you the remainder. The numbers are first rounded off to the closest integers before division. Therefore, PRINT 66.49 MOD 15.49 would result in 6 (66 divided by 15 has a remainder of 6), but PRINT 66.50 MOD 15.5 results in 3 (67 divided by 16 leaves a remainder of 3.)

#### **Square Roots**

A commonly used function is SQR(X), which returns the square root of the variable X. Thus, PRINT SQR(225) will result in 15, and SQR(30\*10+16) equals 17.7764. Since multiplication comes before addition, 30\*10+16 equals 316, and the square root of 316 is 17.7764 in single-precision.

#### Logarithms And Exponents

The use of "natural" logarithms is generally confined to mathematicians and engineers. Unlike "common" logarithms, which use a base of 10, natural logarithms use a base 'e', which is equal to 2.7182818284+. Sanyo BASIC calculates natural logarithms with the LOG(X) function, and returns the value of 'e' raised to the X power with EXP(X).


Natural "logs" can be converted to common logs by multiplying the natural log by .434294. Common logs can be converted to natural logs by multiplying the common log by 2.302585.

A common logarithm table shows that the log of 2 is 0.3010. PRINT LOG(2) gives you .693147 as the natural log of 2. Multiply this value by .434294 and you get 0.30103 — pretty close to the .3010 from the common log table.

Going the other way, PRINT EXP(.693147) and you get 2. If you will be using these expressions, you probably already know how, so we won't dwell on them here.

# **Trigonometric Functions**

Sanyo BASIC only directly provides four "trig" functions, but the others can



#### **Defining Variable Types**

In addition to the use of !, # and %, you can DEFine the use of particular variables as integer, single or double-precision numbers with DEFINT, DEFSNG and DFNDBL, usually used near the beginning of a program. For example, DEFDBL A, B, R, V would make all variable names beginning with the letters A, B, R or V as representing double-precision numbers. You could also have a range, such as DEFINT A-G to define all variables beginning with the letters A through G as integers.

The functions CINT, CSNG and CDBL are used to change the classification of a variable from that previously assigned. For instance, IF A=123.456, PRINT CINT(A) will result in the number 123 only — no decimal places — and the

not round down to the next whole number. Using INT(-234.567), the result would be -235.

## **Two-Place Decimals**

You can convert calculated numbers to two-place decimals by combining the INT function with some simple math. Take the target number, multiply it by 100, add .5, take the INTeger of the result, and then divide that by 100. Listing 1 shows an example, with a sample RUN shown in Figure 1.

Line 10 selects a random number up to (but not including) 100. Line 20 PRINTs this single-precision number with four to six decimal places, then calculates and PRINTs the two-decimal place conversion. "Trailing zeros" after the decimal are not shown.

be derived. The SIN, COS, TAN and ATN (sine, cosine, tangent and arctangent) functions are described in any trigonometry textbook.

You are probably used to trig functions being expressed in "degrees," but most computers calculate and display these values in "radians." A radian is the number of degrees included in an arc of a circle whose length is equal to the radius of the circle.

A circle, which contains 360 degrees, has a circumference of 2\*PI\*radius, where PI equals 3.141593+. Therefore,

an arc equal to the radius, a radian, would be equal to 360/(2\*PI) or 180/ PI, which is 57.29578+ degrees.

Keep these conversion factors and formulae handy:

degrees = radians\*(180/3.141593)radians = degrees\*(3.141593/180)1 degree = .01745329 radians 1 radian = 57.29578 degrees cotangent of X = 1/TAN(X)secant of X = 1/COS(X)cosecant of X = 1/SIN(X) arcsine of X = ATN(X/SQR)(-x\*x+1))

arccosine of X = -ATN(X/SQR)(-X\*X+1))+1.570B

Other Number Systems

The octal and hexadecimal number systems are used by advanced computer programmers, and a detailed explanation of their derivation and is beyond the scope of this article. However, it is common to see headecimal numbers, usually identified with the capital letter 'H' following the number, used to identify computer memory locations.

Sanyo BASIC provides a means to enter octal and "Hex" numbers into programs and memory with the use of the ampersand (&) symbol. Prefixing a number with the ampersand alone means the number is an octal number. Prefixing a number with both an ampersand and a capital 'H' means the number following is a hexadecimal number. No prefix indicates a decimal

For example, PRINT &H7FFF results in 32767, the decimal equivalent of the hexadecimal number 7FFF, and the maximum number this function handles. PRINT &305 results in 197, the decimal equivalent of octal 305.

DCT\$ and HEX\$ do just the opposite. They convert from integer decimal (up to 65,535) to octal and hexadecima respectively. PRINT OCT\$(197) wil result in the octal number 305. PRIN HEX\$(32767) results in 7FFF.

# **Defining A Function**

The DEF FN statements, used together DEFine a Function as a speci variable. Whole books have been written about DEF FN, so it would hopeless to try to cover it in any dep here. Listing 2 shows a program th uses DEF FN to draw a large sine wa on the screen, as shown in Video Pri

Line 20 establishes the function F and Line 40 plots the points on screen with scaling factors for horizon and vertical height. Hit BREAK to S the program.

# **Next Month**

Moving right along in our train series, next month we will cover intricacies of entering data into computer. Among Among the most powerful comma in BASIC are the READ/DATA statement and we must learn to make the of them in order to complete Training."



# PRICKLY-PEAR SOFTWARE

QUALITY SOFTWARE FOR THE SANYO 550 SERIES

\* TWO NEW PROGRAMS \* \* \*

PRICKLY-PEAR DATAPACK - Solve those tedious problems of organizing all your important data. This command-driven "standalone" package comes with an easy-to-learn set of instructions. Twenty commands are available for defining new databases, retrieving, sorting, reporting, single-or-multiple record updating, joining and projecting, etc. With the plethora of instruction guides and "help" screens available online, even a new user will have no trouble creating and using large databases; no programming knowledge is required.

Datapack will output reports to your printer, console or disk file. Let the program handle everything or define your own optional page headings, column order, breaks (with sums/counts/averages etc.) and summaries.

To see why the PRICKLY-PEAR DATAPACK is the best relational database program for your money, write for more information. DATAPACK requires 128K. It comes in a quality binder with 40 pages of ducumentation and 2 disks. \$150

FORBIDDEN TEMPLE — If you love adventure, fantasy, magic spells and dungeons with monsters, this is the game for you. Before entering the FORBIDDEN TEMPLE you will roll up your character. Select the right combination of strength, intelligence, dexterity and constitution and bargain with the willy trader to buy your weapons and spells. Choose carefully or you may not survive the FORBIDDEN TEMPLE.

The full color graphics features a realistic three dimensional window screen display that takes you into the temple. But don't enter the FORBIDDEN TEMPLE alone! This game has a three player option and, of course, you can save the game in progress.

The high priest of Capapus is the evil Maleficus. As his power and riches grew, so did his fear of loosing his great wealth. Search for the gold of Maleficus hidden deep in the FORBIDDEN TEMPLE.

Like all Prickly-Pear Softwear, it is packaged in a quality vinyl library case. FORBIDDEN TEMPLE requires 256K and one disk drive - \$39.95

\* \* \* \* \* PERSONAL FINANCIAL MANAGEMENT SYSTEM — It allows up to 99 income and expense accounts, maintains budgets, graphs, transaction journals, income and expense statements and balance sheets. \$49.95

VIKING - This famous simulation of running a Norse holding while you try to become King or Queen is finally available for your Sanyo. \$34.95

FOR ORDERS CALL 1-800-223-5369 EXT. 256

Your Personal check is welcome - no delay. Include \$1.50 shipping for each program ordered. (Shipping free on \$50.00 or larger orders). AZ residents add 7% sales tax. Orders shipped within two days.

Dealer and author inquiries are always welcome. Canadian dealers should contact Kelly Software Distributors, Ltd., P.O. Box 11932, Edmonton, Alberta T5J-3L1

**Author Inquiries Welcome** 

Send Order To PRICKLY-PEAR SOFTWARE



2640 N. Conestoga Ave. Tucson, Arizona 85749 (602) 749-2864



March 1985 SOFT SECTOR

# Listing 1: Two-place decimals.

10 X=RND(1) \*100

20 PRINT X, INT(X\*100+.5)/100

3Ø GOTO 1Ø

Listing 2: Using DEF FN.

1Ø CLS

2Ø DEF FNF(A)=SIN(A\*1.74533E-Ø2)

3Ø FOR A=1 TO 36Ø

4Ø PSET (A\*(639/360),95\*FNF(A)+95)

5Ø NEXT A

6Ø GOTO 6Ø

Video Print 1: Sine wave with DEF FN (made with Mitsubishi P50V Video Printer).




Figure 1:	24.2642	24.26	
T	36.204	36.2	
Two-place decimals.	49.0288	49.03	
	78.7784	78.78	
	55.6541	55.65	
	80.6552	80.66	
	8.78893	8.79	
	65.0762	65.08	
	24.6426	24.64	
	13.0964	13.1	
	8.48986	8.49	
	51.0811	51.08	
	92.1647	92.16	
	38.212	38.21	
	71.5687	71.57	
	53.9802	53.98	
	44.1613	44.16	3

Business-Educational-Games-Graphics-Finance Utilities, and more.... Hundreds of useful programs you can rent and copy yourself.

25 VOLUME LIBRARY FOR THE SANYO 550/555 SAMPLE DISK (15 programa)......\$ 5.00 VOL 1-25 (25 Disk sides)......\$ 35.00 550/555-VIDEO BOARD, 775 or IBM OWNERS 200 VOLUME IBM PC/MS-DOS......\$ 200.00 VOL 1-50 (50 Disk sides)......\$ 50.00 Rental is for 7 days, add \$7.50 for shipping plus Refundable Security Deposit of \$2.00 per volume.

Send \$5 for sample disk or write for more information FUTURESYSTEMS, BOX 3040, VISTA, CA 92083 genenagenenenenenenenen gegenen benenen en er

# **512K & 640K UPGRADE**

512K KIT-REQUIRES LESS THAN 30 MINS. TO INSTALL! 100% Fully Compatible — With Existing Hardware & Software! PRE-ASSEMBLED KITS — Use existing internal slots on main PC board plus 6 SOLDER JOINTS - Switchable from 256K to 512K!

128K to 512K Upgrade — (No Software) Kit #114 = \$239.95 256K to 512K Upgrade — (No Software) Kit #116 = \$194.95

**Bundled Software Package** 

DS-DOS Plus 1.25 or 2.11 (Required to access added RAM),

M-DISK, AND PRINT SPOOLER ADD = \$75.00

640K RAM BOARD - COMPLETELY PLUGIN - USES 256K RAMS — MAINTAINS EXPANSION BUS \*\*\*\*\*(Call for pricing

TAMPA-BAY DIGITAL and Delivery)' (813) 527-7145

5620 - 4th Street North, St. Petersburg, Fl. 33703

# SOFT SECTOR ON DISK INTRODUCING

**DETAILS ON PAGE 35** 

SENSIBLE SOLUTIONS LANGUAGE -A COMPLETE INTERACTIVE DATA BASE FOR THE SANYO 550 SERIES COMPUTER (hard disk storage recommended)

AVAILABLE AT YOUR SOUTHERN CALIFORNIA SANYO DEALER

> HAMMER INDUSTRIES, INC. 5482 OCEANUS DRIVE, SUITE B HUNTINGTON BEACH, CA 92649

(213) 598-8869

(714) 898-7324

## Bogged Down by a Heavy Duty Word-Processor? Try W-ED!

the simple-to-use writing tool with the best features of a full-screen editor and word-processor.

W-ED is intuitive and comfortable.

The number of features packed into W-ED's small size is amazing! W-ED is very fast, handles files up to 750 lines and is perfect for jobs like letters, short reports or program source code.

You can tailor W-ED's features to suit your needs. W-ED runs on SANYO 550 and 555 computers and costs \$40.

WyndhamWare

P.O. Box 729 Renton, WA 98057-0729 (In Washington State add 8.1% Sales Tax. MC & VISA—include card no., exp. date and signature)

# INPUT/OUTPUT

TIM PURVES Soft Sector Contributing Editor

O. I have been trying to make the command piping function work, as described in the MS-DOS reference manual (section 4.8.3). The text implies that I can send the output from a program to a file, or to a greater extreme. to another program. I have tried various different syntax without success. Can you give me some guidance?

Dalton Sevmor Benton Harbor, MI

A. First of all you need MS-DOS version 2.0 or later, versions earlier than this do not support I/O redirection. The concept behind the redirection is really quite simple. The DOS can redirect the standard input device ("stdin" or the CON: device) and the standard output ("stdout" or the CDN: device). The stdin device is the keyboard and the stdout device is the display. Some programs do not use the DOS stdin or the stdout devices to get or send characters; these are the programs that cannot be redirected.

On the DOS diskette there are several filter files (SORT and MORE, to name a few) that can be used with I/O redirection. For example, if you type in SORT at the DOS prompt, the SORT filter will take the input from the keyboard until a CTRL-Z is pressed, at which time the input will be sorted and then written to the screen. A more common use would be to take a file and sort it and write it to another file. For example, the following command will read and sort INPUT.FIL and write it to a file OUTPUT.FIL.

SORT < INPUT. FIL > OUTPUT. FIL

Notice the use of the '<' to designate the input file and the '>' to designate the output file. If the input file is not specified, the keyboard is used. If the output file is not specified, the display is used.

Another useful function is the " symbol. This is located next to the back-arrow key on the upper right-hand of the Sanyo keyboard. This symbol is used to connect (pipe) the output of the first program to the next. For example, the following command will take the directory output and sort it to the screen.

DIR! SORT

Or if you wish to save it to a file, the following example will take the directory of the B: drive and write it to a file named DIRLST.

DIR ! SORT >DIRLST

Notice the use of the '' to connect the output of the directory command and pipe it to the SDRT filter and the use of the '>' to cause the output from SORT to be written to a file named DIRLST.

The MORE filter is used much the same way as the SORT filter, except its function is to pause the output every 24 lines and wait for a key press. One caution with the MORE filter is that the output should be to the screen or you will never see the prompt to press a key, and the system will appear to hang up.

I hope this sheds some light on I/O redirection. My best advice is to be bold and try some of these examples.

You can't hurt a machine by typing on it!

. Will you please comment on drives for the MBC-

Charles Taylor Grand Blanc, MI Dalton Seymour Benton Harbor, MI

A. First of all, there have been many questions on the type of drives that I use and also many questions on how to add more than two drives. My personal preference is the TEAC drives. I have one double-sided 40 (TEAC 55B) and one double-sided 80 (TEAC 55F) and have had no problems with either.

The biggest problem that I have seen with other types of drives is the missing drive ready signal on Pin 34. Full size drives, such as Tandon and MPI, do not have this signal and the Sanyo will wait in vain for the drive to return it. Another problem is the multiplex line, more commonly labeled MUX or MX. Some documentation claims that this jumper should be installed in a multi-drive system — this simply is not the case. The multiplex line should not be connected in any case on the Sanyo MBC-550 series computers. The most typical symptom of this is that all drives will select when any drive is selected.

To add more than two drives to a Sanyo, you need an extended drive cable that has four drive connectors and one connector to connect to the mother board. Also, this cable should have all the pins in it. The external drives should be programmed as DS2 for drive C: and DS3 for D:. Add an external power supply, boot your favorite DOS, and you are up and running.

Q. Is there a way to label my disks without formatting Them each time with DOS 2.11?

> Scott Barnes Santa Fe, NM

A. The volume label on a disk is merely an empty file with the volume attribute set. There are several programs in the public domain that can create a volume label or even change an existing one on a disk after it has been formatted. The utilities disk available from Sanyo had this program on it the last time I looked.

O. I would like to convert all lowercase input in a BASIC program to uppercase. Is this possible in Sanyo BASIC?

Lou Ricigliand Rochester, NY

A. The simplest way to convert lowercase to uppercase is to AND the character with 95 decimal. For example, to convert the character in A\$ to uppercase, use the following short program:

10 IF A\$ >= ''a'' AND A\$ <= ''z'' THEN A\$= CHR\$(ASC(A\$) AND 95)

O. IBM BASIC has a way of letting you choose to write to the screen or the printer by opening a device as a file. Can I do this under Sanyo BASIC?


Larry Schumer New York, NY

A. Yes you can. MS-DOS allows you to open any character device as a file. You could write a program that asks the operator where he/she wishes the output to go (screen, printer or file). The following program segment could accomplish this.

10 PRINT ''Enter [S]creen, [P]rinter, OR [F]ile 20 AS=INKEYS: IF AS="" THEN GOTO 20 ELSE Output'' A\$=CHR\$(ASC(A\$) AND 95) 30 F\$= "NUL": If none of the above then run 40 IF AS= ''S' THEN FS= ''CON' : CONSOLE OUTPUT 50 IF As= "P" THEN FS= "PRN": PRINTER OUTPUT 60 IF As= "F" THEN FS= "FILENAME"; write to 70 DPEN ''O'',1,F\$:' any prints to #1 will write to selected device 90 FOR X=0 TO 10:PRINT #1,X:NEXT:CLOSE: 'Writes the numbers 0 -10

Q. On pages 5-38 to 5-39 of the Sanyo Operator's Guide, they discuss the Video RAM areas. I have read these pages several times and they still do not make any sense. They seem to imply that you could have several pages of text or graphics and simply toggle between them. Oklahoma City, OK

Rocky



\$ SANYO

- Expand your SANYO MBC 550 or 555 Beyond its 256K limits up to 780K with our Memory Card (includes MSDOS Config Software) Prices from \$199.95
- Real Time Clock Option for Memory Card \$4995 (includes software)
- Ram Chip Upgrade Kits (64K) \$3695
- RS 232 Boards \$4995
- All types of cables (call for price)
- Volks Modem

\$5895

Add \$5.00 for C.O.D. Add 3% for VISA or MasterCard Dealer Inquiries Welcome

Shipping and Handling: U.S. 3% - \$3.00 Minimum Canada 5% - \$5.00 Minimum Other - Contact us for charges

6 Month Warranty

**Rocky Mountain Micro** P.O.Box 1693 Sandy, Utah 84091 (801) 572-6272

Q. I'm trying to do some moving graphics in BASIC and so far the only way I've found is with the GET and PUT commands, which are much too slow for large areas. My previous computer was a TRS-80 Color Computer, which provided commands to flip screens in a split second, thus providing a way to do some high-speed animation. I've tried using the Sanyo's VIEW and WINDOW commands to achieve the same effect. Any suggestions?

Kenneth Van Camp Stroudsburg, PA

A. Both of the above questions deal with the Sanyo graphics, so I will attempt to clear up a little of the confusion about the video mapping of the Sanyo MBC-550. First, the Sanyo has three banks of memory dedicated to the production of images on the screen.

#### The banks:

The red screen is located at segment 0f000h. The blue screen is located at segment 0f400h.

The green screen has the ability to move. On a general level, the green screen is located at the top of user memory, except on a machine with over 256K of memory. Then it is located at segment 800h. Refer to the following table for specifics.

Memory

**Green Segment** 

128K 192K 1c00h 2c00h

Orders and Information (313) 348-4477



"Free" Sanyo Bulletin Board (313) 348-4479 24 Hours 7 days a week

#### MICHIGAN SOFTWARE DISTRIBUTORS INC. 43345 GRAND RIVER

NOVI, MICHIGAN 48050

#### MICHIGAN SOFTWARE

PFkey9.95	Save Screen
Keyword	Character Generator 24.95
U.S. Capitals & States 29.95	
Screen Print	Sanyo Host and BBS 179.95
Print Spooler/Level IV39.95	Recipe File39.95

## CUSTOM SANYO DUST COVERS

Grey Leather "Like" — Two Year Warranty
Green Monitor and CPU/ONE Unit29.95
Keyboard/Only
CPU/Only
Made to Order: any Computer/Printer Call \$

#### MICHTRON: Full line of software/over 30 programs

Reyboard Ext Gable/Colled like Original19.95
Twist and Tilt/Monitor Stand
Media Mate 51/4 "/Holds 50 Disks
Introduction to Wordstar Book
Practical Wordstar Uses Book/Free Poster 16.95
Mach II Joystick/most recommended
Perfectdata Head Cleaning Kits
Perfectdata Printwheel Cleaning Kit 19.95
Mailing Labels/one across 31/2" x 1" 1,0007.95
(Butt-cut: Do not neel off in printer) 31/2" x 2" 500 7.95

#### "VISIT OUR RETAIL STORE"

. VISA, MASTERCARD, AMERICAN EXPRESS, C.O.D., CHECK .

. DEALER INQUIRES INVITED .

Prices subject to change

Add 3.00 shipping and handling

256K over 256K 3c00h

800h DS-DOS + 2.11 400h DS-DOS

As far as flipping between two screens, you could only flip the green screen. One of the great benefits of the TRS-80 Color Computer was its ability to page in and out two screens. Another reason the Color Computer was so fast is that it was only concerned with 6K of memory for the entire screen. The Sanyo, on the other hand, works with 48K of memory in three different segments — eight times as much. Please refer to this column in the November issue of SOFT SECTOR for the algorithm on calculating the address on the screen. Please refer to this column in the February issue of SOFT SECTOR to determine where the green screen is currently located.

Q. Memory, memory, memory. How can I go over 256k?

A. It seems that 80 percent of the questions that I get are concerning the addition of extra memory. The first thing that you need is a new DOS. The only DOS that I know of that will support the extra memory is DS-DOS Plus from MichTron. The original Sanyo DOS will not handle extra memory: it will not even boot. The methods involved in adding extra memory were devised by myself in January of 1984, shortly after the introduction of the MBC-550 in the United States. The upgrade is relatively easy, just time consuming and delicate. It consists of piggybacking memory chips and running a few wires to the address decoder on the mother board. There are two companies in Michigan selling the parts kit, and/or plans to upgrade from 256K to 512K. These companies are Level IV Products and MichTron. Also Level IV Products will install 512K memory in your machine if you so desire. There may also be other companies selling 512K kits or plans, but I haven't had any experience with them.

(Tim Purves is an expert on the Sanyo 550/555 series computers and is an experienced programmer in assembly code, PASCAL, C and BASIC. He is available to answer any questions that the readers of SOFT SECTOR might have. All questions should be addressed to SOFT SECTOR, P.O. Box 385, Prospect, Ky. 40059)

# PROCE WARR TEAC SSB DRIVES

# \$117

OUANTITY DISCOUNT AVAILABLE PACIFIC DISTRIBUTORS

(818) 286 4960

# TYPE RIGHT by Ken Olsen

Don't let the computer age slip through your fingers; learn to type the easy way. Whether you want to end the fumbling slowness of "Hunt and Peck" typing, or simply want to improve your typing speed and accuracy, TYPE RIGHT is the answer. This MACHINE LANGUAGE, educational program features a structured guide to touch-typing in a way that frees you of computer anxiety and keyboard fears. Learn at your own pace; refresh your memory with a previous drill, or forge ahead to sample paragraphs of typical typing assignments. TYPE RIGHT offers friendly menu-driven and personalized use. It keeps track of each typist's accuracy and speed (up to 250 words per minute!) and saves their personal progress to disk. Learn to type right without getting all keyed up.

128K Sanyo 550/555 required

\$34.95

# **SOLARSIM** by Gerald Hubbell

If your fuel bills make the winter winds seem colder, there's a bright alternative: the Sun! Solar energy is clean, dependable, and absolutely free! But it takes more than just a ray of sunshine to warm your hearth and bath; it takes a knowledge of solar heating systems, and a complete evaluation of your home's specific needs.

Announcing SOLARSIM: an educational tool that gives you this knowledge. SOLARSIM graphically simulates a solar hot-water/space heating system in action and lets you control every useful parameter. Through the use of Trend Graphs and Cost Analysis charts, you can find the most efficient solar heating system for your individual needs.

The extensive manual is written in a light, textbook format which includes a complete tutorial. SOLARSIM is perfect for students in energy related fields, for solar energy consultants, or for the frustrated home-owner who could save hundreds of dollars each year with solar energy. SOLARSIM: Letting the sunshine in!

128K Sanyo 550/555 required

\$49.95





# **MUDPIES** by Philip McKenzie and Jeff Sorenson

Arnold is a mischievous young boy who's sense of humor sometimes goes astray. When the circus comes to town, he can hardly wait to see it. But the circus isn't quite what Arnold expects, and soon enough he gets bored. When the clowns bring on their crazy act, Arnold decides he's had enough! He picks up a MUDPIE and throws it at the nearest clown, hitting him smack in the face. Next thing you know, the air is swarming with mudpies. But the clowns don't think it's so funny. They start throwing things back at Arnold and try to catch him. Pretty soon the place turns into a REAL circus!

Maneuver Arnold out of danger, while using mudpies to ward off angry clowns in this fun filled arcade game. Numerous challenge rounds with special prizes, 6 tents that change with increasing levels, and special mud slinging rounds make this a good addition to anyone's game collection.

128K Sanyo 550/555 required (joystick recommended)

\$34.95

# Tiple Bandit



Fast-paced action and daring adventures abound in TIME BANDIT: The arcade game that crosses the 4th dimension! Explore medieval dungeons in Fantasy World, great frontiers in West World, and bizarre lands in Space World. Visit over TWENTY exciting screens (in ANY order!) with over 15 levels in each. THAT'S OVER 300 VARIATIONS! For the ultimate variation try the Dual Player mode, where TWO can play at the same time — on their OWN playing windows! Work together, or battle it out for a bigger share of the loot! (Dual-player mode requires at least one joystick.)

The incredible graphics feature colorful scrolling landscapes and FULL animation for a host of characters. Battle the Evil Guardians: the Looking Lurker, Killer Smurphs, and more. Collect the Treasures of the Ages as you remove the locks blocking your escape. But hurry Bandit, your power is dwindling and the Techno-Bandits are hot on your trail!

This machine language epic will dazzle the fussiest graphic gawker and challenge the most skilled arcade enthusiast. Beautiful graphics, amazing sound, and literally HUNDREDS OF SCREENS—It's all here! (For the adventurous Bandits already out there, visit the Lost Maverick 2B and the world will be yours!)

# The conquest of Time and Space awaits you . . .

128K Sanyo 550/555 required (joystick recommended)

\$39.95



576 S. Telegraph Pontiac MI. 48053
Orders and Information (313) 334-5700



you are missing by being unable to print the Sanyo's graphics.

The various color codes used throughout the program were designed to produce attractive displays on a monochromatic screen and on hard copies printed on a black-and-white printer. You may wish to modify the color scheme if you are using a full-color printer.

# **Initial Data Entry**

Piechart allows two data entry options: interactive (through questions posed at run time) or through DATA statements. Type in the program as listed here and type RUN and ENTER. Piechart will identify itself and present you with the two available options.

To enter the data interactively, choose Option I from the initial menu and depress ENTER. Piechart will identify itself again, summarize its requirements, and ask you for a chart title, reminding you that this input is optional. After learning how many groups are in your data, the program will prompt you for a size and a name for each. It's that simple.

Choose Option 2 if you have already typed in the DATA statements, which must have the following format:

Where T\$ is the title for the chart, IX is the number of groups, S(1) is the size of the first group, S\$(1) is the name of the first group, etc. As with the interactive version, the chart title and group names may be omitted, though you must still enter the commas for the missing values.

The sample data in lines 910 through 940 will produce the output shown in Figure 1. The values in Line 950 will produce the same pie chart with no title or group names. If you intend to use only DATA statements to enter data, then you need not type lines 90 through 200 nor 270 through 420. However, you must change Line 260 to read: GDTD B70.

Regardless of how the data is entered, *Piechart* will first check that the chart title is no longer than 40 characters, nor that of any group longer than 20. In the interactive mode, the LINE INPUT statements (lines 350 and 400) will prevent you from exceeding these limits (more on this later in the article). Under

the second option, if the program finds any title longer than allowed, it will inform you with a very jarring sound and terminate execution. So be considerate to your ears and plan ahead.

# Rerunning Piechart

Once the pie has been drawn and the table completed, *Piechart* hangs around unobtrusively and invisibly (Line 840) until a key is depressed—any key. There will be no cursors, prompts, nor any other extraneous characters on the screen, so you can direct its printing, if you have the software, and be assured that nothing but *Piechart*'s output will show on the hard copy.

Depressing a key (other than BREAK) will cause execution of Line 850: *Piechart* will ask you, "More?" and, depending on your response, the program will either terminate or branch back to the beginning (Line 80), where two possibilities exist:

- 1) If you have typed the complete listing, the program will be at the initial menu. You can now supply data interactively (Option 1) or have *Piechart* use the next set of DATA statements (Option 2).
- 2) If you are using the shortened version of the program, *Piechart* will go directly to Line 870 and read the next set of data.

You can keep rerunning the program under Option 2 as long as there is data available. Each time around a new set will be used. When the DATA statements are exhausted, the program will terminate with the message: "Out Of Data In 870."

# The Program's Logic Flow

Many lines in *Piechart* contain multiple statements separated by colons. While this method of entering BASIC code effectively shortens the length of the listing, it does little for its readability. Don't be deterred. To help guide you through, the program has been divided into sections by labels contained in REMark statements which you can later remove to make the listing even shorter.

The first section, "Initialization of Variables," sets values for certain parameters to be used in drawing the

chart and printing the table. Regardless of how many times the program is rerun, it executes lines 76 and 78 only the first time around:

- 1) FORM\$ and FORM1\$ are the templates for the PRINT USING statements in lines 780 and 800. They direct printing of the share each slice represents to the nearest tenth of one percent, and of the total of all groups to six figures with a comma separating the third and fourth digit from the right. If the total of your groups exceeds 999,999, the output will be erroneous. (See SOFT SECTOR January, 1985, Page 46, for more information on the PRINT USING command.)
- 2) PI is the value for the geometrical constant: 3.14159.
- 3) P(0) is the starting point for the pie chart. The value of .25 directs the first slice to print beginning at the 6 o'clock position. (For details on this and other parameters of the CIRCLE command, refer to your Sanyo Operator's Guide, pages 3-101 through 3-103.)
- 4) X0, Y0 and R are, respectively, the coordinates for the center and the radius of a circle representing the original, "unexploded" pie.
- 5) A is a parameter related to the number of pixels separating the apex of each slice from the center of the original pie. This parameter is used in lines 710 and 720 to compute X and Y, values which are then added to X0 and Y0 in the CIRCLE command (Line 730). A, X and Y are also part of the relationships (Line 750) which determine where each slice will be labeled.
- 6) RAT is the ratio used by the CIRCLE command to determine the shape of the curve to be drawn. The information on Page 3-102 of the Operator's Guide is erroneous and should read as follows:

<ratio> = 0.508 Circle
<ratio> < 0.508 Ellipse (whose horizontal axis is greater than its vertical axis)
<ratio> > 0.508 Ellipse (whose vertical axis is greater than its horizontal axis)

RAT is also used in Line 750 in calculating the position of the label within the slice.

7) COL is color used for drawing the

pie slices. It is also the border color in the PAINT command (Line 755). A value of five produces a brighter display on a monochromatic screen and a higher contrast for hard copies.

At Line 80, *Piechart* clears the screen and resets the variable TDTAL to zero before displaying the initial menu and asking for your choice of options.

Once the data is deemed acceptable, *Piechart* will sort the groups in descending order of size, at the "Sorting Routine." If you use DATA statements, *Piechart* will have checked the length of the chart title at Line 870 and that of each group name at Line 874.

At Line 870, the second statement — IF LEN(T\$)<41 THEN 874 — allows *Piechart* to proceed normally only if the

chart, one slice at a time, clockwise, beginning with the largest slice at the 6 o'clock position. The parameters used for the drawing are either set in lines 76 and 78, or computed in lines 670 through 720.

Lines 740 and 750 calculate where to label the slices: near the center when they comprise 20 percent or more of the pie, progressively closer to the edge as their size decreases, and outside the pie when they represent less than 1.5 percent. Before printing the labels, *Piechart PAINTs* the slices (Line 755) in alternating shades (except that slices comprising less than 1.5 percent are left unshaded) and defines the color of the label.

At Line 760, the first (and largest) slice is labeled with the character whose ASCII code is 65 (64+1), which is 'A'. The second with the symbol whose ASCII code is 66 (64+2), which is 'B', and so on.

Line 770 moves us to the left side of the screen, where the program will print the slice's label, the group's name (if one was given), and the share of the pie it represents.

When the pie is complete, *Piechart* prints the total of all the groups (Line 800), then moves to Line 840 where, as already mentioned, it waits unobtrusively in an endless loop until a key is depressed.


So there you have it. Once you become familiar with the way *Piechart* operates, you may find some modifications to suit your particular purposes. For example, you may want to print additional text at the bottom, below the table. This is easily accomplished by adding the following line:

835 LOCATE 23,1:PRINT
'ADDITIONAL TEXT'

Or you may want to experiment with different values of 'A', the parameter which determines how far apart the slices will be from each other. The possibilities are endless once you understand the CIRCLE command and its versatility.

## 1980 U.S. BUDGET (MILLION \$)

"Piechart allows two data entry options: interactive (through questions posed at run time) or through DATA statements."



Should you type in anything but the numbers 1 or 2, Line 190 will reject your entry and send you to Line 200, where *Piechart* enters an endless loop which can be broken only by pressing ENTER—CHR\$(13).

Depending on the option you chose, the program will branch either to Line 870 and read the DATA statements, or immediately below (Line 300) to receive inputs from the terminal.

The section labeled "Interactive Data Input" contains different variations of the INPUT statement. Lines 350 and 400 both use LINE INPUT, a form which allows commas and quotation marks in the entry. The number in parentheses following each of these statements represents the maximum number of characters you can enter. Note that, in these two lines, commas precede the variable names, while in Line 360, a semicolon is in that position. A comma will prevent a question mark as a prompt. The semicolon immediately following the first INPUT statement in Line 400 assures that the cursor will remain in that same line after the data is entered.

chart title is less than 41 characters long. If you exceed this limit, the program will terminate at Line 873 after sending a message to the screen and sounding the buzzer, which is the function of PRINT STRING\$(5,7) in Line 872.

A similar IF LEN() statement at Line 874 checks the length of each group name, terminating the program if the 20-character limit is exceeded.

It's beyond the scope of this article to explain in detail how the sorting routine works. Briefly, it looks for the largest group and SWAPs (Line 500) it with the group in the first position. Then it looks for the second largest group and repeats the operation, and so on until all the groups are sorted.

Piechart now changes the character color (Line 555) and prints the chart title (if any) and the headings for the table. Line 560 calculates the X-position (XT) to center the chart title (T\$) drawn by the SYMBOL command with a horizontal magnification of two.

Piechart's heart is the FOR/NEXT loop in lines 620 through 790, which is executed once for each group. At Line 730, the CIRCLE command draws the

The listing: PIECHART . BAS

1Ø Program PIECHART

20 ' c1985 by Felipe Lebron

2020 Mount Royal Terrace

Baltimore, MD 21217

5Ø '

3Ø

40

6Ø '

7Ø '

54

# \*\*\*\* A-OK Computers

# Coming Very Soon—The Ultimate Upgrade™! The A-OK Board™

"768K RAM + 7.16MHz"

The A-OK Board lets you double your processor speed and triple your RAM. The A-OK Board plugs inside your Sanyo with no soldering. The A-OK Board works fine with or without the Video Board and is fully compatible with all software which runs on your Sanyo. The A-OK Board's 8088-2 chip does all your processing, even RamDisk, twice as fast. Plug one bank of 256K chips into The A-OK Board to double your RAM to 512K or two banks for 768K of contiguous RAM. Each state-of-the-art 256K RAM chip uses only ½ the power and space of one 64K chip.

Call us about the shipping date and competitive price of The A-OK Board.

# LotuSan550™ "Lotus Without the Board"

LotuSan550 lets you run Lotus 1-2-3" on your Sanyo without the hassle and expense of the Video Board.

- LotuSan550 is easy to use
  - Use Lotus as installed for IBM PC
  - · Full use of Lotus' fine features
- · Because you don't need the board
  - You save over \$100
  - · You can run Lotus and have a hard disk
  - · You'll run all your high-res. Sanyo graphics programs without rebooting
  - · Your power supply will love you
- LotuSan550 is for Lotus and only Lotus
- . LotuSan550 will not help you run the pfs series, Flight Simulator, etc.
- But, if it's Lotus you want, we believe you'll prefer LotuSan550.

# StarPolish™ "Makes Your WordStar® Shine!"

StarPolish upgrades WordStar to new useful capabilities.

Level 1 Enhancements—"What you see is what you get."

- Enhanced Screen Attributes
  - Using "polished" WordStar, you actually see on your screen boldfaced and <u>underlined</u> text. Superscripts are raised and smaller, subscripts are lowered and smaller. You can also see text <u>italicized</u>. Of course, you also see on your screen combinations of these features.
  - No more ∧B or ∧S to complicate your work.
  - No more fouled up output because of unmatched control codes.
- Expanded Printer Support
  - StarPolish patches WordStar to provide full support for the features of popular dot matrix and ink jet printers.
  - If your printer is not on the menu, StarPolish leads you through printer installation by a series of questions. You can even install a laser printer.

Level 2 Enhancements—Improved help menus.

StarPolish supports standard WordStar control codes. In addition, Star-Polish provides faster and simpler control codes and a custom HELP screen to display them.

Level 3—Technical Symbol Support and Keyboard Map.

Now you can use scientific and engineering symbols in your WordStar documents and print them out on your dot matrix printer. This level has an onscreen map of the keyboard to show you what key produces what symbol. Polished WordStar is completely compatible with unpolished WordStar,

MailMerge\*, and SpellStar\*.

StarPolish is a trademark of TDI Systems, Inc. A-OK is the sole rep. for the Sanyo versions.

# TurboDrive550™ "A Quality Ram Disk for Sanyo"

TurboDrive550 turns your unused RAM into a disk drive. TurboDrive550 is very fast.

- Speeds up all disk intensive software.
- Makes WordStar and FORMSORT run more quickly.
- Much faster than a hard disk.

TurboDrive550 is a low-cost alternative to a second disk drive.

Compare TurboDrive550's features to the competition.

- TurboDrive550 works even if you only have 128K.
- TurboDrive550 protects you from allocating more space than is available.
   TurboDrive550 gives you all the space you ask for, not what you ask for minus some amount for overhead.
- A-OK provides a COM file in MS-DOS 1.25 which lets you gracefully free TurboDrive550's space.
- TurboDrive550 lets you use its menu or parameters.

TurboDrive550 is The Phantom Buster.

TurboDrive550 comes FREE with every new A-OK DOS 1-4™ and is available as a \$7 upgrade to current A-OK DOS owners.

#### OIL EMPIRE"

The game of strategy and excitement where you can make JR look like Mr. Rogers.

# A-OK DOS-4™ "The Standard Quad-Density DOS"

We at A-OK Computers thank you for making A-OK DOS-4™ the standard DOS for quad-density drives on the Sanyo. Hundreds of copies of DOS-4™ are now in use in the most demanding applications—yours. Potential bugs have been identified and corrected, making DOS-4 a mature, well-seasoned tool. Your constant feedback has resulted in the successive refinement of our documentation. After thorough testing and comparison to would-be competitors, Scottsdale Systems selected DOS-4 as the standard DOS supplied with their Silver Fox¹" (HAGEN-DOS™ is A-OK DOS-4.) Because DOS-4 is now the standard, our 730K and 800K formats are also regarded as the standard. Of the quad-density operating systems, only A-OK DOS-4 supports the very popular PrintScreen550. Soft Sector sums it up well in their September 1984 review entitled "A-OK DOS and PrintScreen550—An Unbeatable Combination".

Don't trust your work to an experimental DOS, be sure your operating system is A-OK.

Our MS-DOS 2.11 and Video Board version is now available.

Look for these features in a quad-density drive DOS:

- The system automatically recognizes 8/9/10 sector, 40 and 80 track formats without reconfiguration or using alternate drive symbols (e.g. E:, F:, etc.).
- 2. Uses low-cost ordinary double-density diskettes.
- 3. Free ramdisk—TurboDrive550".
- 4. FORMATs, READs, WRITEs, and DISKCOPYs all MS-DOS standard formats employed by the Sanyo 550 Series.
- 5. Uses the standard DOS-4 730K and 800K formats.
- Built-in text screen to printer dump.
- 7. System boots quad drives from all of the formats it supports.
- Supports the only graphics screen dump software built into the DOS— PrintScreen550.
- 9. Control C and Control S support.
- 10. Employs a legal installation procedure.

N-CODE™

\*

# "If You are Serious about Data Security" • What is N-CODE?

N-CODE allows you to encode your data files so that no one else can use the information in them, thereby protecting your sensitive or valuable information.

- N-CODE is effective through a multi-layered security structure
- N-CODE is fast and easy to use.

If you won't compromise on data security, N-CODE is for you.

## **Keyboard Repair**

Call us about low-cost repair of your sticking or non-functioning keys.

# **New Shipping System**

You have made our products so popular that we've been swamped with orders. In response, we recently beefed up our shipping department so that any order, large or small, will be swiftly shipped. Our goal is that <u>every</u> order will be shipped within 24 hours. We at A-OK thank you for supporting our products.

SEE OUR OTHER FULL-PAGE AD FOR ORDERING INSTRUCTIONS. DEALER, DISTRIBUTOR, AND OEM INQUIRES INVITED SOFTWARE AND HARDWARE DEVELOPERS

Contact us to market your creation. We value our programmers, we give royalties amounting to 30% of the gross.

A-OK Computers • 816 Easley St., Suite 615 • Silver Spring, MD 20910 • 301-585-5105, 301-588-8446

© Copyright 1984, 1985 Apollo Optics & Kinematics, Inc.

```
72 '
            -=*Initialization of Variables*=-
74 '
76 P(Ø)=.25:PI=3.14159:FORM$=" ##.#%":FORM1$="######,"
78 A=5:XØ=45Ø:YØ=1ØØ:R=14Ø:RAT=.5Ø8:COL=5
8Ø CLS:TOTAL=Ø!
9Ø '
1ØØ '
            -=*Displaying the Initial Menu*=-
11Ø '
12Ø SYMBOL (192,Ø), "PROGRAM PIECHART", 2, 2
13Ø LOCATE 4,1
14Ø PRINT "Choose one of the following options:"
15Ø PRINT " 1. Data supplied interactively at run-time."
160 PRINT " 2. Data supplied in DATA statements."
18Ø PRINT: INPUT "Enter your choice: ", SEL
19Ø IF SEL<1 OR SEL>2 THEN PRINT:PRINT "Invalid choice. Try again. Press <RETU
RN> to start again."; ELSE GOTO 260
200 IF INKEY$<>CHR$(13) THEN 200 ELSE GOTO 80
26Ø ON SEL GOTO 3ØØ,87Ø
27Ø '
 28Ø '
          -=*Interactive Data Input*=-
 290 '
 300 CLS
 31Ø SYMBOL (192,Ø), "PROGRAM PIECHART",2,2
 32Ø LOCATE 4,1
 33Ø PRINT TAB(4); "This program will produce a pie chart with up to 1Ø slices.
ype in the num-ber of groups in the population and the size of each. You *MAY*
 title the chart (up to 40 characters) and each group (up to 20 characters).";
 34Ø PRINT "PIECHART will compute and print the percentage each slice represents a
 nd the total of all groups."
 35Ø PRINT:LINE INPUT(4Ø) "TITLE FOR CHART (OPTIONAL): ",T$
 36Ø PRINT: INPUT "HOW MANY GROUPS IN YOUR DATA"; IX
 37Ø LOCATE 11,1:PRINT STRING$(8Ø,32):LOCATE 11,1:PRINT"You will have a pie with
 ";IX; "slices."
 38Ø PRINT:PRINT:PRINT "GROUP"; TAB(15); "SIZE"; TAB(3Ø); "NAME (Optional)":PRINT
 39Ø FOR I=1 TO IX
 400 PRINT I; TAB(15);:INPUT; "", S(I):PRINT TAB(30);:LINE INPUT(20)"", S$(I)
 41Ø TOTAL=TOTAL+S(I)
 420 NEXT I
 43Ø '
 440
              -=*Sorting Routine*=-
  45Ø
  46Ø '
  47Ø FOR J=1 TO IX-1:INX=J:S=S(J)
```

## SANYO GENERAL LEDGER PACKAGE \$99.95

FINALLY! A small business system for the non-accountant. Better information means more profit. Requires InfoStar.

## BUDGET FORECAST SYSTEM \$69.95

Save time and \$, control your finances. Forecast by month and year. Pay bills from monthly worksheets. 128K MS-DOS system.

# SANYO PLOT PROGRAM \$39.95

Generates and prints line, bar, pie graphs, dumps to printer. Reads keyboard input, disk files or CalcStar (R) files.

> BGW SYSTEMS (206) 845-7845 16714 S. MERIDIAN - SUITE 200 **PUYALLUP, WASHINGTON 98373**

For information send SASE to us. For orders, please send check or money order (include \$3 S/H). Washington residents add 7.8%

# Irishman's Stftware, Inc. P.O. Box 2996 Satellite Bch., FL 32937

	120021-0300	and the same	-	
SANYO COMPUTER - Model 550 with 256K RAM, 2 DSDD 360K Dir EasyWriter 1, CalcStar, MS-DOS 2.11, Sanyo Basic (these are MEW, up Above computer with 512K RAM, 2 DSDD 360K Drives (modified	grade NFW	San	)'s)	. \$1,095
COLOR MONITOR - Panasonic DT-1300D, 13" RGB with Cable				6205
CRT 30 · · · · 12" Green-Screen Monitor				9333
SANYO VIDEO ROARD				5105
SANYO VIDEO BOARD		*	. 90	\$175
DISK URIVES - I EAC 55-B, JOUK, USUD				04.40
PRINTER Panasonic P-1091 120 CPS near letter quality				****
MEMORY UPGRADES - 64K (8.4164 150ms)			. 30	5349
8087 Math Co-Processor				\$32
MEMORY UPGRADES - 64K (8-4164 150ns)		100		\$150
Write for quote on your specific system configuration. Call & leave n with written quote. (305) 777-8257. No phone orders. Send cashier Personal/Company checks allow 3 weeks bank clearance. Add 3% UP Min. \$4.00. Florida res. add 6% Tax.	nessag	ge, w	lliw s	respond

# \*\*\*\*\* A-OK Computers \*\*\*\*\*\*

# The Center of Creation and Dissemination of Sanyo PC Software and Hardware

## PrintScreen550™

"Fast, High-Resolution Graphics and Text from Screen to Printer with One Keystroke'

- PrintScreen550 now includes KeyClick™, an optional pleasant click sound each time a keystroke is successfully entered.
- PrintScreen550 is designed for the everyday needs of most users.
- PrintScreen550 capabilities
- Prints a screenful of graphics to most popular printers.
  - . This prints everything on the screen whether it's graphics or text.
  - · User has the option to rotate the image on the paper. This permits Okidata 92s and other printers with less than 640 horizontal dot positions to print out the full screen.
  - Turns your Sanyo into a high-resolution graphics machine.
  - · Multiscreen facility permits a printed image to be 640 dots by an almost unlimited number of dots in the perpendicular direction.
- PrintScreen550 is flexible and easy to use.
  - Interactive mode
    - Works like the "Print Screen" button on the IBM-PC
    - · One keystroke does it all. No need to embed commands in BASIC. No extra programs to execute
    - Same single keystroke works in DOS, BASIC and all other software packages that run on the Sanyo.
  - · Batch mode can be activated in BASIC by a one-line command.
- PrintScreen550 is very fast and a lot of fun!

A-OK's PrintScreen550 software pulls the Print Screen button off the IBM-PC and puts it on your Sanyo MBC-550 Series computer.

PrintScreen550 now supports the Video Graphics Board. PrintScreen550 is an option to any A-OK DOS for a meager . . . . . . \$24

# The A-OK™DOS Family

"Upgrade your MS-DOS 1.25 or 2.11"

All members of the A-OK DOS family add these features to your MS-DOS 1.25 or 2.11:

- · A-OK DOS supports RAM expansion to 768K.
- A-OK DOS now includes free high-quality ramdisk software-Turbo-Drive550 (a \$33 value).
- A-OK DOS automatically recognizes all formats it supports without reconfiguration or using alternate drive symbols (e.g. E:, F:, etc.).
- Prints a screenful of text to any Sanyo-compatible printer.
- Interactive mode
- It works with one keystroke in DOS, BASIC and all other software packages that run on the Sanyo.
- Does not interfere with program execution or affect the data.
- Batch mode
- · Can be activated in BASIC by a one-line command.
- Interrupt-driven and can be called from programming languages.
- · Supports the only graphics screen dump software built into DOS-PrintScreen550.
- Includes a special "Sorted Directory" utility.
  Has a utility to strip the high-order bit off WordStar document files.
- User-controlled scrolling in all subsystems, not just DOS.
- A-OK DOS system messages are easier to understand.
- Supports up to 4 disk drives.

A-OK DOS versions for MS-DOS 1.25 correct flaws in MS-DOS 1.25 without

- All A-OK DOS/1.25 are much faster and use far less memory than any version of MS-DOS 2.11.
- . If you try to copy a file to an unformatted disk, A-OK DOS does not crash the system like other 1.25 versions.
- Runs all software that comes with the Sanvo.

#### A-OK DOS versions for MS-DOS 2.11:

- Run all software which runs on the Sanyo under MS-DOS 2.11 and Video
- PLUS special support for Sidekick™ and Flight Simulator.™
- Support installable drivers for hard disks, etc

A-OK has tailored different versions of its DOS for varying disk drive configurations. This makes our ad more complex, but our DOS more efficient and easier for you to use.

# A-OK DOS-1™

"Not just another Double-Sided DOS"

- Any combination of up to four single and double-sided drives.
- Double-sided drives support single and double-sided diskettes.
- 8 and 9 sector formats—360K, 320K, 180K, and 160K.

A-OK DOS-1/1.25 or A-OK DOS-1/2.11 and Video Board . . . . . . . . . \$35

## A-OK DOS-2™

"Increase the Capacity of your Current Drives"

- All the features and formats of A-OK DOS-1
- · PLUS it reads, writes, and formats 10-sector formats
  - · 400K per double-sided diskette on DSDD drives
  - 200K per single-sided diskette on SSDD and DSDD drives
  - uses ordinary diskettes
  - · pays for itself in saved diskettes.

A-OK DOS-2/1.25 or A-OK DOS-2/2.11 and Video Board . . . . . . . . \$45

# 800K PER DISK DRIVE

#### A-OK DOS-3™

"A-OK DOS for Double and Quad-Density Drive Systems"

- All the features of A-OK DOS-2
- PLUS up to 4 double-density and quad-density drives
- · on double-density drives:
  - reads and writes all formats read by 1.25 and 2.11
  - reads, writes, and formats 200K SSDD diskettes
- · reads, writes and formats 400K DSDD diskettes
- on quad-density drives:
  - · reads, writes, and formats 730K and 800K on ordinary diskettes.

A-OK DOS-3/1.25 or A-OK DOS-3/2.11 and Video Board . . . . . . . . . \$55

# A-OK DOS-4™

- All the features of A-OK DOS-2
- PLUS up to 4 quad drives-3.2 Megabytes of removable medium!
  - quad drives read all diskettes written by MS-DOS 1.25 and 2.11
- quad drives read, write and format 160K, 180K, 200K, 320K, 360K, 400K, 730K, 800K formats on ordinary diskettes.
- will not run Prolok™ disks.

A-OK DOS-4/1.25 or A-OK DOS-4/2.11 and Video Board . . . . . . . . . \$55

# **UPGRADE TO 400K PER DRIVE**

Increase your disk capacity to 400K per drive using A-OK's DSDD Kit™ which

- 2 first-quality new TEAC 55B double-sided double-density (DSDD) disk drives which replace the TEAC 54A's in your SANYO.
- A-OK DOS-2/1.25 or A-OK DOS-2/2.11.
- Complete, easy instructions.
- · All parts needed.
- 1 year warranty. DSDD Kit . . . . . . . . . . . . . . . . .

DSQD Kit™ Upgrade to 800K per drive-same as DSDD Kit but with 2 800K TEAC 55F

drives and A-OK DOS-4/1.25 or A-OK DOS-4/2.11.

# Ada for SANYO?

You bet! Now you can use the language of the future on your Sanyo or nearly any other micro. Janus/Ada is great for learning Ada and for serious applications development. Available are: Pascal to Ada translator, Ada optimizer, source code for run time libraries, 8088 (8086) to 8080 cross compiler, site licenses, and the source code for the compiler (itself written in Ada). The compiler package for MBC Series costs only \$99.

## "AMBIZ-PAK"TM Fifteen programs for Amway Product Distributors . . . . . . . . . . . \$100

XCord550™

"Extension Cord for your Sanyo PC Keyboard"

RS232C Serial Boards ..... \$72 128K Memory Upgrade Kit 150ns chips..... \$69

#### **UPDATE POLICY**

We at A-OK are constantly improving our products. If you are a registered owner of software developed by us, we will send you the enhanced version of that product for a \$7 shipping

# Orders may be placed immediately.

Please send money order or cashiers check. Personal or company checks require 2-3 weeks to clear. Prices reflect a 3% cash discount. MasterCard/VISA/CHOICE accepted. MD residents add 5% sales tax. Out-of-state order, no tax. Prices subject to change. All brands are registered trademarks. 20% restocking fee for all returned merchandise.

A-OK Computers 816 Easley St., Suite 615 • Silver Spring, MD 20910 301-585-5105, 301-588-8446

```
48Ø FOR I=J+1 TO IX:IF S(I)>S THEN INX=I:S=S(I)
49Ø NEXT I
5\emptyset\emptyset SWAP S$(J),S$(INX):SWAP S(J),S(INX)
510 NEXT J
52Ø CLS
53Ø '
540 '
            -=*Printing of Headings*=-
55Ø '
555 COLOR 6.0
56Ø XT=32Ø-8*LEN(T$):SYMBOL(XT,Ø),T$,2,1
57Ø LOCATE 6,11,Ø:PRINT "GROUP"; TAB(28); "SHARE"
58Ø PRINT TAB(4); STRING$(2Ø,95); TAB(27);"
590 '
6ØØ '
             -=*Drawing of Pie and Printing of Table*=-
61Ø '
62Ø FOR I=1 TO IX
67Ø SH(I)=S(I)/TOTAL
68\emptyset P(I)=P(I-1)+SH(I):M(I)=(P(I)+P(I-1))/2
69Ø IF P(I)>1 THEN P(I)=P(I)-1
700 PHI=2*PI*M(I)
71Ø X=A*COS(PHI)
72Ø Y=A*SIN(PHI)
73Ø CIRCLE (XØ+X, YØ+Y), R, -P(I-1), -P(I), RAT, COL
74\emptyset F=.5:IF SH(I)<.2 THEN F=F+(.2-SH(I))*1.9:IF SH(I)<.\emptyset15 THEN F=1!
750 \text{ X1} = \text{X0} + \text{X} + \text{F} * \text{R} * \text{X} / \text{A} : \text{Y1} = \text{Y0} + \text{Y} + \text{F} * \text{RAT} * \text{R} * \text{Y} / \text{A} + 3 * \text{SGN} (Y)
755 CO=Ø:IF F<1 THEN PAINT (X1,Y1),1+4*(I MOD 2),COL ELSE CO=6
76Ø SYMBOL(X1,Y1),CHR$(64+I),1,1,CO
77Ø LOCATE 8+I,1,Ø:PRINT CHR$(64+I);". ";S$(I);TAB(26);
78Ø PRINT USING FORM$; 1ØØ*SH(I)
79Ø NEXT
800 LOCATE 9+1,13,0:PRINT "TOTAL"; TAB(27);:PRINT USING FORM1$; TOTAL
81Ø '
82Ø '
               -=*Hanging around Unobstrusively*=-
83Ø '
84Ø IF INKEY$="" THEN 84Ø ELSE LOCATE 23,1,1
845 COLOR 2,Ø
85Ø INPUT; "MORE"; I$: IF I$="Y" OR I$="Y" THEN 8Ø
86Ø LOCATE 23,1:END
862 '
                  -=*Reading of DATA Statements*=-
864 '
87Ø READ T$, IX: IF LEN(T$) < 41 THEN 874
872 CLS:PRINT "TITLE FOR CHART:":PRINT T$:PRINT "IS TOO LONG.";STRING$(5,7)
874 FOR I=1 TO IX:READ S(I),S$(I):IF LEN(S$(I))<21 THEN 886
875 CLS:PRINT"NAME FOR GROUP "; I; " IS TOO LONG! A MAXIMUM OF 20 CHARACTERS IS AL
LOWED."
880 PRINT STRING$(5,7):PRINT "THE NAME: ";S$(I):PRINT "HAS ";LEN(S$(I));
885 PRINT "CHARACTERS. MODIFY YOUR DATA.": END
886 TOTAL=TOTAL+S(I):NEXT I
887 GOTO 47Ø
889 '
89Ø '
             -=*DATA Statements*=-
900 '
91Ø DATA 198Ø U.S. BUDGET (MILLION $) - SOURCES, 7
92Ø DATA 2273ØØ, Ind. Income Taxes, 71ØØØ, Corp. Income Taxes, 1615ØØ, FICA
930 DATA 18500, Excise Taxes, 6000, Estate & Gift Taxes, 8400, Customs Duties
940 DATA 9900, Miscellaneous
95Ø DATA ,7,2273ØØ,,71ØØØ,,1615ØØ,,185ØØ,,6ØØØ,,84ØØ,,99ØØ,,
```

# THE NEWEST

# **SANYO 550/555 SUPERCHARGER**

# **MEMORY EXPANSION BOARD**

# From TW TECH It's Available NOW!!

PROVIDES UP TO 512K ADDITIONAL RAM MEMORY FOR USE OF LOTUS\* AND OTHER POWERFUL PROGRAMS

- Self-contained for easy, quick installation.
- Complete with 256K/power supply/cables/software.
- No lengthy loss of computer use for installation as with some memory expansion configurations.
- Does not void SANYO\* warranty.
- Compatible with SANYO video board and TW Tech DATAFILE\*.
- Uses state-of-the-art 256K memory chips.
- Debugged/reliable/economical.


AND DON'T FORGET THOSE OTHER **SANYO SUPERCHARGERS**, the 10, 20, and 40 Megabyte DATAFILE hard disk subsystems to economically expand your 550 series SANYO — Available from \$1295.

Dealer inquiries urged.



21636 North 14th Avenue, Suite A2, Phoenix, AZ 85027, (602) 581-0669

SANYO is a trademark of Sanyo Corporation. LOTUS is a trademark of Lotus Development Corporation. DATAFILE is a trademark of TW Technologies, Incorporated.



(Rodney Viessman, a 16-year-old high school student, has done programming and technical work for the Lemberger Company for the past three years. He has worked with Radio Shack, Sanyo and IBM computers and, of course, loves computer games. He may be contacted at Rt. 2, Box 45, Vienna, MO 65582; 314-422-3385.)

# Five Card Draw

# By Rodney Viessman

ave you been waiting for a great computer game that will give you many hours of fun and not cost \$40 to \$50? Well, it's here!

Poker is a game that everyone loves to play. Now you can

play it without having to risk losing a lot of money.

Five Card Draw Poker runs within 128K of memory and allows one to six players. Players do not compete against each other or against the computer, but instead, they play individually. The program uses the Sanyo's graphics capabilities very well. The screen shows: a payoff chart; each players name, plays left, and net winnings; five cards and prompts to the players as to what they want to do. The game does not show you how to play poker, but it is easy to understand if you already know how. It is guaranteed to keep your interest and give you many hours of fun.

Type in the program as shown in the listing. Be sure to SAVE it, and then RUN it. Have fun!

# The Game:

Each player can receive up to \$1,000 to start with and is given a chance to increase his money from there. Players alternate turns, enter their bets and receive five cards. They are then given a chance to drop any or all of these cards by pressing numbers one through five. If a player decides he wants a card back that he dropped, he may press the same number again and the card will return to his hand.

Once a player is satisfied with the cards left in his hand, he then presses RETURN. Cards dropped will be replaced with new cards. If a player wins, the computer will show the winnings. The player then presses RETURN to accept his winnings or types 'D' to try to double his winnings. If he types a 'D', he will be asked "odd or even." The player must then type an 'O' or an 'E'. If the player guesses the card to be odd or even correctly, his winnings are doubled, otherwise all winnings are lost. After a player finishes his turn, play goes to the next player. Play continues until everyone has lost his money or decides to quit.





A

```
The listing: POKER.BAS
2
                            5-CARD DRAW POKER
                               RODNEY VIESSMAN
                                  OF THE
                            LEMBERGER COMPANY
                VIENNA, MO 65582
                                          (314) - 422 - 3353
1Ø
11
20 DEFINT A-M, R-Z
3Ø COLOR 3,Ø
4Ø GOSUB 273Ø
5Ø GOSUB 253Ø:CLS:GOSUB 43Ø
60 FOR Y=1 TO N
7Ø GOSUB 224Ø
8Ø IF PL(Y)=Ø THEN NEXT Y:TS=TS+1:IF TS=2 THEN GOTO 2Ø7Ø ELSE GOTO 6Ø
9Ø TS=Ø
100 GOSUB 2150
11Ø FOR A=1 TO 5
12\emptyset D(A) = \emptyset : RV(A) = \emptyset
13Ø GOSUB 72Ø:GOSUB 75Ø:GOSUB 239Ø:GOSUB 236Ø
140 NEXT A
15Ø GOSUB 26Ø
16Ø GOSUB 267Ø:GOSUB 99Ø
```

# SUBMITTING MATERIAL



Contributions to SOFT SECTOR are welcome from everyone. We like to run a variety of programs which will be useful/helpful/fun for other Sanyo owners.

- FORMAT: Unless the program accompanying your submission is less than 10 lines, we must have the program itself on disk. We will print out the listing to our specifications. We simply cannot take the time to key in (and debug our typing errors) material which is longer than that. Editorial copy can also be included on disk, using any of the word processors currently available for the Sanyo 550, 555 or 775. However, please also include a double-spaced hard copy of your editorial material and hard copy of your program listing. Please do not send text in all capitals. Use upper- and lowercase. While it is a big help to us in typesetting for you to send your article saved on disk using the ASCII option, it is not mandatory. But we must have, at the very least, a double-spaced hard copy of the article.
- WHAT TO WRITE: Anything with a practical application. If it interests you, it will probably interest a lot of others. However, we vastly prefer articles with accompanying programs which can be entered and run. The more unique the idea, the more appeal. We can prepare finished tables, diagrams and schematics from your rough draft if you provide legible copy and full directions. We have a continuing need for short articles with short listings.

We do pay for submissions, based on a number of criteria. Those wishing remuneration should so state when making submissions.

For the benefit of those who wish more detailed information on making submissions, please send an SASE to: Submissions Editor, SOFT SECTOR, P.O. Box 385, Prospect, KY 40059. We will send you some more comprehensive guidelines.

Please do not submit programs or articles currently submitted to another publication.

# Table of Market Share The MBC 550 Series Monitor Optional

The MBC 550 Series are high performance, MS-DOS, 16 bit personal

computers with color graphics and up to 256K RAM expandability.

Available with either 160K or 360K drive(s).

All models come with MS-DOS, Basic, WordStar\*, CalcStar\*, EasyWriter I.\*

Dual drive models come with additional IUS or MicroPro\* bundled software. And, the powerful operating system allows you to run many of the IBM PC business software programs. All for a price that can't be beat.

If your needs are for word processing, accounting, spreadsheets, data base management, advanced integrated programs, or home and educational applications, experience the power of the Sanyo MBC 550 series now.



51 Joseph Street. Moonachie. NJ 07074
YOU'LL FIND OUR NAME EVERYWHERE.

```
170 \text{ PL}(Y) = \text{PL}(Y) - M
18Ø LOCATE (Y*4-1),67:PRINT "PLYS=";:PRINT USING"###,###";PL(Y);:PRINT CHR$(179)
:LOCATE (Y*4),67:PRINT USING "NET=-###,###";PL(Y)-Q(Y);:PRINT CHR$(179)
19Ø IF PL(Y)=Ø THEN CLS:PRINT N$(Y);" YOU ARE OUT OF MONEY, WOULD YOU LIKE TO TR
Y AGAIN ? Y/N ? ";:I$=INPUT$(1):PRINT I$ ELSE GOTO 210
200 IF I$="Y" OR I$="y" THEN PRINT:PRINT"ENTER NUMBER OF DOLLARS";:INPUT NQ:IF N
Q>1000 THEN PRINT:PRINT"LIMIT IS 1000. TRY AGAIN":GOTO 200 ELSE Q(Y)=Q(Y)+NQ:PL
(Y)=NQ:GOTO 23Ø ELSE IF I$="N" OR I$="n" THEN GOTO 22Ø ELSE GOTO 19Ø
21Ø NEXT Y:GOTO 6Ø
22Ø GOTO 24Ø
23Ø PRINT:PRINT"YOU HAVE NOW BORROWED";Q(Y);"DOLLARS SO FAR.":PRINT"PRESS
(RETURN) TO CONTINUE.";: I$=INPUT$(1)
24Ø CLS:GOSUB 43Ø:NEXT Y
25Ø GOTO 6Ø
 260 REM ***** DROP CARDS *****
27Ø LOCATE 14,1:PRINT"PRESS NUMBER OF CARD TO DROP, (1-5), OR (RETURN) TO CONTIN
           ";:PRINT STRING$(4,8);:A$=INPUT$(1):PRINT A$;
 28Ø IF ASC(A$)=13 THEN GOTO 38Ø
 29Ø J=VAL(A$):IF J<1 OR J>5 THEN GOTO 27Ø
 300 IF D(J)=1 THEN D(J)=0:A=J:S=ASC(RIGHT$(C$(J),1)):GOSUB 720:GOSUB 2390:R=ASC(RIGHT$(C$(J),1)):GOSUB 720:GOSUB 230:GOSUB 
 C$(J)):GOSUB 810:GOSUB 2360:GOTO 370
 31\emptyset LINE((J-1)*1\emptyset4,136)-((J-1)*1\emptyset4+1\emptyset0,199),2,B
 32Ø IF RV(J)=Ø THEN PAINT((J-1)*1Ø4+1,137),4,2:GOTO 33Ø ELSE GOTO 34Ø
 33Ø LINE((J-1)*1Ø4,136)-((J-1)*1Ø4+1ØØ,199),4,B:RV(J)=1:GOTO 36Ø
 34Ø PAINT((J-1)*1Ø4+1,137),Ø,2:RV(J)=Ø
 35Ø LINE((J-1)*1Ø4,136)-((J-1)*1Ø4+1ØØ,199),Ø,B
 360 D(J) = 1
 37Ø GOTO 27Ø
 38Ø REM ***** REPLACE CARDS *****
 39Ø FOR A=1 TO 5
 400 IF D(A)=1 THEN GOSUB 720:GOSUB 750:GOSUB 2390:GOSUB 2360
 410 NEXT A
 42Ø RETURN
 43Ø REM ***** DRAW SCREEN ******
 44Ø SYMBOL(25,12Ø), "1=DROP"+CHR$(25),1,2,3
 45Ø SYMBOL(129,12Ø),"2=DROP"+CHR$(25),1,2,3
 46Ø SYMBOL(233,12Ø),"3=DROP"+CHR$(25),1,2,3
 47Ø SYMBOL(337,12Ø),"4=DROP"+CHR$(25),1,2,3
 48Ø SYMBOL(441,12Ø), "5=DROP"+CHR$(25),1,2,3
  49Ø IF T$="B" THEN PRINT:GOTO 59Ø
  500 FOR B=1 TO 25:LOCATE B,66:PRINT CHR$(179);:NEXT B
  51Ø LOCATE 1,66:PRINT CHR$(218)+STRING$(12,196)+CHR$(191);
  52Ø FOR V=1 TO 6
  53Ø LOCATE (V*4-2),67:PRINT N$(V):LOCATE (V*4-2),79:PRINT CHR$(179)
  54Ø IF N$(V)="" THEN GOTO 55Ø ELSE LOCATE (V*4-1),67:PRINT "PLYS=";:PRINT USING"
  ###, ###"; PL(V); :PRINT CHR$(179):LOCATE (V*4), 67:PRINT "NET="; :PRINT USING "-###.
  ###"; PL(V)-Q(V); : PRINT CHR$ (179)
  55Ø LOCATE (V*4-1),79:PRINT CHR$(179):LOCATE (V*4),79:PRINT CHR$(179)
  56Ø IF V=6 THEN LOCATE (V*4+1),66:PRINT CHR$(192)+STRING$(12,196)+CHR$(217);:GOT
  0 580
  57Ø LOCATE (V*4+1),66:PRINT CHR$(195)+STRING$(12,196)+CHR$(180)
  58Ø NEXT V
  59Ø REM * PAY OFF CHART *
  600 LOCATE TT,5:PRINT "
                                                                                    PAYOFF CHART
  61Ø LOCATE TT+1,5:PRINT "
  62Ø LOCATE TT+2,5:PRINT "
                                                             1. ROYAL FLUSH
                                                                                                             1000 TIMES BET
```



# SANYO SYSTEMS SPECTACULAR SAVINGS



Let Us Customize A Sanyo Computer System to Fit Your Needs!

SANYO MBC 555-2 With Two DS/DD 360K Drives Your Choice: Sanyo DM 2112N - 12" Green or Amber Monitor FREE SOFTWARE: Wordstar • Calcstar • Easywriter I Mailmerge • Spellstar • Infostar Sanyo Basic • MS-DOS (2.11) Star Micronics SG-10 (Includes Near Letter-Quality) \$1459 Star Micronics Powertype and Printer Cable

Quality \$1549

MANULALC

COMPUTERS 550-2 w/software 699 555-2 w/software 1079 775 Portable Color 1899 360K DS/DD Drive w/software 360K DS/DD Drive ..... 149 RS 232C 65 128K Memory 69 159

Video Expansion Board ..... MONITORS with cable included Sanyo 9" Green \$ 69

Sanyo 12" Green	84
Sanyo 12" Amber	89
Sanyo CRT 30 Green	109
Sanyo CRT 70 Color	599
Sanyo CRT 50 Color	319
STAR-MICRONICS PRINTERS	
SG-10 (80 column)	
SG-15 (136 column)	CALL
SD-10 (80 column)	FOR
SR-10 (80 column)	PRICES
Powertype Daisywheel	
Epson RX-80+	\$ 239
Epson RX-80FT+	319
Espon FX-80+	419
Epson FX-100+	
Epson RX-100+	419
Okidata 92P	449
Sanyo PR 5000 (13")	379
Sanyo PR 5500 (17")	
Printer Cable	19
Okimate 20 Color Printer	
Cable included	219
MODEMS - Cable Included	

129.95

BONUS: FREE 128K Additional with any package.

(Gives You A Total / of 256K)

	-						-			-			100
	so	FI	W	AF	(E								
INFOCOM													
Zork I				11.5								. :	\$28
Zork II													32
Zork III								22					32
Deadline													37
Starcross			200				V2FI	274	2100	244	-21		37
Suspended													37
													28
													28
Enchanter													28
	CALL ALBOR												
Sorcerer													32
													October 1
Invisiclues				9.00		150.0		2.4	A. 9.	9(4)	*(*)	4.4	7
MICHTRON													
Mi-Term				6.0		10.3	19.0	300	5.0				68
Picasso					143		, Lil	4.4				16.0	88
Freeze Frame								2.3			eas		33
OTHERS		. 5											
D-Base II													375
OES Account	o Do	001		ble		2120		32.0					
OES Account	s Pa	yab	le		1500		10			245			. 79

**SANYO AUTHORIZED** SERVICE CENTER Call for prices and services!

## **GENERIC DISKS AT FANTASTIC PRICES!**

No. 4

GENERIC DISKS AS LOW AS 94¢ 88 Generic 100% Defect-Free/Guaranteed.

Includes sleeves, labels, write protect tabs, reinforced hub rings, lifetime warranty. (2 boxes minimum)

		DS/DD
DISKETTES	2 boxes	15.99
(2 bx. minimum)	3-9 boxes	14.50
10 per box	10+ bxs.	13.99
+ + DEALER INOL	HDIEC IMM	TEDAA

MANUALS	
G-W Basic Reference	. \$39
MS-DOS 2-11 Reference	45
DISKETTE/CARTRIDGE/CASSETTE FILES	
Flip 'N' File	3.95
Flip 'N' File 15	6.95
Flip 'N' File/The Original	16.95
Disk Bank	3.99
Colored Library Case	2.99
Disk Bank/5 (holds 50)	12.99
Power Strip (6 outlet0	16.95
Lineguard Spike Suppressor	13.99
Disk Drive Cleaning Kit	
Joystick	24.95

To order call TOLL FREE **ORDER LINE ONLY** 



P.O. BOX 292467 - DAYTON, OHIO 45429 For information call: (513) 294-2002 (Or to order in Ohio)





Signalman Mark X (300 BAUD)

Signalman Mark XII (300/1200 BAUD)

Order Lines Open 8:30 a.m. to 8:00 p.m. Mon.-Fri.; 10:00 a.m. to 4:00 p.m. Sat. (Eastern Standard Time). Minimum \$10 order. Orders under \$100 add \$3.00. C.O.D. (add \$2.50). All prices are subject to change without notice. Call toll free number to verify prices and availability of product. Actual freight will be charged on all hardware. Software and accessories add \$4.00 shipping and handling in Continental United States. Actual freight will be charged outside U.S. to include Canada, Alaska, Hawaii, Puerto Rico. Ohio residents add 6% sales tax. NO CREDITS! Return must have authorization number.

```
100 TIMES BET
                                 2. STRAIGHT FLUSH
 63Ø LOCATE TT+3,5:PRINT "
                                                                6Ø TIMES BET
64Ø LOCATE TT+4,5:PRINT " 3. FOUR OF A KIND
                                                         3Ø TIMES BET"
65Ø LOCATE TT+5,13:PRINT "4. FULL HOUSE
                                                         2Ø TIMES BET"
66Ø LOCATE TT+6,13:PRINT "5. FLUSH
                                                         15 TIMES BET"
67Ø LOCATE TT+7,13:PRINT "6. STRAIGHT
                                                         7 TIMES BET"
68Ø LOCATE TT+8,12:PRINT " 7. THREE OF A KIND
                                                         5 TIMES BET"
69Ø LOCATE TT+9,13:PRINT "8. TWO PAIR
700 LOCATE TT+10,13:PRINT "9. PAIR (QUEENS OR BETTER) 2 TIMES BET"
71Ø RETURN
72Ø REM ***** DRAW BOX *****
73Ø LINE((A-1)*1Ø4,136)-((A-1)*1Ø4+1ØØ,199),3,B
740 RETURN
75Ø REM ***** PICK CARD *****
76Ø S=INT(RND(1)*4+.5)
77Ø IF S<1 THEN GOTO 76Ø
78Ø R=INT(RND(1)*13+.5)
79Ø IF R<1 THEN GOTO 78Ø
800 GOSUB 810:GOTO 940
81Ø IF R=1 THEN A$="2"
82Ø IF R=2 THEN A$="3"
83Ø IF R=3 THEN A$="4"
84Ø IF R=4 THEN A$="5"
85Ø IF R=5 THEN A$="6"
86Ø IF R=6 THEN A$="7"
87Ø IF R=7 THEN A$="8"
88Ø IF R=8 THEN A$="9"
89Ø IF R=9 THEN A$="1Ø"
900 IF R=10 THEN A$="J"
91Ø IF R=11 THEN A$="Q"
92Ø IF R=12 THEN A$="K"
93Ø IF R=13 THEN A$="A"
94\emptyset C$(A)=CHR$(R)+CHR$(S)
95Ø FOR I=1 TO 5
96Ø IF C$(I)=C$(A) AND A<>I THEN GOTO 75Ø
97Ø NEXT I
98Ø RETURN
99Ø REM **** CHECK FOR A WIN
1000 LOCATE 14,1:PRINT STRING$(64,32);
1010 REM **** CHECK FOR ROYAL FLUSH
1020 IF RIGHT$ (C$(1),1)=RIGHT$ (C$(2),1) AND RIGHT$ (C$(2),1)=RIGHT$ (C$(3),1) AND
RIGHT$ (C$(3),1)=RIGHT$ (C$(4),1) AND RIGHT$ (C$(4),1)=RIGHT$ (C$(5),1) THEN GOTO 10
3Ø ELSE GOTO 136Ø: REM CHECK FOR FOUR OF KIND
1Ø3Ø IF ASC(LEFT$(C$(5),1))=13 THEN GOTO 1Ø5Ø
1Ø4Ø GOTO 117Ø
1Ø5Ø IF ASC(LEFT$(C$(4),1))=12 THEN GOTO 1Ø7Ø
1060 GOTO 1170
1070 IF ASC(LEFT$(C$(3),1))=11 THEN GOTO 1090
1Ø8Ø GOTO 117Ø
1Ø9Ø IF ASC(LEFT$(C$(2),1))=1Ø THEN GOTO 111Ø
1100 GOTO 1170
```

112Ø GOTO 117Ø

116Ø GOTO 183Ø

115Ø PO=M\*1ØØØ:GOSUB 184Ø

111Ø IF ASC(LEFT\$(C\$(1),1))=9 THEN GOTO 113Ø

113Ø GOSUB 23ØØ:SYMBOL(11Ø,Ø),"\*\* ROYAL FLUSH \*\*",2,2,3

114Ø SYMBOL(35,2Ø), "THAT'S WORTH"+STR\$(M\*1ØØØ)+" DOLLARS !!",2,2,3

1170 REM \*\*\*\* CHECK FOR STRAIGHT FLUSH 118Ø IF ASC(C\$(1))=1 THEN GOTO 124Ø 119Ø FOR I=1 TO 4 1200 IF ASC(C\$(I))+1=ASC(C\$(I+1)) THEN GOTO 1220121Ø GOTO 132Ø:REM WIN FOR FLUSH 122Ø NEXT I 123Ø GOTO 129Ø 124Ø FOR I=1 TO 3 125Ø IF ASC(C\$(I))+1=ASC(C\$(I+1)) THEN GOTO 127Ø 126Ø GOTO 132Ø: REM WIN FOR FLUSH 127Ø NEXT I 128Ø IF ASC(C\$(5))<>13 AND ASC(C\$(1))<>1 THEN GOTO 132Ø:REM WIN FOR FLUSH 129Ø GOSUB 23ØØ:SYMBOL(9Ø,Ø),"\*\* STRAIGHT FLUSH \*\*",2,2,3 1300 SYMBOL(35,20), "THAT'S WORTH"+STR\$(M\*100)+" DOLLARS !!",2,2,3 131Ø PQ=M\*1ØØ:GOSUB 184Ø:GOTO 183Ø 132Ø REM \*\*\*\* WIN FOR FLUSH 133Ø GOSUB 23ØØ:SYMBOL(165,Ø),"\*\* FLUSH \*\*",2,2,3 134Ø SYMBOL(35,2Ø), "THAT'S WORTH"+STR\$(M\*2Ø)+" DOLLARS !!",2,2,3 135Ø PQ=M\*2Ø:GOSUB 184Ø:GOTO 183Ø 136Ø REM \*\*\*\* CHECK FOR FOUR OF A KIND 137Ø IF ASC(C\$(1)) = ASC(C\$(2)) AND ASC(C\$(2)) = ASC(C\$(3)) AND ASC(C\$(3)) = ASC(C\$(4))) OR ASC(C\$(2)) = ASC(C\$(3)) AND ASC(C\$(3)) = ASC(C\$(4)) AND ASC(C\$(4)) = ASC(C\$(5)) T HEN GOTO 1390: REM WIN FOR 4 OR KIND 138Ø GOTO 142Ø: REM CHECK FOR FULL HOUSE 139Ø GOSUB 23ØØ:SYMBOL(9Ø,Ø),"\*\* FOUR OF A KIND \*\*",2,2,3 1400 SYMBOL(35,20), "THAT'S WORTH"+STR\$(M\*60)+" DOLLARS !!",2,2,3 141Ø PQ=M\*6Ø:GOSUB 184Ø:GOTO 183Ø 142Ø REM \*\*\*\* CHECK FOR FULL HOUSE

# FLOPPY STORAGE

External Drive Kits ==

\$115. (\$85. with Drive Order) Includes all Cables & Instructions. Holds up to 2 Drives.

DISK DRIVES TEAC SS, DD (200K) \$105. TEAC DS, DD (400K) \$139. TEAC DS, QD (800K) \$135.5ALE Second Drive \$10 Less 1 YEAR WARRANTY ON ALL DISK DRIVES MT BASIC \$49.95 A Windowing Basic with BASIC COMPILER which yields Fast Machine Code for the SANYO. TOLL FREE ORDER LINE & LATEST PRICES: 800 245-6228

NOTE: Add \$30. for AOK DOS which gives 8,9 or 10 sectors per disk and up to per drive!!!

M.C. & VISA Accepted
OWL-Services P.O. Box 116-D Mertztown, PA. 19539 PA.Res. Include 6% Tax PA (215) 682-6855

800 245-6228

# FREE SANYO PRICE LIST CATALOG

Call or write for all the information you need to save money on hardware, software, and accessories for your Sanyo. Educational, Business, and Game Software that is guaranteed to run on the MBC Series.

(PLEASE SPECIFY WHICH MODEL YOU OWN)

(FEEASE SFECILL MINOR MODEL 100 OMA)
RS-232 SERIAL BOARD  This product is 100% compatible and includes RF shielding for superior reliability and immunity to noise, and is unconditionally guaranteed for 90 days after purchase.
COPYLINK by U.S. Digital  CopyLink is an extremely flexible communications package that includes thorough documentation to allow easy access to any information service. This product is available for the Sanyo MBC-1000, 1100, 1200 and 550 Series computers, as well as other MS-DOS and CPM computers. (includes Free Dow Jones Sub.)
COMPLETE COMMUNICATIONS PACKAGE #1 \$429.50 This will include an RS-232 board, 1200/300 baud Anchor Mk XII modem, and CopyLink.
COMPLETE COMMUNICATIONS PACKAGE #2 \$229.50 This will include an RS-232 board, 300 baud J-Cat or Volks modem, and CopyLink
CPEMULATOR by U.S. Digital \$79.95 This program will allow the Sanyo 550 Series computer to run the huge number of programs written for the CPIM computer market
RAMDISK - (M-DISK) by Michtron \$ 29.95  This is a very easy-to-operate program that will transform your computer memory into an electronic disk.
2ND DISK DRIVE UPGRADE
11 MB HARD DRIVE w/Software by Greywolf
128K RAM KIT Upgrade \$ 99.95
DUAL-SIDED, DUAL-DENSITY — complete with New 2.11 DOS
Your choice of EasyPac' or StarPac' . \$399.00  "NOTE: EasyPac from IUS contains Easymailer II. Easywriter II; Easy Planner, Easy Filer.  StarPac from Micropro contains Infostar, Mailmerge, Spellstar.
TEAC DUAL-SIDED, DUAL-DENSITY DRIVES no software \$169.50
SOFTWARE
TURBO PASCAL
KNOBELSPIEL GENERAHL  1, 2 or more player game for the entire family that requires your mind, rather than muscle or reflex, ages 8-80.
INFOCOM - NOW IN STOCK FOR SANNO (2.1 DOS)

-NOW IN STOCK FOR SANYO (2.1 DOS) \$39.95 \$39.95 ZORK II DEADLINE .... WITNESS .... STARCROSS ... \$39.95 ZORK III ..... \$34.95 ENCHANTER . \$39.95 SORCERER ... \$39.95 SEA STALKER \$39.95 SUSPENDED \$39.95 PLANET FALL. HITCHHIKER'S GUIDE ...... \$39.95

PLUS - EDUCATIONAL & BUSINESS SOFTWARE AVAILABLE

DS/DD 5½ Disks

ORDER ONLY — CALL TOLL FREE — 1-800-233-3266

VISA MASTERCARD, or C.O.D. Shipping & Handling 3% - \$3.00 Minimum
VISA MARCHARD, Sat 1-717-6

For information, technical service, catalog requests and in PA call Mon.-Sat. 1-717-836-4522



M.W.S. COMPUTERS 22 EAST TIOGA ST., TUNKHANNOCK, PA 18657



143Ø IF ASC(C\$(1))=ASC(C\$(2)) AND ASC(C\$(2))=ASC(C\$(3)) AND ASC(C\$(4))=ASC(C\$(5))) OR ASC(C\$(1)) = ASC(C\$(2)) AND ASC(C\$(3)) = ASC(C\$(4)) AND ASC(C\$(4)) = ASC(C\$(5)) T HEN GOTO 145Ø 1440 GOTO 1480: REM CHECK FOR STRAIGHT 145Ø GOSUB 23ØØ:SYMBOL(12Ø,Ø),"\*\* FULL HOUSE \*\*",2,2,3 146Ø SYMBOL(35,2Ø), "THAT'S WORTH"+STR\$(M\*3Ø)+" DOLLARS !!",2,2,3 147Ø PO=M\*3Ø:GOSUB 184Ø:GOTO 183Ø 148Ø REM \*\*\*\* CHECK FOR STRAIGHT 149Ø FOR I=1 TO 4 1500 IF ASC(C\$(I))+1<>ASC(C\$(I+1)) THEN GOTO 1560: REM CHECK FOR 3 OF KIND 151Ø IF I=3 AND ASC(C\$(5))=13 AND ASC(C\$(1))=1 THEN GOTO 153Ø 152Ø NEXT I 153Ø GOSUB 23ØØ:SYMBOL(15Ø,Ø),"\*\* STRAIGHT \*\*",2,2,3 154Ø SYMBOL(35,2Ø), "THAT'S WORTH"+STR\$(M\*15)+" DOLLARS !!",2,2,3 155Ø PO=M\*15:GOSUB 184Ø:GOTO 183Ø 156Ø REM \*\*\*\* CHECK FOR 3 OF A KIND 157Ø IF ASC(C\$(1))=ASC(C\$(2)) AND ASC(C\$(2))=ASC(C\$(3)) OR ASC(C\$(2))=ASC(C\$(3))AND ASC(C\$(3)) = ASC(C\$(4)) OR ASC(C\$(3)) = ASC(C\$(4)) AND ASC(C\$(4)) = ASC(C\$(5)) TH EN GOTO 159Ø 1580 GOTO 1620: REM CHECK FOR TWO PAIR 159Ø GOSUB 23ØØ:SYMBOL(8Ø,Ø),"\*\* THREE OF A KIND \*\*",2,2,3 1600 SYMBOL(35,20), "THAT'S WORTH"+STR\$(M\*7)+" DOLLARS !!",2,2,3 161Ø PO=M\*7:GOSUB 184Ø:GOTO 183Ø 162Ø REM \*\*\*\* CHECK FOR TWO PAIR 163Ø IF ASC(C\$(1)) = ASC(C\$(2)) AND ASC(C\$(3)) = ASC(C\$(4)) OR ASC(C\$(1)) = ASC(C\$(2))AND ASC(C\$(4)) = ASC(C\$(5)) OR ASC(C\$(2)) = ASC(C\$(3)) AND ASC(C\$(4)) = ASC(C\$(5)) TH EN GOTO 165Ø 164Ø GOTO 168Ø: REM REM CHECK FOR PAIR 165Ø GOSUB 23ØØ:SYMBOL(13Ø,Ø),"\*\* TWO PAIR \*\*",2,2,3 166Ø SYMBOL(35,2Ø), "THAT'S WORTH"+STR\$(M\*5)+" DOLLARS !!",2,2,3 167Ø PO=M\*5:GOSUB 184Ø:GOTO 183Ø 1680 REM \*\*\*\*\* CHECK FOR A PAIR 169Ø IF ASC(C\$(1))=ASC(C\$(2)) THEN IF ASC(C\$(1))>1Ø THEN GOTO 18ØØ 1700 IF ASC(C\$(1))=ASC(C\$(3)) THEN IF ASC(C\$(1))>10 THEN GOTO 1800 171Ø IF ASC(C\$(1))=ASC(C\$(4)) THEN IF ASC(C\$(1))>1Ø THEN GOTO 18ØØ 1720 IF ASC(C\$(1))=ASC(C\$(5)) THEN IF ASC(C\$(1))>10 THEN GOTO 1800 173Ø IF ASC(C\$(2))=ASC(C\$(3)) THEN IF ASC(C\$(2))>1Ø THEN GOTO 18ØØ 174Ø IF ASC(C\$(2))=ASC(C\$(4)) THEN IF ASC(C\$(2))>1Ø THEN GOTO 18ØØ 175Ø IF ASC(C\$(2))=ASC(C\$(5)) THEN IF ASC(C\$(2))>1Ø THEN GOTO 18ØØ 176Ø IF ASC(C\$(3))=ASC(C\$(4)) THEN IF ASC(C\$(3))>1Ø THEN GOTO 18ØØ 177Ø IF ASC(C\$(3))=ASC(C\$(5)) THEN IF ASC(C\$(3))>1Ø THEN GOTO 18ØØ 178Ø IF ASC(C\$(4))=ASC(C\$(5)) THEN IF ASC(C\$(4))>1Ø THEN GOTO 18ØØ 179Ø GOTO 183Ø 18ØØ GOSUB 23ØØ:SYMBOL(15Ø,Ø),"\*\* A PAIR \*\*",2,2,3 181Ø SYMBOL(35,2Ø), "THAT'S WORTH"+STR\$(M\*2)+" DOLLARS !!",2,2,3 182Ø PQ=M\*2:GOSUB 184Ø:GOTO 183Ø 183Ø GOSUB 59Ø: RETURN 184Ø REM \*\*\*\*\* MINOR ROUTINES \*\*\*\*\* 185Ø SYMBOL(14Ø,4Ø), "PRESS (RETURN)",2,2,3 186Ø SYMBOL (94,6Ø), "OR TYPE D TO DOUBLE", 2, 2, 3 187Ø I\$=INPUT\$(1) 188Ø IF I\$<>"D" THEN PL(Y)=PL(Y)+PO:GOTO 2060 189Ø GOSUB 224Ø:LOCATE 12,23 1900 PRINT "O.K. ODD OF EVEN? O/E? "; CHR\$(8); 191Ø I\$=INPUT\$(1):PRINT I\$:IF I\$<>"O" AND I\$<>"E" THEN GOTO 189Ø 192Ø A=3 193Ø FOR J=1 TO 5:C\$(I)="":NEXT J 194Ø GOSUB 72Ø:GOSUB 75Ø:IF ASC(C\$(3))>9 THEN GOTO 194Ø ELSE GOSUB 239Ø:GOSUB 23 6Ø

68

2

195Ø NM=ASC(C\$(3)) 196Ø NM=NM+1:NM=NM/2 1970 IF I\$="E" AND INT(NM+.5)=NM THEN GOTO 2030 198Ø IF I\$="O" AND INT(NM+.5)=NM+.5 THEN GOTO 2030 199Ø LOCATE 14,7 2000 PRINT" SORRY! YOU LOSE CARD WAS ";: IF I\$="O" THEN PRINT "EVEN. ELSE PRINT "ODD. 2Ø1Ø PRINT "(RETURN) ";:I\$=INPUT\$(1) 2Ø2Ø GOTO 2Ø6Ø 2030 LOCATE 14,1:PRINT "MATCH !! ";:PRINT PQ\*2; "DOLLARS IS CREDITED TO YOUR ACC OUNT. (RETURN)"; 2Ø4Ø I\$=INPUT\$(1) 2050 PL(Y) = PL(Y) + (PO\*2)2Ø6Ø LOCATE 14,1:PRINT STRING\$(65,32);:RETURN 2070 REM \*\*\*\* END 2Ø8Ø CLS:PRINT"EVERYONE IS OUT OF MONEY." 2090 PRINT 2100 FOR I=1 TO N 211Ø PRINT N\$(I);" OWES";Q(I);"DOLLARS.":PRINT 213Ø PRINT"PLEASE PAY UP NOW !" 214Ø END 215Ø REM \*\*\*\* ENTER BET \*\*\*\*\* 216Ø LOCATE 12,1:PRINT N\$(Y);"'S TURN. 217Ø LOCATE 14,1:PRINT"YOU HAVE";PL(Y); "COINS. HOW MANY COINS TO BET ";:INPUT M 218Ø IF M>1ØØØ THEN LOCATE 13,1:PRINT"HOUSE LIMIT IS 1ØØØ DOLLARS. TRY AGAIN."; :GOTO 223Ø 219Ø IF M>PL(Y) THEN LOCATE 13,1:PRINT"YOU DON'T HAVE THAT MANY.

# FILEBASE

data base manager for CP/M, PC-DOS, MS-DOS

Finally! A simple yet powerful stand-alone data base program that doubles as a MailMerge files processor. 100% menu and prompt driven . . . no commands to remember . . . requires no installation! Produces ASCII comma delimited files compatible with WordStar, Data Star, dBase, Basic, etc. Produces either/and sequential or random access files . . . both with variable field lengths.

Unmatched user support included in the modest price of \$125 (includes ship. & handling) . . . probably one of today's best software bargains.


Scores of rave notices include: "Sorely needed super utility for MailMerge" in *PC Magazine*; "Easy to learn, simple to use. Not a stripped down program" in *Data Based Advisor*; "Don't use MailMerge without Filebase" in *PC Magazine*; "For its price, the best we've seen" in *User's Guide Magazine*. Selected as a "Top 50" program by *LIST Magazine*!

ALL FORMATS AVAILABLE. Specify computer, operating system and disk.

EWDP Software, Inc., P.O. Box 40283, Indianapolis, IN 46240

We accept Visa, Amex, MasterCard, Check, COD. Telephone orders, inquiries & support: (317) 872-8799


Trademarks: CP/M, Digital Research; MS-DOS, Microsoft; PC-DOS, IBM; FILEBASE, EWDP Software, WordStar/MailMerge/DataStar, Micropro; dBase, Ashton-Tate.



- CHECK-MATE is a Complete Home Bookkeeping System for your personal computer.
- CHECK-MATE Will help you keep track of up to 100 different account categories.
- CHECK-MATE allows you to keep 30 payee's on file.
- CHECK-MATE will grow with you.
- You may add on CHECK WRITER, which allows the computer to print out checks.
- You may also add HOME-BUDGET which will give you better control of your finances.

\$59.95

DEALER INQUIRIES INVITED



710 N. New Ballas Rd. Creve Coeur, MO 63141 (314) 997-SOFT

```
";:GOTO 223Ø
    2200 IF M=0 THEN M=1
   221Ø LOCATE 13,1:PRINT STRING$(6Ø,32);
    222Ø RETURN
   223Ø LOCATE 14,1:PRINT STRING$(65,32);:GOTO 216Ø
   224Ø REM **** CLEAR FOR NEXT PLAYER *****
   225Ø FOR C=18 TO 25
   226Ø LOCATE C,1
   227Ø PRINT STRING$ (65,32);
   228Ø NEXT C
   229Ø RETURN
   2300 REM **** CLEAR FOR DISPLAY OF WIN ****
   231Ø FOR O=1 TO 12
   232Ø LOCATE O,1:PRINT STRING$(6Ø,32);
   233Ø NEXT O
   234Ø RETURN
  235Ø REM ***** CORNER LETTER *****
  236Ø SYMBOL((A-1)*1Ø4+6,139),A$,2,1,3
  237Ø SYMBOL((A-1)*1Ø4+93,195),A$,2,1,3,2
  239Ø REM **** CORNER SUIT *******
  2400 ON S GOTO 2410,2440,2470,2500
  241Ø REM **** CLUBS
  242Ø SYMBOL((A-1)*1Ø4+37,16Ø), CHR$(15),4,2,3:SYMBOL((A-1)*1Ø4+4,148), CHR$(15),2,
 1,3:SYMBOL((A-1)*1Ø4+95,186),CHR$(15),2,1,3,2
 244Ø REM **** SPADES
 245Ø SYMBOL((A-1)*1Ø4+37,16Ø),CHR$(5),4,2,3:SYMBOL((A-1)*1Ø4+6,148),CHR$(5),2,1,
 3:SYMBOL((A-1)*1Ø4+93,186),CHR$(5),2,1,3,2
 247Ø REM **** DIAMONDS
 248Ø SYMBOL((A-1)*1Ø4+37,16Ø), CHR$(4),4,2,3:SYMBOL((A-1)*1Ø4+6,148), CHR$(4),2,1,
 2500 REM **** HEARTS
 251Ø SYMBOL((A-1)*1Ø4+37,16Ø),CHR$(3),4,2,3:SYMBOL((A-1)*1Ø4+6,148),CHR$(3),2,1,
 3:SYMBOL((A-1)*1Ø4+93,186),CHR$(3),2,1,3,2
 253Ø REM **** BEGINNING *****
 254Ø CLS:PRINT"HOW MANY WISH TO PLAY (1-6) ";:N$=INPUT$(1):N=VAL(N$):PRINT N
257Ø PRINT:PRINT"ENTER PLAYER"; I; "'S NAME (12 CHARACTER OR LESS).";:INPUT N$(I)
2600 PRINT: PRINT"HOW MANY DOLLARS DO YOU WISH CREDIT TO ";N$(I);"'S ACCOUNT ";:I
261Ø IF PL(I)>1ØØØ THEN PRINT "MAXIMUM CREDIT IS 1ØØØ DOLLARS. TRY AGAIN.":PRIN
263Ø IF PL(I)=Ø THEN GOTO 26ØØ
264Ø NEXT I
265Ø PRINT:PRINT"PRESS (RETURN) TO BEGIN";: I$=INPUT$(1)
267Ø REM ***** SORT HAND *****
268Ø FOR I=1 TO 4
269Ø FOR J=I TO 5
27\emptyset\emptyset IF C$(I)>C$(J) THEN SWAP C$(I),C$(J)
 SOFT SECTOR
            March 1985
```

```
త్ర
```

```
272Ø RETURN
273Ø REM **** TITLE PAGE *****
274Ø CLS:LOCATE 15,3
275Ø SYMBOL (1,112), "5-CARD DRAW PO",1,2,3,3
276Ø SYMBOL(17,1), "KER! 5-CARD DRAW POKER!
                                              5-CARD DRAW", 2, 1, 3
277Ø SYMBOL (639,1), "POKER! 5-CARD DRAW POKER", 1, 2, 3, 1
278Ø T$="B":TT=3:GOSUB 43Ø
279Ø LOCATE 6,58:PRINT"5-CARD DRAW POKER"
2800 LOCATE 8,57:PRINT"BY: RODNEY VIESSMAN"
281Ø LOCATE 15,3
282Ø GOTO 29ØØ
283Ø FOR A=1 TO 5
284Ø D(A)=Ø
285Ø GOSUB 72Ø:GOSUB 75Ø:GOSUB 239Ø:GOSUB 236Ø
286Ø NEXT A
287Ø GOSUB 267Ø
288Ø FOR I=1 TO 15ØØ: NEXT I
289Ø GOSUB 224Ø
2900 SYMBOL (90,160), "PRESS (RETURN) TO PLAY", 2, 2, 3
291Ø FOR I=1 TO 1000
292Ø AS=INKEYS
293Ø IF A$="" THEN NEXT I:GOTO 296Ø
294Ø IF ASC(A$)=13 THEN GOTO 298Ø
295Ø A$="":GOTO 293Ø
296Ø GOSUB 224Ø
297Ø GOTO 283Ø
298Ø T$="":TT=1
299Ø RETURN
```

HOW ARLE! The Only Internal Hard Disk Drive For The

Systems Peripherals Consultants is now providing the answer to your mass storage problems with fast access Winchester disk drives from 10 Mb. to 40 Mb. in a convenient internal installation or up to 480 Mb. in our external chassis.

We also provide removable Winchester drives with 5.4 Mb. capacity which double as both an on-line storage device and high speed backup. Installation requires only a screwdriver and takes about ten minutes, and we deliver from stock...

Call SPC now and ask for more information. Quantity and prepayment discounts are available.

# SYSTEMS PERIPHERALS CONSULTANTS

9747 Business Park Avenue • San Diego, CA 92131 (619) 693-8611

# **AA COMPUTER EXCHANGE**

"SOUTH'S LEADING SANYO DEALER" COMPLETE SELECTION OF SANYO SOFTWARE

REQUEST OUR FULL SANYO CATALOG TODAY

ORDER LINE: 1-800-447-0088 INQUIRIES & FL: 904-388-0018

HERE ARE A FEW OF OUR MAIL ORDER PRICES				
HARDWARE	Hermit's Secret \$17	Transfer \$45		
Sanyo 550-2 (1-360K) \$699	Phantom's Revenge 17	Personal Money Manager . 38		
Sanyo 555-2 (2-360K) 999	Word Wiggle 24	OLYMPIC		
Sanyo 775 Color Port 2336	Munchkin	Inventory		
512K Kit Michtron 219	Eliza	Payroll		
512K Plans Michtron 10	Monster Rally	General Ledger 75		
10 MEG Michtron 1242	MICHTRON	Accts. Receivable		
160K Teac Drive	Picasso (256K)	Accts. Payable		
160K Teac Drive w/SW 263	DS DOS+ (1.25 or 2.11) 38	Order Entry		
360K Teac Drive 159	MI-Term (128K) 60	Postmaster II		
360K Teac Drive w/SW 359	M-Disk (256K) 27	Money Analysis		
800K Teac Drive 179	Freez Frame (128K) 30	Finance Manager 29		
64K Mem Exp (150 NS) 36	MI-Key (128K)	Appointment Book 29		
128K Mem Exp (150 NS) . 72	Graffiti (256K) 30	Touch Skills		
Sanyo/IBM Graphics Brd . 179	Cashman 27	States & Capitals 23		
Joystick 20 Sanyo RS-232 Card 69	Demon Seed 27	Body Systems		
300 Baud Volksmodem 54	DC-10 Flight Simulator 30	Trivia Mania 29		
300/1200 Auto-Volksmodern 199	Rebounce	Flyboy Flight Sim 29		
RGB Monitor 13" 269	Solitaire	Byte Buster 23		
Sanyo CRT 50 389	Adventure Disk #2 30	Flash Card		
Sanyo CRT 70 565	Adventure Disk #3 30	Blackjack 30		
Green Monitor 12" 89	Super Zap	Spelling Bee		
Amber Monitor 12" 89	Business Agreements 38	A-OK		
Panasonic 1091 NLQ 299	Major Motion	DOS-1 w/Print Screen 33		
TTX Daisy w/Tractor 367	Quick & Simple	DOS-2 w/Print Screen 40		
TTX 64K Buffer 199	Soft Spool	DOS-3 w/Print Screen 47		
Silver Reed EXP 500 370	Emperor	DOS-4 w/Print Screen 47		
Silver Reed EXP 550 438	Time Bandit (128K) 27	Janus/ADA Series 445		
Sanyo PR5000 LQ 402	Master Graph (128K) 68 Rebounce	COMPUTER TOOLBOX		
Sanyo PR5500 LQ 622	Mighty Mail			
BASF DS/DD 51/4" 18	King Arthur	U.S. DIGITAL		
NORELL	Thunder Chief (128K) 27			
LISP/88 Intrp	Joystick Ext. Cable			
Computer Chef34	Tic Tac Toe			
Original Adv	Printer Helper 27	8086 Macro Assembler 89		
Original Park	21	0000 Wacio Assembler 03		

# 2726 PARK ST., JACKSONVILLE, FL 32205

Orders with cashiers check, money order and VISA/MC shipped promptly • For personal/company checks allow 3 weeks for clearance • No CODs • For VISA/MC add 3% • Shipping charges extra, \$3.00 minimum • Prices may differ in AA stores • Florida residents add 5% tax • Prices subject to change without notice.



# REVIEWS



Software review

Tanner and the
Jungle Temple —
Adventure At The
Keyboard

The game Tanner and the Jungle Temple is one of the first graphics role-playing Adventures for the Sanyo computer. By role playing, I mean that the character you play in the Adventure can get better. He or she can go up in strength or other things — the more you play, the harder it is for your character to get killed. Another thing that you can do in a role-playing game is buy your character different items, like lamps, guns, and a lot of other things. In these respects, the game is a good one.

There are other things that a role-playing game should have that *Tanner* does not have. One of these is the ability to make your own characters. You should be able to make your own man or woman and not have to always use the one that comes with the game disk.

In the upper-left corner of the screen you are presented with a 3-D view of what you see as you are walking down the halls of the temple. The lower-left corner of the screen is where the monsters appear and the whole right side of the screen is where your inventory is shown. At first glance there seems to be nothing wrong with this display. That is at first. Once you start to play, the beauty of it starts to fade fast. First off, if you have a monochrome monitor then you are fine, but if you spent that extra couple hundred to get an RGB color monitor, then this game will transform it into a monochrome when you play *Tanner*. There is no color used in the game. The Sanyo computer has superb color graphics and not one of them is used, and that is a shame.

As you move down the halls of the temple, the upper-left corner moves as if you were really walking down the hall. It is a nice 3-D view of what you see and it moves closer as you move forward. There is a small flaw in the way they programmed this too, though. Instead of just the upper-left corner of the screen changing (that is where the 3-D view is), the whole screen is rewritten. This means that the 3-D view is redrawn, the lower-left corner is redrawn, and the right side (where your inventory is) is redrawn. Now this might not be that bad, but when you get into the game and have a lot of inventory, then this takes awhile to redraw each time you move. If *Tanner* didn't redraw the whole screen then it would move a lot faster, but the redrawing does slow it down quite a bit.

Let's talk monsters. The monsters are drawn in the lower-left corner — all other times the company's logo is there. Every time you come across a monster, it will be drawn in the corner. You can either fight or run, but first let me tell you what the monsters look like. The drawings of the monsters do not take advantage of the Sanyo's great graphics capability. When you meet the "man with a gun," all you see is cross hairs; for "a large man with a knife," all you see is an outline of a knife; for "a small man with a knife," you see the same outline of the knife; and for "spiders," all you see is a sketch of a web. As you may have noticed, there are no detailed graphics that one would expect from the Sanyo.

The game played well. There were no bugs that I found and the role-playing aspect was not all that bad. Just because there were a few overlooked items, like the redrawing of the screen and the other items mentioned, doesn't mean it is a bad game. If you can handle the slow moving screen and the lack of good graphics, then you might have fun playing *Tanner*.

Tanner has nine levels in the temple, so you could play for quite awhile. There are a lot of items you can buy or find in the temple, and the internal workings of the game are put together well. So if graphics and speed are not a concern of yours and you like Adventure role-playing games, then Tanner and the Jungle Temple might be the game for you.

Tanner and the Jungle Temple is made by the Moonwolf Game Company. The Moonwolf Game Company gives you a one year warranty on all of their software. Should any product prove defective in one year, it will be replaced.

(Moonwolf Game Company, 1480 F Terrel Mill Rd., Suite 712, Marietta, GA 30067, \$25)

- Pat Brestel

## LET THE SOURCE BE WITH YOU



& Infostar. MBC550 & 550-2 include Wordstar, Calcstar & MSDOS.





#### DISPLAYED VIDEO PRESENTS THE AFFORDABLE SANYO

1	DIGI BILLED VIDEO I ILEGELIA	
1	MBC550/With FREE Printer\$949.00	MBC1100/With FREE Printer\$1289.00
	MBC555/With <b>FREE</b> Printer\$1249.00	MBC1200/With <b>FREE</b> Printer
	MBC550-2/With <b>FREE</b> Printer\$989.00	MBC4000/With FREE Printer \$1599.00
	MBC555-2/With <b>FREE</b> Printer \$1489.00	MBC1150/With <b>FREE</b> Printer\$1499.00
	*ALL FEO CEDIES COMPLITEDS ADOLE INCLUDE ONE	MBC1250/With <b>FREE</b> Printer
	*ALL 550 SERIES COMPUTERS ABOVE INCLUDE ONE	MBC4050/With <b>FREE</b> Printer <b>\$1799.00</b>
4	FREE GEMINI 10X PRINTER.	tromesulburge frameword up. Complete Stradburgers
	GEMINI 15X PRINTER ONLY \$100 ADDITIONAL.	*ALL 1100, 1150, 1200, 1250, 4000, 4050 COMPUTERS IN-
	RS232 for 550 Series with FREE Terminal	CLUDE ONE FREE PR5000 LETTER QUALITY PRINTER.
	Software	PR5500 ONLY \$100 ADDITIONAL.
	64K Memory Upgrade\$54.00	MBC1100, 1200 & 4000 Series Computer: Include Wordstar, Calcstar, CPM
	MBC555 & 555-2 include Wordstar, Calcstar, MSDOS, Spellmaster, Mailmerge	2.2, Datastar, Reportstar & Mailmerge.

#### **DRIVES**

*GOOD NEWS * SANYO 550 & 555 owners, increase your storage capacity! Upgrade your Sanyo to Double Sid	ded drives.
The upgrade includes two TEAC FD55B drives and a double sided software modification for only\$	365.00!!!
Double sided software modification	\$39.95
TEAC add-on 160K external drive with case & power supply	\$195.00
TEAC add-on 360K external drive with case & power supply	\$240.00

MODEMS	MONITORS						
Hayes 300 Baud Modem\$215.00	Comrex Amber 12"	\$125.00					
Hayes 1200/300 Baud\$480.00	Comrex Green 12"	\$115.00					
Anchor 300 Baud Volksmodem \$65.00	BMC Amber 12"	\$105.00					
Anchor 1200/300 Mark XII-(Hayes Compatible)\$259.00	Sanyo CRT36	\$170.00					
the same and the s	Sanyo CRT70	\$579.00					
per transfer and a depart part and in Proposition Walter	Amdek Color III +	\$385.00					

#### **PRINTERS**

Epson RX80\$295.00	Epson LQ1500\$1195.00
Epson RX80 FT\$349.00	Sanyo PR5000 Letter Quality\$479.00
Epson RX100\$549.00	Sanyo PR5500 Letter Quality
Epson FX80\$559.00	Gemini 10X\$315.00
Epson FX100\$729.00	Gemini 15X\$479.00
Sanua Printer Cable	\$21.05

WE CARRY TRS80 & SANYO COMPUTERS

**IMMEDIATE DELIVERY** 180 Days Parts and Labor Warranty





111 Marshall Street Litchfield, MI 49252 (517) 542-3280 (517) 542-3939

(313) 426-5086/(313) 482-4424

Visit our two

retail locations at:

886 Ecorse Road Ypsilanti, MI 48197

TO ORDER: Call (313) 426-5086; (313) 482-4424; (517) 542-3280 (517) 542-3939 (517) 542-3947

DEALERS BUY DIRECT FROM THE SOURCE!

(517) 542-3947 Authorized Sanyo Distributor/Repair Center Prices & Specifications subject to change without notice

#### W-ED -

## **Word Processing** In A Few Easy Lessons

Do you write long documents every week? Every day? If so, the package for you came with your Sanyo WordStar. However, if you only write a few letters every now and then, or if the kids like to use the computer to do their homework once in a while, you might find WordStar just a trifle cumbersome to use. There are many commands, and if you don't write regularly, there is a tendency to forget them. You find yourself spending more time looking up commands than you spend actually writing.

If you find yourself in this second category, take a good look at W-ED by WyndhamWare. This is a nice little text editor selling for \$40 which is easy to learn and even easier to use.

First of all, you will notice that W-ED is not advertised as a word processor, but a word processing text editor. I have seen numerous definitions of the two and will not get into them here. From a practical standpoint, the most

#### **GOOD STUFF!**


Sanyo 550/555 **IBM PC & Compatables IBM-PC** Junior *⇒GREAT PROGRAMS←* \*SUPER LOW PRICES \* **SUPER SAMPLER \$5 PPD** SS1-SS12 DISKS \$8.95 PPD

Looking for good low-cost programs for your Sanyo 550/555, as well as good, solid information? You've found it!

Business, Financial, Games galore, Educational, Utilities and Graphics. They are all here! There are presently 12 disks and each has 7 to 12 programs each. They are all listable and unprotected. Don't take our word for it! Send \$5 for our Super Sampler diskette with 10 great programs, including a super loan amortization program, graphic blackjack, a full adventure and more! Full info on our other products and our information-packed newsletter will be included with your order!

#### SUPER MAILING LIST 14.95 Postpaid

Add, change, delete names, addresses and phone numbers with 8 category flags to select on. Prints lists or labels. Sort on zip or names. A random access tutorial in itself. A SUPER VALUE!



P.O. BOX 354 MASON, MICHIGAN 48854 (517) 628-2943

Phone Orders Welcome - Quick Service

important difference is the lack of printer control in the text editor. Most of the other goodies are there.

Using W-ED you can set up margins, center text, set tabs, do searches, move and copy blocks, and perform many other useful operations. In fact, you can do most of the things you can do with WordStar, or any other full-blown word processor. But don't try to find a print command because there isn't one.

Although it sounds like a catch, it's not really. You can use your DOS PRINT utility to do the printing for you. I suggest that you put the PRINT.COM program on your W-ED disk. When you are ready to print, just type in PRINT filespec. This will cause your printer to type out the contents of the file. It's very simple.

Running W-ED is no problem at all. It can be put into operation in just a little more time than it takes to load the disk. I do suggest that you print out the READ.ME file first, though, using PRINT.COM.

The screen editor is quick and responsive. It features full word wrap, at your choice, and a useful and unobtrusive message line to tell you when word wrap is in use or when other conditions exist, depending on how you install the program. There is an installation program on the disk.

Another use for W-ED is as a text editor for writing programs. Many compilers are somewhat lacking in text editing capabilities. W-ED can solve this problem for you. All you have to do is type in your program and then compile it. Since W-ED is not copy protected, you can put it on the same disk as your compiler.

I have only one small problem with the package. The documentation I received was written for the IBM, and addendums were sent along to cover the Sanyo version, which is also covered in the READ. ME file on the disk.

The documentation is not really bad at all if you are using the IBM version. Perhaps new documentation for the Sanyo version will be out shortly. In the meantime, between the disk and the addendum, the documentation is adequate.

For writing short documents without all the hassles of a full-blown word processor, I don't see how you could beat W-ED for the price.

(WyndhamWare, P.O. Box 729, Renton, WA 98057-0729, 206-237-1557, \$40)

- Jim Pile

#### 10 MEG EXTERNAL HARD DISK \$1,245

MISSOURI RESIDENTS ADD 5.625% SALES TAX. FOR SANYO 550/555 SERIES COMPUTER ONLY. SIX MONTH LIMITED WARRANTY.

SYSTEM COMPLETE WITH HOST ADAPTER AND PATCHES TO 2.11 DOS. READY TO RUN, 10 MINUTE INSTALLATION.

THE LEMBERGER CO. 100 N. MAIN ST., VIENNA, MISSOURI

"Dealer Inquiries Welcome"

SERVING MICROCOMPUTER USERS SINCE 1978 PHONE (314) 422-3353

# CheckFile — Personal Checking Made Easy

Do you dread seeing your checking account bank statement in the mail every month knowing there will be countless hours of reconciliation to do? Well, *CheckFile* can help take some of the headaches out of that tedious task.

Check File is an integrated set of programs for personal financial record keeping that run on the Sanyo MBC-550/555 series computers. It is a database-type system featuring random access and sort utilities not found in most personal check register programs. It can sort records by check number, name or description and 18 subject areas. Most outputs can be directed to the screen or printer. Some useful reports that can be generated are cash flow analysis and financial projections. Also, CheckFile has a password lockout option for users who need their data restricted.

To use *Check File*, put a copy of the diskette into drive A: and turn on the computer. It will automatically load and the date prompt will appear, followed by the password prompt. After entering the correct date and password, the following main menu options will appear:

- 1) Create new Records
- 2) List all the Records
- 3) Search for a Record by Name
- 4) Search for a Record by Number
- 5) Search for a Record by Code
- 6) Check cash flow or display sort
- 7) Close the file and end the program

Adding records such as deposits, checks, adjustments and the like, is easily accomplished by following the program prompts. However, I did have a little trouble entering deposits and adjustments, because in the first prompt after entering the first option, "Create new Records," it asks you to enter a number. This number entry can only be a three-digit number or code. This limits you to a three-digit check number, which gave me problems because my checks have four digits! The program also allows an entry of an alphanumeric code such as DEP or ADJ.

Check File has a feature which will bring back the main menu from anywhere in the program by simply pressing RETURN. This is a very nice feature for novice users. To have the search features work properly, all entries in the search field must match exactly, even the upper- and lowercase letters.

Each record entered into the system can be labeled with a code: For example, 1=Deposit, 4=Electricity, 9=Food, 11=Housing, etc. There are 18 available codes to use which are all preset and cannot be changed. This code should help immensely at year end when information on yearly expenditures is needed for taxes.

The cash flow and sort options will estimate cash flow

action based on January and succeeding months along with providing a list of amounts according to the sort code selected to the screen or printer. There is an option to correct or adjust the totals of your check register to your bank statement balance so they will agree. This option is contained in a small BASIC program that needs to be run when an adjustment is needed.

In reviewing Check File, I came up with some other points that might be of interest. There is really no way to delete an entry once it has been entered. It can be changed or modified but not deleted. Also, there is very good entry error trapping in the main menu, but it is not very good in other parts of the program. Some of the entries allow you to use a single keystroke entry, which is nicer than making you select and enter the option number or letter and then hit RETURN, which you have to do in most of the entries. Finally, there is really not much of a documentation manual, but the program is menu driven and so easy to use that a detailed user's manual is not needed.

Check File appears to be a versatile, personal financial record keeping system which is very easy to use. In order to have it perform and assist you as it should, however, you must have the time to enter all your checks, deposits and the like on a regular basis.

(Shamrock Software, P.O. Box 3445 CS, Moscow, ID 83843, 509-878-1714, \$12.95)

- John Kandra



# DISKOUNT SOFTWARE We take a Byte out of Prices

	MICHIGAN SOFTWA	ARE:
\$29.95	Screen print	\$25.49
\$42.49	Sanyo Direct Transfer	\$25.49
\$33.95	Character Generator	\$21.49
\$33.95	PF Key	\$ 8.49
\$29.49	Keyword	\$ 8.49
\$42.49	Save Screen	\$21.49
\$33.95	U.S. Capitals & States	\$25.49
\$33.95		
\$33.95	LEVEL IV:	
\$29.95	Print Spooler	\$33.95
\$29.95		
\$29.49	OLYMPIC EDUCAT	IONAL
	SOFTWARE:	
	Appointment Book	\$33.49
		\$33.49
		\$33.49
\$29.49		\$25.49
\$29.49		\$42.49
*	Body Systems	\$33.49
\$16.49	States & Capitals	\$25.49
	64K Memory Un	grade
\$16.49	200 143 439.	• >
	\$42.49 \$33.95 \$33.95 \$29.49 \$42.49 \$33.95 \$33.95 \$33.95 \$29.95 \$29.95 \$29.49 <b>EE:</b>	\$29.95   Screen print

\* Don't See What You Want \*
ASK!

Send Order To: DISKount Software 9860 East Mary

Tucson, AZ 85730 602-298-3624

Personal check welcome . . . No delay — Add \$2.00 S/H for each program ordered (6.00 max). Add \$2.00 for C.O.D. AZ residents add 7% sales tax.

### VersaCom — VT100 Terminal **Emulation With Kermit** And XModem Protocols

Have you spent hundreds of dollars on different communications programs, yet still haven't found the one that meets your needs? Have you accessed bulletin boards all over the country, but still can't communicate with the mainframe down the street? You say you don't know the difference between a bit or a byte, a terminal or a host, and if you hear one more buzzword, you're going to fold, spindle and mutilate all of your floppies? Well cheer up, Bunky! I have a solution for you.

Versa Com, by Solution Software, is a reasonably priced, well-documented communications package for the Sanyo MBC-550/555 series of computers which offers both terminal emulation and file transfer capabilities in one program. VersaCom can meet the demands of most any terminal users' needs, whether it is accessing your favorite computerized bulletin board or your university's and/or employer's mainframe computer.

VersaCom provides VT100 terminal emulation which conforms to the ANSI standards. The authors of VersaCom, Lorrain and Kelvin Nilsen, have stated, "Emulation of the VT100 terminal is important because many programs are designed exclusively for use with ANSI or VT100 terminals.'

If you have ever signed onto CompuServe, or plan to, one of the things you must do is select from the menu a type of terminal emulation you will use. VT100 is one of the predefined selections requiring no additional input. However, Sanyo owners who do not chose the VT100 selection should choose the "Other" selection and be prepared to answer the additional questions.

During file transfers, users of VersaCom may choose between XModem or Kermit. Both have been available in the public domain for several years and XModem is currently the preferred protocol used in micro-to-micro file transfers. Although XModem is faster and better known than Kermit, it has less sophisticated error detection. Kermit, on the other hand, is especially useful for communicating with many different types of computers, including mainframes and minicomputers.

**EZWTOTXT** converts EasyWriter I files to plain ASCII text Permits off-line printing, use with

\$14.95 other word processors.

**OPTIONS** 

stock and commodity options analyzer. Identifies over-and under-priced options, hedge ratios for spreads, security vola-\$49.95 tility, more.

Send check or money order to Sigma Research Associates. 5666 La Jolla Boulevard, Suite 107, La Jolla, CA 92037. 619-459-2743. Add \$1.75 shipping/handling.

According to the Nilsens, the Kermit file transfer protocol is one of the only protocols that is capable of transferring files between a microcomputer and a mainframe. This implementation of Kermit includes eight-bit quoting which allows compression of data as it is transmitted. Currently, VersaCom's Kermit does not understand "server mode."

In addition to this, the Kermit file transfer protocol is defined and supported by Columbia University, which distributes versions of Kermit to run on many different computers for a nominal media fee.

Below are some of the more popular Kermit implementations which can be obtained from Columbia University:

**Operating System** Machine DEC-10 TOPS-10 TOPS-20 DEC-20 IBM 370 Series VM/CMS, MVS/TSO, MTS PC-DOS, MS-DOS IBM PC and Compatibles NOS, NOS/BE CDC Cyber 170 Sperry/Univac-1100 **EXEC MULTICS** Honeywell DEC VAX-11 VMS DEC PDP-11 RT, RSX, RSTS, MUMPS P/OS DEC Pro-300 Series VAX, PDP-11, SUN, etc. UNIX **PRIMOS** PRIME Software Tools Ratfor HP3000, Univac, etc. HP1000 RTE

Additional information about the Kermit protocol or the machines capable of running Kermit can be obtained through writing:

Aegis

Kermit Distribution Columbia University Center for Computing Activities 7th Floor, Watson Laboratory 612 West 115th Street New York, NY 10025

VersaCom is command-line oriented and online help can be obtained through the use of the "?" key. Typing the "?" key at any prompt will return a list of available commands. Further explanations of individual command usage can be obtained by typing the command, followed by a space and the "?" key. For example, typing "SET?" will provide

#### OUTCLASS THE PC

To add ¼ or ½ million bytes of RAM memory to your MBC. Just plug our board onto your mother board and get a total of 512K or 768K bytes! No soldering or wiring Low no

of foot of the condensing of willing. Low power.	
512K RAM board	\$435.00
258K RAM board 1	\$319.00
Board with logic no RAM	\$100 00
Bare board	\$ 99.00

No C.O.D.'s

**APOLLO** 

**Thumper Productions** 3550 Londonderry Ln. S.W. Roanoke, Virginia 24018

Guaranteed

(703) 774-1484



#### **New Low Prices for** Sanyo 555-2's

Not only do we have better prices than any other advertiser in Soft Sector for the Sanyo 550-2's and 555-2's we also include, at no extra charge: (1) Sketch-A color graphics drawing program; (2) 15 Games for the Sanyo, a \$29.95 package; (3) Datemate - an appointment program with a perpetual calendar; (4) Diagnostics - tests your RAM, display, and keyboard; (5) PC Filer - the program that made "freeware" famous; (6) Three extra utilities that don't come on the systems disk; (7) I.S. Manager · Allows you to change the structure of existing InfoStar records.

Our 555-2's have all Sanyo parts including grey Sanyo drives, and we stock both Starpacks and Easypacks. We stock reference manuals for our customers, and offer factory

trained service

Plus if you mention this ad when you buy your Sanyo from Scottsdale Systems you can buy an RS-232 port or an extra 128K of memory for a mere \$69. Yes we have great prices for Sanyo computers but we offer more, and that's why we've sold more Sanyo computers than any other dealer in America.

Sanyo 1100's w/2 drives ...... \$848



#### 14" RGB from NEC

We went to Comdex with one main mission, to find the best deal in a color monitor for the Sanyo 550 series. The NEC JC-1460DA is a 14" RGB with a 500 horizontal by 240 vertical resolution. Characters are formed by an 8x8 matrix, and is quite good even in monochrome. The unit features a black background and looks much better than the color monitors from Sanyo. The list price is \$499 without a cable. For you with a cable to your Sanyo ...... \$388

#### PRINTERS

Gemini 10X				•		. ,		,	,							,		 \$24	4
Okidata 92										 	921		 20					\$ 125 of	f
Epson FX-80																			
Juki 6100				• 3					*			ř.		*				 \$399	9

#### - SPECIAL SALE! -STARPACKS OR EASYPACKS

Oops we overbought - While they last - your choice DataStar, ReportStar, MailMerge, and SpellStar; or EasyWriter II, Easy Mailer, Easy Filer, and Easy Planner - out they go for a

# Scottsdale Systems, Ltd. 617 N. Scottsdale Rd., #B, Scottsdale, Az 85257

VISA 1 (602) 941-5856 MosterCord

Passwords Prometheus																																•		\$309 \$339	



#### The Silver Fox Trots through Lotus like 1,2,3

The Silver Fox has always run hundreds of programs originally written for the IBM-PC. Now with its new compatible video board and GW Basic it runs the most popular and powerful software in microcomputing, including Lotus 1,2,3, dBASE II, Multiplan, the PFS series, and even Flight Simulator. Yet you still get an incomparable combination of hardware and software at a price that invites comparison.

#### MORE HARDWARE

Each Silver Fox comes with an 8088 CPU, 256K of RAM, monochrome and color video, and a printer port all on a single board. Plus you get more than twice the storage of a standard PC, 1.6 Megabytes on dual 5 1/4" floppys, and the Fox will read and write to all popular PC formats.

Standard equipment also includes a better keyboard, and a 12" high-resolution, green monochrome monitor, with a full 25x80 column display. And although the Silver Fox doesn't have "compatible" expansion slots you can add serial ports, modems, plotters, printers, joysticks, and 8087 co-

processor, and/or a hard disk.

Because the Silver Fox is born on a totally automated line in Japan it is simply more reliable than PC's that are assembled by hand. So we back each Silver Fox with a one year limited warranty, four times the industry standard.

#### FREE SILVERWARE

Were this not enough, each Fox comes with the best free software bundle in the business including:

MS-DOS 2.11 Color BASIC GW BASIC HAGEN-DOS Qwikdisc Datemate

Sketch 15 Games WordStar CalcStar Easy Writer Spell Mailit FILEBASE PC File III PD Disk

If you didn't think your

\$1397

could buy you this much computer, give us a call at

602-941-5856

and we'll rush you a brochure that will tell you how it can.

ColorFox ..... \$1688

The Silver Fox is sold exclusively by Scottsdale Systems Ltd., 617 N. Scottsdale Road #B, Scottsdale, AZ 85257. Trademarks: Silver Fox, HAGEN-DOS, Qwikdisc, Datemate, and Mailit; Scottsdale Systems Ltd. WordStar and CalcStar, Micropro International, MS-DOS, Multiplan, Microsoft Corporation, FILEBASE, EWDP Software, Inc. dBASE II, Ashton-Tate, IBM-PC, International Business Machines Corporation. Ordering: Telemarketing only, Silver Fox price is for cash, F.O.B. Scottsdale, prices subject to change, product subject to limited supply. We accept purchase orders from Fortune 1000 companies and major universities with good credit: add 2% Visa, Mastercard add 3%, AZ residents add 6%. Returned merchandise subject to a 20% restocking fee. Personal or company checks take up to 3 weeks to clear. No COD's or APO's.

the user with over 17 possible parameters; i.e., Baud, Parity, XModem or Kermit, Local or Remove, etc.

At present, VersaCom does not provide any predefined CALL routines or support any telephone directories. With VersaCom, the user enters "CONNECT" and then types commands directly to the modem to initiate auto-dialing, if supported by the modem being used. Otherwise, the user dials the number and, upon hearing the modem signal, types "CONNECT" and hangs up the phone.

A recent inquiry to Solution Software revealed that Version 2 (which is nearly completed) will provide this ability through the use of a simple programming language designed by them and referred to as "CommSpeak." In addition to CommSpeak, Version 2 will also provide better file handling, server operations with *Kermit*, the ability to execute DOS commands from within *VersaCom*, a larger capture buffer (up to 64K), and a smaller load image.

So how 'bout it, Bunky? Have you seen and heard enough? Should I have bored you with all the technical details and confused you with computereze, or don't you agree that *VersaCom* is a solution you can live with?

(Solution Software, 3421 N. 1st Ave., #120, Tucson, AZ 85719, 602-323-0841, \$35 plus \$5 S/H, credit cards not accepted)

- G.L. Swearingen

#### Software review

## Robounce — Once Again, A Call To Arms

Arm yourselves Earthlings and other Sanyo enthusiasts! Once again you will be called upon to defend Earth from another horde of invading aliens.

Complete with Mothership, Yellow Gremlins, Blue Martians, and Pink Blobs, MichTron's inter-galactic adventure, *Robounce*, can be both challenging and fun for all ages.

As you progress through each successive wave, the degree of difficulty increases. In the first wave, you'll do battle with the Gremlins; in the second the Martians; and the third, you'll come face to face with the Pink Blobs.

If you're good enough and survive the first three waves, the aliens will combine forces in the fourth and fifth waves in order to defeat you.

With each wave, the Mothership will descend ever closer to your defenders, and with each move down, she narrows the playing arena, increasing the rebounding speed of the aliens.

Should you get to the sixth wave, a new twist is added.

# BEAT THE TAXMAN WITH YOUR OWN REVENUE ENHANCER


Cruise through tax season — this year and every year! Personal Revenue Enhancer Program (PREP) is the easy way to stay on top of financial records. No more shuffling through last year's checks and receipts. Imagine pressing one button for all the numbers you need to fill out that 1040. Why sweat it year after year, when you take it easy having done the best you can? PREP is the best tool you can get for ongoing peace of mind.

# PREP does a job all year round.

It feels good when you know where the money's going. PREP can quickly compare spending patterns in any selected category from month to month, year-to-date, etc. PREP balances your checkbook, reconciles bank statements, and monitors all expenses, income, and tax info — in as great or as little detail as you like.



Before PREP



After PREP cruise through the tax season.



Quality Software from U.S. Digital

#### Do it your way

A major problem with most home accounting programs is that once set up, it's nearly impossible to make changes. Yet most of us change our minds and have our own way of doing things. PREP let's you easily change anything you want, like a balance that's off by two-cents.

# Some Highlights of Revenue Enhancer:

- ✓ Menu-driven (using Sanyo 550/555 graphics)
- Extremely easy to use and follow
- ✓ Totally flexible easy to change anything
- ✓ Up to 250 expense/income categories
- ✔ Prints a variety of selected reports
- Runs in color or B&W automatically
- Handles checking, credit, & cash transactions
- ✓ Easygoing manual includes an income tax section

Pays for itself many times over ..... only \$59.95

#### U.S.DIGITAL

The combined enemy forces will try to drop bombs on you. The seventh wave is a repeat of the sixth, only quicker. If there is an eighth wave, it is undocumented and, to date, I'm not sure if anyone has ever gotten through the seventh.

MichTron has proven itself to be a real leader in marketing software specifically designed for the Sanyo 550/555. However, this time I feel that they were a bit lax in their packaging of Robounce. Within the documentation, MichTron states, "Because of the fast, competitive nature of this game, we highly recommend that you use a joystick".

Unfortunately, most of us never see the documentation for a product until after we purchase it. It can be very disappointing to get a game home, only to realize that before you can truly enjoy it you must invest another \$30 in a joystick.

Unlike the other games with dual control marketed by MichTron, the keyboard control of *Robounce* is truly awful. In addition to the cursor controls, the documentation states, "simply press any key and the game will start." The package I received to review didn't wait for any key to be pressed. After entering *Robounce* at the DOS prompt, the game loaded, the screen garbaged over and went into the demo mode. After a few seconds the screen garbaged again and then the game began with the first wave. After attaching the joystick, it went into the demo mode and waited patiently for me to press the fire button before starting.

Prior to getting the joystick, I recruited several kids (ages 7 to 15) from the neighborhood to help in my evaluation of *Robounce*. Each felt that the keyboard responses were too slow and appreciated the game much better after I attached the joystick. Although some of them were quite

good at playing Robounce, they never got past the seventh wave. The highest score recorded was 1,480 and I'm sure someone out there has topped it by now.

There are three function keys defined for game control:

pF1 will start the game and allow the player to reset a game that is already in progress.

pF2 will pause a game in progress; pressing it again will cause the game to resume.

will toggle the sound on or off.

PF3

The graphics, although childlike in appearance, are adequate and the sound effects are as good as it gets with the limited sound capabilities of the Sanyo 550/555. As for the joystick, if you're really into games you will probably already have one.

If it sounds like I'm somewhat less than excited about this game, then my tone has rung clearly. There are a few too many deficiencies in *Robounce* to recommend it very enthusiastically.

(MichTron, 576 S. Telegraph Rd., Pontiac, MI 48053, 313-334-5700, \$24.95)

-G.L. Swearingen

SYNERGISTIC	SOFTWARE
* MAGIC WINDOWS - A resident utility which allows convenient utilities to be run while using any program. Utilities include a calculator, notepad, ASCII table, phone book, and more. Requires 192K minimum memory. \$34.95	* GRAPHICS TOOLBOX - Allows point plotting, line drawing, boxes, circles, area fill, and more. Routines are callable from Turbo Pascal, MicroSoft Pascal & FORTRAN, Lattice & Desmet C, C86, and assembly. \$24.95
Requires 192K minimum memory. \$34.95  * SYNERSOUND - Add real sound to your SANYO. Great for games since this sound can work in background mode. Callable from Basic, Turbo Pascal, and Microsoft Pascal and FORTRAN. \$34.95	* PEHSONAL TOULBOX - A package of 3 popular pro- grams. A financial package providing ammorti- zation, present value, future value, and more. Also an appointment calendar and phone book for access to dates and phone numbers. \$24.95
* COMEDIT - This installable routine overides the DOS command editor and allows better editing and also allows you to recall your past 10 commands. Requires DOS 2.0 \$34.95	* BANNER TOOLBOX - A collection of the best banner programs. Allows for many different banner styles and is usable with any printer. \$24.95
* LOTUS BOARD SCREEN DUMP - This is the familiar screen dump utility with the added twist that it works with the LOTUS BOARD. Works with Epson and Gemini printers. \$34.95	* UTILITY TOOLBOX - A collection of DOS utilities including a file dumper, pattern searcher, WordStar converter and more. \$24.95
* INSTADISK - Fast RAM-DISK driver for the SANYO. Great for use with disk intensive programs such as WORDSTAR. Requires DOS 2.0 \$19.95	* PROGRAMMERS TOOLBOX - Actually writes C pro- rams for you. Useful in creating compilers, user interfaces, adventure games and more. Requires a C compiler for use. \$39.95
* PRINTSET - Menu driven program which allows the user to set the characteristics of an EPSON, Gemini or compatible printer. \$17.95	SYNERGISTIC SOFTWARE 1593 Valley Parkway Lewisville, TX 75067  Dealer Inquiries Invited

## SuperTax — Getting Ready For April 15<sup>th</sup>

I have long been curious about computer tax programs such as Rockware Data's SuperTax. It has now been translated to the Sanyo 550/555 series computer by Trans— San Industries, a company name which makes clear its role as translator, under license from Rockware. Consequently, I welcomed the opportunity to review such a program. For the record, I should mention that I have seen two other such programs: a TRS-80 program from CLOAD (now defunct) which was superb for the money (whole cassette, transferable to disk, with other programs, all for under \$5), and a review copy of a program submitted to SOFT SECTOR which I suggested might be too poor in quality to deserve a review! Hence, I have seen what is close to both ends of the spectrum. I mention this because all judgements people make deal not only with "Does it get the job done?" but are also in relation to what else is available, which is to say, by comparison.

The version that I reviewed was a beta test copy sent to SOFT SECTOR. It contained the programs for individuals;

# PERIPHERAL PRODUCTS DISTRIBUTING

 RS-232 interface for the MBC-550 at an unbeatable price. Top quality with full warranty.

\$49.00

 MEMORY chips for your Sanyo. 150ns 4164 chips.

4164 cnips.

Set of 8 (64k) 35.00

Set of 16 (128k) 65.00

Price each for 17 or more chips 3.95

• **NEW!** Battery backed-up real time clock for the MBC-550 series. Keep the correct date and time when the power is off. Not affected by disk I/O like the internal clock is. Includes software.

95.00

. HARD DISK DRIVES. Just the bare drives.

Shugart 712 - 10 meg half-height 695.00 Seagate 412 - 10 meg full-height 695.00 Seagate 425 - 20 meg full-height 895.00

Why should you buy from us?

- Same day shipping (when order rcvd by 2:00 mst)
- Free shipping via UPS ground
- No additional charge for MC, VISA or COD orders
- Overnight and 2 day air services available

# PERIPHERAL PRODUCTS DISTRIBUTING

P.O. BOX 11986 TUCSON, ARIZONA 85734 (602) 881-4280

Allow 18 days for personal checks AZ residents add 7% tax these are primarily for filling out Form 1040, but also for some of the major supporting schedules, such as 'A' for itemized deductions. It contained SuperTax1, the core program for tax planning and preparation, and SuperTax3, which is described as the business schedule program for those individuals with unincorporated businesses. SuperTax2, the tax return printing program, was not available at review time due to the need for incorporating last minute additions or changes in the 1984 tax law. Registered owners are to receive this update automatically when it becomes available. Updates for year-to-next, however, are not free and cost about half the price of the entire package. In any event, this review pertains only to 1984 SuperTax1, the most important part of the package anyway. A professional tax preparer's version should soon be available as well.

The package you receive consists of a program diskette with a manual of about 30 pages, plus some worksheets to allow you to plan what you input. The manual instructs you to transfer the files to a system disk which you create so as to be a self-booting disk (via an AUTDEXEC. BAT file). While I personally like this idea, unfortunately, it won't work if you have single-sided drives. In fact, even with a A-OK DOS, which allows me 180K (instead of 160K) per disk, I still could not create the disk to contain MS-DOS 1.25, BASIC, and all the SuperTax programs. You will either have to leave off the tax computation program, COMP.BAS, or else modify the program on Line 2270 to allow accessing a second drive (if you have one), or more likely, forget the automatic loading system disk, as attractive as it sounds - unless you have a double-sided drive.

I should add that initially there was some confusion about which computer is which in the Sanyo series. There is a file called READ.ME on the disk which summarizes how to transfer files to create a working disk. It confuses the Sanyo 550 with the 555-1 (or just 555). A single disk system is a 550, not a 555-1. The '1' or '2' designation refers to single- or double-sided drives, not the number of drives. However, the manual does contain the correct information.

Despite this minor setback, I proceeded to experiment with the program. It features some nice, basic graphics effects and a menu system for easy entry. The programs are in BASIC. Either you or the automatic batch file loads MENU (or MENU.BAS) and the rest is fairly easy and automatic. I found the manual almost unnecessary to use, as I chose to create a data file of tax information for 1984. The program does not seem to have any facility for calculating in case you have multiple sources of income; for example, having four part-time writing jobs, each with its own W-2 or 1099. These will have to be computed in advance on the worksheets or elsewhere. While most tax programs do not contain this information either, I wish they would.

As I entered data, I felt that the computer was not really being utilized as much more than a scratch pad. On the other hand, on subsequent uses, with the file already created, I did experience some delight at having all the data available for easy summary, printing or modification. This made it clear to me as to who should buy this program and who shouldn't — more in a moment. In doing all this, you discover that you can print to the screen or the printer. Unfortunately, in at least one instance, the computer will lock up if your printer is not ready. You

might have to turn on your printer even if you don't want a printout, or else reboot your system. This happened to me at one point when I chose, from the menu, "Summary of Return." If there were more instructions on this point, I must have missed them amidst the sea of rehashed tax information. The program and manual, though good, would be better with more on the use of the program and less on "how to do your taxes" type information. Qualitywise, despite this last suggestion, the manual was pretty good, although it contained several typos and misspellings; an entry in the table of contents was on a different page than indicated; there was an incorrect Sanyo editing instruction for listing (use the PF3 key and hit RETURN, not the PF3 key plus a space, as the manual has). These, however, are only minor detractions.

As for the performance of the software, I experienced the problem of the computer going crazy when it didn't find one of the programs which I could not fit on the disk. Several times this happened; other times, there was a graceful recovery which did show evidence of good error-checking, so the record is mixed on this. There are beeps to warn you of input errors and the like, but I personally

found them more annoying than helpful.

You can review your data easily, I should emphasize, but you cannot modify it during this review process. Modifying is a separate process. In going over my return for possible modification, I would have liked to be able to hit RETURN for numeric data if I wished to keep the same values. This is because the Sanyo, unlike a TRS-80, for instance, treats inputs with a reply of RETURN as indicating zero, rather than as a default of last value used. I would have liked to see a routine to allow this. It would mean more work, but I think a nice thing to have.

The program makes a nice printout of your results on either your screen or your printer. The tax computed for the estimated data I used checked with what the new tax tables show. However, the program does not include built-

in sales tax tables for those of us who itemize.

The real question remains: Who should use this program? In reviewing it, I find myself very ambivalent. On the one hand, if you have a certain amount of tax planning to do and your situation can change from month to month, it can be quite useful to recall previous data for review and modification. Likewise, I would expect the professional tax-preparer's version to be a great boon. On the other hand, if you are just filling out your taxes and are an average person (whatever that means!), then I think \$100 is a bit high to pay if you are not a well-to-do hobbyist or user. You should also bear in mind the question of system configuration (number of sides per drive, number of drives; also note that the program says you need 192K) to determine how well the program will function with your equipment. SuperTax has the potential to be useful for those with the need and the proper equipment to get their money's worth out of the purchase. In sum, SuperTax can be a curiosity-toy-fascination for a while, but whether or not you buy it should depend on its utility to you.

(Trans-San Industries, P.O. Box 2167, 1761 Edmund St., Simi Valley, CA 93062-2167, 805-526-1860 after 6 p.m. Pacific time, \$99 plus \$3 S/H for individual version, \$149 plus \$3 S/H for professional version; requires 192K)

- Michael Ecker

#### Software review

# Knobelspiel Generahl — Europe's Popular Dice Game For The Sanyo

Dice games have long been popular throughout the world and Wolfsangel Enterprises of Hatfield, Penn., has made one of Europe's most popular dice games, called Knobelspiel Generahl, available to Sanyo users. The program makes nice use of the Sanyo's BASIC graphics commands and comes with a full set of instructions, an ASCII version of the file to make changes and transportation of the program easier, and a well-written set of documentation. Also included on the disk is a demo program which uses a lot of the routines in Knobelspiel and several others to further demonstrate your Sanyo's graphics capabilities.

The program is designed for one to four players and is similar in some respects to Yahtzee, a game already familiar to many of us. I was disappointed that the program was sensitive to upper/lowercase input and found that lowercase input was required, even though uppercase letters were displayed on the screen. This bug should have been eliminated to accept either type of input from a player.

Because this is a BASIC program, its graphics are not, by any stretch of the imagination, as good as those of an assembly language program. Although it does offer young users the chance to exercise some basic math skills, it leaves quite a bit to be desired as far as holding my interest (and that of my 8 and 11-year-old children.

I am not a big proponent of computer versions of amusing games which do not fully utilize the capabilities of the machine on which they run. Although the author of this program did spend some time on the Sanyo's graphics, the documentation and demo files, the total package falls short of the caliber I have come to expect in a state-of-the-art program for a machine with the capabilities of the MBC-550/555.

To be completely fair, I'd have to admit that I am not a big proponent of games such as this anyway and so my perceptions would, of course, be colored by that fact. If you're really into dice games and the like, this may be the game for you. And after all, the price is quite low.

(Wolfsangel Enterprises, Y3-3 Hatfield Village, Hatfield, PA 19440, 215-362-8875, \$19.95)

- Bill Chang

REVIEWS

REVIEWS

\$-

# SOFT TALK



IN TRANSIT is Envoy, a fully menudriven telecommunications program just released by Artisoft, Inc. This program provides access to data net-

These products are currently available for the Sanyo 550 series of computers and will be reviewed in a future issue of SOFT SECTOR.

works, local electronic bulletin board systems and other micro, mini and mainframe systems.

In addition, Envoy features easy to use menus, terminal mode with large data capture buffer, autodial and autologin capabilities, XMODEM and ANSI X3.28 file transfer protocols, error free transfer of text and binary files, and requires less than 9K of disk space. The program's utilities menu lets the user erase, type, copy, rename and print files with a single keystroke. It also allows the display, creation and removal of subdirectories.

Envoy is currently available for \$49.95 from Artisoft, Inc., 2450 E. Speedway #4, Tucson, AZ 85719; (602) 327-4305.

EASY AS ABC. A new program, TERM 123 has been released by Level IV Products, Inc. This program is fully interrupt driven, supports 300 and 1200 Baud communication rates, has ASCII up/download functions, five pre-defined function keys, five user-definable function keys and its utility functions will save your terminal configurations and function key assignments to disk files for later recall.

TERM 123 is a full-featured, smart terminal emulation package for all Sanyo 550 series, 16-bit computer systems. It is fully prompted on the screen and is written for both new and experienced users.

TERM 123 is currently available for \$79.95 from Level IV Products, Inc., 28194 Schoolcraft Rd., Livonia MI 48150; (313) 525-6200.

ON ANOTHER LEVEL is Grafik, a Sanyo graphics program generator that creates full screen graphics programs and at the same time generates full BASIC code that can be saved to disc for use at a later time. Drawing can be accomplished with arrow keys or a joystick.

Grafik allows you to generate professional looking graphics with simple commands to draw lines, boxes, circles, ovals and to paint them as you wish. Text may also be mixed with your graphics. Your graphic creation is automatically saved to disk and may be edited or added to at a later date.

Grafik comes in two separate versions, one for keyboard control and one for joystick control. Both are currently available for \$49.95 each from Level IV Products, Inc., 28194 Schoolcraft Rd., Livonia, MI 48150; (313) 525-6200.

TAXTEMP, a tax template from I TH. Inc., is available just in time to help you utilize your Sanyo for tax preparation. Taxtemp works with CalcStar and contains Forms 1040, 1040A, 1040EZ, Schedules A, B, C, E, G, SE, 2441, 2106, 3903, 4562 and tax tables X, Y and Z. These templates are not integrated and operate separately by loading each template, hitting CONTROL-A and inserting data where the cursor stops.

#### CHRYSON COMPUTER

#### HARDWARE/PERIPHERALS

SANYO MBC-775, color portable (see 12/84 SOFT SECTOR review or write for details) . . . . . . . . . ...\$2145.00 VOLKSMODEM (SOFT SECTOR review 10/84) .....\$59.95 SIGNALMAN MARK VII ......\$109.95 MARK XII .....\$259.95 MI-TERM by MichTron . . . . . . . . . . . . . . \$67.95 MBC-RS232C Serial Board . . . . . . . . . \$75.00

PRINTERS/MONITORS	
PANASONIC, KXP-1090	
4K BUFFER for KXP series\$64.00	
PANASONIC, 1300-D monitor, 13", RGB/Composite modes (see SOFT SECTOR review in 9/84 issue)	
NEC, JC1460 model, color monitor, 14", Hi-Res\$359.00	
SANYO CRT-36 monitor	

#### **SPECIAL VALUES**

SURGE PROTECTORS, all the following are backed by a LIFETIME PERFORMANCE GUARANTEE FROM LLOYDS OF LONDON! LEMON™, 6 outlet direct wall plug-in . . . . LIME™, as above but with a 6-foot power cord and 15AMP breaker/on-off .....\$67.95 ORANGE™, same as LIME but a EMI-RFI filtering protection . SUG. RETAIL WAS \$139.95 NOW-YOUR COST . . . . . . . same as LIME but also adds TLS, Total Learning Systems training software packages for SANYO MS-DOS and TLS TUTOR for WORDSTAR TLS, diskette software teaches SANYO MS-DOS quickly and simply by on-screen tutorial . . . . . . . . \$33.95 TLS TUTOR for WORDSTAR lets you use actual WORDSTAR diskettes whill guiding you through each process by an audio cassetle based tutorial .... \$25.00 TLS TUTOR for CALCSTAR and INFOSTAR (\$60.00 value) ......\$ (Be sure to specify which DOS version in use when ordering.) .\$25.00

\*\*\*\* DISKETTES\*\*\*\* BRAND SS/DD DS/DD 3M 23 95 29 95

MAXELL 22.95 27.95 SENTINFI \* 22.95 27..95 CDC\*\* 18.95 21.95

\*SENTINEL are available in boxes of mixed colors, or all red, blue, yellow green or black — specify when ordering.

\*\*CDC diskettes are premium quality and are supplied in boxes of 12.

#### ACCESSORIES/MISCELLANEOUS

KEYBOARD COVER, HARD PLASTIC, SEE-THROUGH.... \$9.95 COMPUSERVE STARTER KIT, includes FIVE FREE HOURS of connect time, manual, 3-ring binder, User ID . . . \$32.95

Prices subject to change without notice. Supply limited on same items.

(Hardware, Printer, Monitor prices include extra charges for weight and insurance)

MASTERCARD/VISA WELCOME — NO ADDITIONAL COST SHIPPING/HANDLING — \$3.00 per order MICHTRON SOFTWARE . . . . . . . . . 15% off list

**CHRYSON COMPUTER** 

109 Lisa Drive

Brockton, Mass. 02402

(617) 587-4639

After the data is inserted, the computer will automatically recalculate each tax form and intermediate results can be obtained by hitting PFI to display the command prompt and recalculate it all.

Utilization of these tax templates will aid you in the preparation of your tax returns by allowing you to perform complex mathematical calculations and will save you time in preparing forms. It will eliminate mathematical errors, will allow you to calculate a variety of tax alternatives from which you can reduce your tax obligation, will allow you to incorporate any changes such as overlooked deductions that may result in increased benefits for you, and will help you to analyze various financial decisions that you must make throughout the year.

Taxtemp is currently available for \$29.95 with a 30-day, money back guarantee from I TH, Inc., Suite 411, 7700 Leesburg Pike, Falls Church, VA 22043; (703) 442-8330.

SUMMING IT UP is RJL Systems with two new software products — The Itemized Calculator and The Disk Calculator.

The Itemized Calculator is a multipurpose system that can be used to create and maintain shopping lists, price quotations, revenue and expense lists, stock portfolio lists, inventory lists, sales lists or any list that requires descriptions, quantities, prices, price extensions and totals.

The Disk Calculator is a software

product that operates like a desk-top calculator. It can perform all of the commonly used functions of a business calculator, as well as performing future value (compound interest) and present value (discounted cash) computations.

The Itemized Calculator is currently available for \$39 and The Disk Calculator is available for \$29. Both may be obtained from RJL Systems, 106 New Haven Avenue, Milford, CT 06460; (203) 878-0376.

TAX PREParation. This home accounting program is designed to minimize the hassle of keeping track of all expenses and income for taxpayers and budgeters. The Personal Revenue Enhancer Program (PREP) is completely menu driven and can handle up to 250 expense categories which you define.

PREP makes use of the Sanyo 550/ 555's graphics capabilities while it helps you to balance your checkbook, reconcile your bank statements and monitor all expenses, income and tax information in as great or as little detail as you like.

The Personal Revenue Enhancer Program (PREP) is currently available for \$59.95 from U.S. Digital Corporation, 3687-H.S.E. International Way, Portland, OR 97222; (503) 654-0668.

A WEALTH OF INFORMATION. A newly formed users' group in Canada has announced its intention to form a software exchange library to promote users programs being distributed among members of the group.

Additional product reviews and hardware advice will be published regularly to assist users in purchases and additional capabilities for their machines.

For further information about becoming a member of this users' group or about the software exchange library, contact: Sanyo Canadian Users Group, Eric Lillius, Box 210 Mountain Street, Haliburton, Ontario K0M 1S0 Canada; (705) 457-2774.

FAMILY PLANNING. A new comprehensive home finance budgeting tool from Pritchard Software is designed to help you keep your bills paid on time, to make wise investments and to keep your family on your own personalized budget.

The Home Expense Manager keeps track of all your income and expenses. Based on your personal criteria, it will tell you how much you should put into your savings account, invest into a stock plan, or even set aside today the amount you would need for a car insurance payment due months from now.

The Home Expense Manager requires 128K and a printer and is currently available for \$29.95 from Pritchard Software, 6316 Windham Place, Grand Blanc, MI 48439; (313) 695-3259



#### **BINARY TREE TECHNOLOGY**

(513) 879-4214 18 South Broad, FAIRBORN, OHIO 45324

C	OMPUTERS	
	(1 360K)CALI	
MBC 220-5	(2 360K)CALI	-

**WE NEED ORIGINAL SOFTWARE** IF YOU HAVE A PROGRAM WORTH MARKETING CALL

ACCESSORIES	
180K DRIVE	\$119
360K DRIVE	169
800K DRIVE	
8087 APU CHIP	
A,B,C,D,Drive Cable	.CALL
RS-232 + MODEM SOFTWA	RE 99
RS-232	59
64K MEMORY (150NS)	
128K MEMORY (150NS)	
JOYSTICK	
550 COMPUTER COVER	19
6' KEYBOARD CABLE	18
PRINTER CABLE	24
RGB CABLE	
AUTO DIAL/ANSW MODEN	
330 BAUD MODEM	
DUAL JOYSTICK ADAPTER	715

POWERTYPE (18 CPS LQ)	020
BLUECHIP 120CPS	100
RITEMAN 120CPS	. 199
CEMINI 10V	.269
GEMINI 10X	.249
SOFTWARE FOR SANYO	-
8088 ASSEMBLER TUTORIAL	\$30
SANYO BASIC TUTORIAL	40
MS DOS TUTORIAL	20
BINARY TREE FORTH	39
BIODHYTUM	99
BIORHYTHM	19
ASYNC (MODEM S/W)	49
AUVENTURE 1 (128K)	20
MAIL LIST HANDLER	30
SCHEEN DUMP	30
CP/M EMULATOR	20
GRAPHIUS PACKAGE	60
COPTLINK	SU.
PASCAL COMPILER	45
FORTRAN 87	200
DATA MANAGER	299
DATA MANAGER	39
CAVES OF CARACORROS	29
SEARCH FOR SHARDS	10

PRINTERS

#### **DEALER & DISTRIBUTOR INQUIRIES INVITED**

Please send cashier check or money order. Personal or company check, allow bank clearance. Visa/MC add 3%. Shipping and handling 3%. Restocking fee for all returned merchandise

# Taking A Swipe At Ambiguity

AROUSE YOUR DAISY WHEEL TO BACK UP AND STRIKE A BLOW FOR CLARITY

> By Danny Humphress Soft Sector Technical Editor

or accuracy and clarity, program listings that appear in SOFT SECTOR are printed directly from a Sanyo MBC-555 computer and a Sanyo PR-5500 daisy wheel printer. By printing programs this way, as opposed to transcribing the listing with a typesetter, the possibility for printing mistakes is eliminated.

It soon became apparent that, even though the quality of the daisy wheel print was exceptional, it was difficult to distinguish the number zero from the letter 'O'. This made it difficult for readers, especially those new to BASIC, to correctly key

in program listings from the magazine.

Traditionally, zeros are distinguished with a slash through the number, but this is not the norm on daisy wheel printers. We needed a program that would list BASIC programs and automatically backspace and put a slash through each zero. We also wanted to be able to print exactly 80 characters per line to match the width of the video display. Pauses for paper changes were added to allow us to use sheet paper. The program listed here was born from these needs.

If you have a Sanyo PR-5500 or 5000 printer, the program will run without modification. For other printers, you may need to change the print codes to the ones proper for your printer. The CHR\$(8) in Line 120 of the program is the proper backspace code for most printers, but if you have problems, refer to your printer manual for

the correct one.

For our listings, we use a special clay coated,  $8\frac{1}{2}$ - by 14-inch paper. Because of the paper length, the line count in program Line 160 is set for 70, causing the program to print this number of lines before pausing for a paper change. For shorter paper, change this value to 54 or whatever will fit nicely on the size of paper that you use. If you would like to remove the paper change feature completely, delete lines 150 to 190 and change Line 140 to read 140 LPRINT.

The program that you're printing must be saved in ASCII format. In fact, any ASCII file may be printed with this program if you desire the zeros to be slashed. To save a BASIC program in ASCII, load the program into BASIC with the LOAD command and save it with a ",A" (don't forget the comma) after the program name, such as SAVE 'filename', A. This stores the program on the disk in a format that is readable by the *Lister* program.

The program is a simple one that shouldn't cause anyone problems. However, if you have trouble finding the proper codes or would like some particular feature introduced into the program that you can't figure out, send a Xerox copy of the code page from your printer manual to us here at SOFT SECTOR and we will try to help you out.

#### The listing: LISTER. BAS 1Ø CLS:WIDTH 255:LINECOUNT=Ø 2Ø LINE INPUT"File to print: ";FS\$ 3Ø PRINT 40 LPRINT "Listing of ":FS\$:LPRINT 5Ø OPEN "I",1,FS\$ 6Ø LINE INPUT #1,A\$ 7Ø PRINT AS 80 BS=AS 9Ø IF LEN(B\$) >8Ø THEN B\$=LEFT\$(B\$,8Ø) 100 FOR J=1 TO LEN(B\$) 110 LPRINT MID\$ (B\$,J,1); IF MID\$(B\$,J,1)="Ø" THEN LPRINT CHR\$(8);"/"; 120 13Ø NEXT J 14Ø LPRINT:LINECOUNT=LINECOUNT+1 15Ø A\$=RIGHT\$ (A\$, LEN(A\$)-LEN(B\$)) 16Ø IF LINECOUNT<7Ø THEN 2ØØ 170 PRINT: PRINT" Insert new sheet of paper. Strike any key to continue." 18Ø K\$=INPUT\$(1):PRINT 19Ø LINECOUNT=Ø 200 IF LEN(A\$)>0 THEN 80 21Ø IF NOT(EOF(1)) THEN 6Ø 22Ø CLOSE

## **SOFT SECTOR**

#### Back Issue Availability

Back copies of many issues of SOFT SECTOR are still available.

All back issues sell for the single issue cover price. In addition, there is a \$1.25\* charge for the first ordered issue, and 50 cents for each additional issue, within the U.S., Canada and Mexico for postage and handling by United Parcel Service. UPS will not deliver to a post office box or to another country.

VISA, MasterCard and American Express accepted. Kentucky residents please add five percent state sales tax. We do not bill and no C.O.D. orders accepted.

We suggest you order back issues you want now while supplies last.

To order, just fill out the form on the next page and mail it with your payment to:

9529 U.S. Highway 42 P.O. Box 385 Prospect, KY 40059



AUG.	'84			
	84	PREMIER ISSUE	\$3.00	
SEP.	'84	(OUT OF STOCK)	\$3.00	
OCT.	'84	(OUT OF STOCK)	\$3.00	
NOV.	'84	(OUT OF STOCK)	\$3.00	
DEC.	'84		\$3.00	
JAN.	'85		\$3.00	
FEB.	'85		\$3.00	
		TOTAL	1000	17,
SHIF	PINC		Str.	
		ADD 5%		
	Т		17	
			200	
	NOV. DEC. JAN. FEB.	NOV. '84 DEC. '84 JAN. '85 FEB. '85 SHIPPING KY RE	NOV. '84 (OUT OF STOCK) DEC. '84 JAN. '85 FEB. '85	NOV. '84 (OUT OF STOCK) \$3.00 DEC. '84 \$3.00 JAN. '85 \$3.00 FEB. '85 \$3.00  TOTAL SHIPPING & HANDLING* KY RESIDENTS ONLY ADD 5% TOTAL AMOUNT

Please send me the following back

ADDRESS		
ADDITEO	Albania American	
CITY	STATE	ZIP
UISA MC AE	CARD#	
SIGNATURE		
EXPIRATION DATE		

#### Continued from Page 6

the way WordStar does a partial screen write and allows the program to take advantage of the built-in line editing in the Sanyo BIOS.

The author of the article is Richard Kruse. (From the "Letters to the Editor," January '85.)

John N. Logreco Los Angeles, CA

Editor's Note: To all who have written in asking about Mr. Kruse's patch, it was published in the November '84 issue of Microcomputing. Although we published a few corrections to the patch that appeared in the article, we are not able to reprint the entire patch. However, after you get a glance at WizStar, in this issue of SOFT SECTOR, you won't be disappointed for a moment.

#### TURBOCHARGER

#### Editor:

I have been using the INTEL 8087 math co-processor chip in my Sanyo 550 for more than six months without problems. The chip was purchased by mail order and I installed it myself, simply plugging it into the labeled socket on the Sanyo mother board. The primary use of my Sanyo is for scientific calculations, and here a large advantage in both speed and accuracy is realized when software which supports this 80-bit, number-crunching chip is used.

For example, the simple floating point test of repeatedly taking the square, square root, logarithm and exponent of a series of numbers (using Turbo Pascal with and without 8087 support), shows more than a 60-fold speed advantage for the 8087 chip. Furthermore, a substantial increase in accuracy with virtually no accumulation of

round-off errors is realized.

For applications where speed and accuracy in floating point calculations are important, the addition of an 8087 math co-processor chip provides an inexpensive way for a Sanyo 550 to take a large step toward minicomputer performance.

#### Result

x = 2.50000000000004E+003 5 seconds with the 8087 x = 2.4999999547E+03

5.5 minutes without the 8087

Paul M. Holland, Ph.D. Fairfield, OH

#### FLIGHTS OF FANTASY

Editor:

I have purchased the new Video RAM Board for my Sanyo with the understanding that many of the programs written for the IBM PC would run. Such things as Lotus 1-2-3 run very well, but many of the game programs written for the IBM PC still will not boot. For instance, Zaxxon, Flight Simulator, and King's Quest. Almost any self-booting game written for IBM PC DOS will not load into my Sanyo. Will this be fixed. Will the selfbooting IBM PC programs ever be able to run on my Sanyo?

Fr. William M. Kuba Bradford, PA Editor's Note: As we reported last month in this column, a keyboard patch, written by Tim Purves, is being made available by Sanyo which allows Flight Simulator to run on the 550/555 with the Video RAM Board installed. Instead of the formatted disk and \$5, however, Sanyo now says they would prefer to receive \$10 and no disk for the patch. Also, we understand that it is now being included on the RAM Board system disk.

The other self-booting games will probably always cause problems. We have not tried them and have no further information.

#### **BROWSING THE BOOKSHELF**

Editor:

On Page 40, "Book Review" (September '84), WordStar Made Easy appears to be a perfect solution to an easy method to learn WordStar. Please advise us as to where to purchase this book.

We are dealers in the telecommunications field and are about to enter the computer field. We will feature the Sanyo MBC-550 series. I am certain that your publication will be most helpful.

Ted Abrams Los Angeles, CA

Editor's Note: The information as we have it is *WordStar Made Easy*, by Walter A. Ettlin, 1982, Osborne/McGraw-Hill, 2600 10th St., Berkeley, CA 94710.

#### REVIEWING REVIEWS

Editor:

This letter will concern itself with the review of *Knobelspiel Generahl* which was sent to Wolfsangel Enterprises by SOFT SECTOR. Since the review was by no means a good one, of course we have to respond.

To begin with, we were severely disappointed with the short length and short shrift given our software by the reviewer. He did not hesitate to point out every fault he found, however minor, yet totally skipped over many of the programs better features. Judging by the normal sugary reviews which appear in SOFT SECTOR for games which are more expensive and less detailed, all we can say here is that the disappointment is great.

Let us start with the reviewer's first comment. He mentions that the program makes "nice use of Sanyo BASIC's graphics commands and comes with a full set of instructions, an ASCII version of the file to make changes and transportation of the program easier and a well-written set of documentation. Also included on the disk is a demo program which uses a lot of routines in *Knobelspiel* and several others to further demonstrate your Sanyo's graphics capabilities."

Also on our disk is an Easy Writer file of our five-page instruction booklet so that home users can make extra copies of the documentation. The fact that all of these

Continued on Page 92



# Doom-Quest

Tired of text adventures? This colorful graphic adventure contains over 60 slides of hi-res graphics! Can you defeat the evil gork? Use your wits to travel through the adventure and recover the gems! Fast moving entertainment for the entire family. Double-sided drive required.

1-800-55GRAPH

206-839-6811



Call today for our complete line of Sanyo Products

Send cashier check, money order, personal company checks allow 3 weeks bank clearance. VISA Master Card accepted. Provide prone number with order. Prices are for cash. VISA and Master Card add 3° introfructs.

#### DS-DOS PLUS 2.11 by Tim Purves

80 track drives, 10 sector formats, 512K memory, and IBM graphics are only a few of the exciting features exclusively in DS-DOS PLUS 2.11. This MS-DOS upgrade is specifically designed to support 80 track drives on your Sanyo. In addition, it allows for 10 sector formats on both 40 and 80 track drives (single or double sided). And that's not all; not only does DS-DOS support the new SANYO VIDEO RAM BOARD, but makes switching between normal graphics mode and IBM graphics a breeze. A single DOS command toggles between the two modes instantly. And for versatility, DS-DOS is unsurpassed; it can control any combination of 40 and 80 track drives, read or write 8, 9, and 10 sector formats on 40 track drives, handle up to 512K memory, and even remember the date on reset. An extra 11 utilities help you use your system better, and include new DISKCOPY and FORMAT routines, rewritten to be super-fast and superfriendly through menu-driven operation. Don't settle for a DOS that's just "OK." Take a closer look at DS-DOS 2.11: the one that set the standard time and time again.

Requires MS-DOS 2.11

\$49.95

#### MI-TERM by J. Weaver Jr.

# NO other communications program for the MBC-550/555 can make THESE statements:

SIMPLE TO USE: NOTHING to memorize. Every command is accessed with function keys, and is on-screen in plain English AT ALL TIMES.

NO LONG WAITS: NO overlay loading - the entire program is only 13K long! Menus are concisely written on a single line.

9 TRANSFER MODES: transfer files direct from disk with ANY remote system. Supports XMODEM and DFT (SDT) protocols for error-free communication. Also includes the new SXX format - send binary files as electronic mail messages, with 2 levels of checksums, extraneous character trapping, even embedded comments!

SIMPLE AUTOLOGONS: typing "MITERM" from DOS can automatically load your presets, open a disk buffer, and autolog onto your favorite system, with NO ADDITIONAL KEYSTROKES!

DIRECT SUPPORT: call the author directly with your questions!

128K DISK (RS-232 Modem/Port required)

Of course, MI-TERM is written entirely in super-fast 8088 machine language exclusively for the Sanyo 550/555, and has one-key printer, echo, linefeed and buffer toggles, 15 definable preset keys, automatic buffer save to disk, on-line parameter changes, 9600 baud support, screen color options, directories, file deletion, XON/XOFF support, and much more.

SET YOUR COMPUTER FREE FOR ONLY

\$79.95

#### M-DISK

Give your system the extra power you need! Great things come in small packages: M-DISK contains one ultra-miniature. super-fast, diamond-tough PHANTOM DISK DRIVE with built in disk! And not only is the afore-mentioned product miraculously disquised as a floppy disk, but it's a great value since other disk drives cost over \$300! M-DISK's talents stem from one fact: it is not a mechanical device! It's a software program that sets up a memory duplicate of a hardware drive. It then makes DOS treat this "phantom drive" as the real thing. The result is that you get the equivalent of fast and infinitely durable! Programs that use a lot of disk accessing (such as word processors) run as fast as continuous files! M-DISK now takes advantage of MS-DOS 2.11's special device drivers to let it run on virtually every MS-DOS machine we've tested. Time is Money. M-DISK can save you a lot of BOTH!

192K Sanyo 550/555 required \$34.95



#### **CALENDAR** by Jon Kring

This daily planning and memo program will help you remember those important dates and meetings! CALENDAR features a dual display window with one side devoted to a monthly calendar, and the other containing your personal notes and memos. This menu-driven program even included helpful search and scan functions which let you locate any date instantly! CALENDAR is perfect as an appointment book, diary, or for anyone who has trouble remembering those special dates.

128K Sanyo 550/555 required

\$24.95





576 S. Telegraph Pontiac MI. 48053

Orders and Information (313) 334-5700



#### **CORNERMAN** by J. Weaver Jr.

Tired of wrestling with a sloppy desk littered with notepad, calendar, address book, calculator, et cetera ...? Presenting CORNERMAN, the perfect ringside manager. CORNERMAN waits in memory while you use other programs, such as word processors, utilities, and even games! Then when you need to make a calculation or leave a note, CORNERMAN is instantly at your side. With a single keystroke the program appears! CORNERMAN will leave notes for you, do mathematical problems (including conversions between decimal, HEX, and binary!), instantly recall names and phone numbers (even dial for you!), and much more. Once you've finished with CORNERMAN, He quickly departs, putting you back into your program without disturbing a single item. While Sidekick (tm) works fine on the PC's, it doesn't help your Sanyo at all. Hire the perfect ringside manager; put CORNERMAN on your side today!

128K Sanyo 550/555 required

\$39.95

With income tax time at hand, CalcStar can make it just a little easier to give Uncle Sam his due.

# Printing Tax Forms With CalcStar

By Randolph Mateer

The spreadsheet is probably the most misunderstood and neglected of all computer software. This is unfortunate, since it is also a very powerful and useful program. It has been compared to a hard ledger where columns of data are entered to be totaled, but this is a very naive description. CalcStar, with its simple shorthand notation for performing numerous operations on single entries as well as entire columns, goes far beyond this. In fact, this shorthand notation can be considered a programming language. and one that is easier to learn and use than even BASIC.

A spreadsheet also provides a chance for the novice to get hands-on computer experience while gaining more advanced computer knowledge. I am certain that if you learn the basics of *CalcStar*, you will continue to use it long after you

(Randolph Mateer has two degrees in chemistry and is a freelance writer specializing in how-to articles. His work has been published in woodworking, photographic, outdoor, and now computer magazines. He may be contacted at 20524 Gardendale, Detroit, MI 48221.)

have become an expert with your computer.

#### **Formatting Templates**

The most difficult part of working with CalcStar is learning how to format templates. These are spreadsheet displays that contain all the necessary row and column formatting, as well as the imbedded instructions or equations for treating data. The template has no data, but accepts that entered by the user and performs the imbedded operations on command. Screen formatting of templates is important since the printout will be an exact replica of the screen display.

CalcStar is ideal for working with standard forms. In order to do this it is necessary to understand the basics of formatting, since spacing and alignment are critical when working with preprinted forms. As an example of this, I am going to show how CalcStar can be used to print both sides of a standard 1040 IRS form in addition to performing all the needed calculations.

During the discussion, refer to Figures 1 and 2 at the end of the article, which are printouts of the actual templates telling what entries are made in each cell. These printouts were obtained by using CSDUMP, a utility program found on your CalcStar disk. Dumps are very useful for debugging a template or for typing in the template from scratch. It is also possible to dump the template into Wordstar format for editing. The final Wordstar file cannot be loaded again by CalcStar.

The entire discussion deals with 10pitch printing, or 10 characters per horizontal inch. Once you understand the ideas of formatting, it is a simple procedure to adapt these to other print pitches.

The two topics governing formatting and printing are column width and printer or output width. Column width is initially fixed by *CalcStar*, the default being 10 characters per column. This can be varied from three to 63 characters.

Numeric data is always right justified. This means it will appear to the right of a column both on the screen and on the printout. The width of a column determines the right-hand margin of the next column of numbers to the left. Complicating matters slightly is the fact that CalcStar automatically inserts spaces between the columns. It inserts a space to the left of each column and another to the right of the last column. These spaces are to insure spacing between columns even if you should fill them entirely with data.

To explain this further, let's consider a spreadsheet template with only two columns, each with a width of 35 characters. Since 35 represents 3½ inches at 10 pitch, this will be the width of column B. In addition, we must allow room for the space inserted by CalcStar. Each character requires less than ½ inch of space. Therefore, the right print line of column A will be slightly less than 3½ inches from the right print line of column B.

Printer or output width determines the horizontal placement of the printout on your paper. You are asked to enter printer width during the series of prompts leading to the print sequence. The default value is 132 and is used for printing on 14-inch wide paper.

The Sanyo manual tells you to use a printer width of 80 with 8½-inch wide paper. This is the sum of the maximum characters per line (total column width) and the automatically inserted spaces.

Printer width tells CalcStar how large a left margin to leave before it begins printing. The total column width determines the actual size of both left and right margins. With a printer width of 80, it will accept a maximum number of characters, or total column width, of 71. The difference between these two figures is again due to the inserted

If there are too many characters to print on one line, CalcStar will print in segments. It does this by printing as much data as can be centered on the first page and then rolling another sheet of paper into the printer. The final columns are printed on the second sheet with row numbers listed at the far left. If printing is being carried out in segments, a message appears on the

By increasing printer width, the printout will be moved to the right. This is because you are telling CalcStar you are using wider paper and it should increase its left margin. Changing printer width from 80 to 82 would move the printout one character to the right (one character is placed on the left and one on the right). To move the printout 1/2 inch to the right would require increasing the printer width by 10.

Let me sum all this up. If you keep the total column width constant, the printer width determines the far right print margin. The width of each column determines the right print margin of the next column to the left. These are the secrets to formatting a standard form printout.

#### IRS Form 1040 — Front

vovernment tax forms are about Geight inches wide. Fortunately, each CalcStar print line corresponds exactly to a line on the tax form. If you align the left edge of the paper with zero on the printer bail, format to a total column width of 72 characters and use a printer width of 82, the last column will print approximately 3/8 inch from the right edge of the form. This aligns the decimal point of dollar far right column of a 1040 form.

If this doesn't work out exactly for you, change the printer width or move the paper to the right or left in the printer. This last technique is also used for fine adjustment.

I have not attempted to format of 10 when it saves the template. printouts for the top front of the 1040

form. This requires three additional templates, one for the name and address lines, another for lines 1 through 5 and a final one for line 6.

I have used five columns to format the printout for the front of the 1040 form. Actually, four would have been sufficient, but I wanted to bring up several points about this later.

Since the right-hand print line is already set by the total column and printer widths, we have to adjust the width of column E to set the right print line of column D. To do this, take a 1040 form and measure the distance from the vertical line separating dollars and cents in the far right column to the vertical line in lines 9b, 17a, 20a, 21a, or 24 to 30.

You'll find this distance to be 11/2 inches. This corresponds to a total of 15 characters. Subtracting the space inserted by CalcStar means the width of column E has to be 14 characters.

Measure the distance between the vertical lines in lines 9a and 9b. This is another 15% inches, or 16 characters. Therefore, column D must also be formatted to a width of 15.

Finally, extend the vertical line in 9a to the bottom of the page and measure the distance from it to the vertical line in line 26b. This distance is 1/8 inch, or a total of seven characters. Again substracting the inserted space means that the width of column C has to be six

The total width of the three formatted columns is 35. Since we know the total width of the template must be 72, columns A and B must have a combined width of 37. You can format these columns to any width totaling this number or you can delete column A and format B to 37. Either way will give the proper printout. You will see this when we format the back of the 1040 form.

This method insures correct spacing between columns. If alignment is not quite correct when you print the form, you should only have to move the paper right or left in the printer. I opted for this method rather than change printer width.

amounts with the vertical line in the You will notice I have used rows 1 and 2 for naming the template and for entering a repeating text. It is important that you have some data such as this in any column that is used entirely for spacing. If you don't, CalcStar will format that column to the default value

I have also added another column to

the right that is used to number each line on the template with the corresponding line from the 1040 form. You could, in addition, widen this column and add a few words indicating the data to be entered, such as "wages" or "interest income." To enter these line numbers, it is necessary to type "/R" before each of them. This tells CalcStar you are entering text rather than numeric data. If you don't do this, the line numbers will be considered numeric data and CalcStar will get upset when it sees a letter following a piece of numeric data.

When you have numbered the lines, enter the equations and form flags from the dump. Form flags are set in each cell where an 'F' appears in Figure 1. The "0.0000" appearing in cells, such as E6 and E25, are placed there by CalcStar and not entered with the keyboard.

As soon as you are finished, save the template to disk file. For this purpose I usually use the extension name .TEM. By getting into the habit of saving your templates before using them, you will save yourself the trouble of possibly having to make deletions later in order to enter new data.

#### IRS Form 1040 — Back

The back of the 1040 form is much Leasier to format while the necessary equations become slightly more complicated. You have to use conditional statements to permit more flexibility in the spreadsheet.

CalcStar conditional statements are the same as those in BASIC. They take the form IF, THEN or IF, THEN. ELSE. In other words, IF the statement is correct, THEN perform the first operation, ELSE perform the second operation. The IF AND IF and IF OR IF statements are also recognized by CalcStar, and although I have not used them for the 1040 form, they are needed for some of the other tax forms.

The conditional statements appear in cells C10 (line 35), C25 (line 46), C30 (line 50), C48 (line 65), and C52 (line

The instructions in cell C10 tell CalcStar to check line 34a to see if the entry is zero. IF it is, THEN line 34b is subtracted from line 33, ELSE line 34a is subtracted from line 33. The ELSE operation is carried out only if line 34a is not zero.

Since line 50 can't be less than zero, another conditional statement is used to check this before subtracting line 49 from line 46.

Finally, the statements in cells C48 and C52 determine whether you are due a refund or owe taxes. If total payments are larger than total taxes, then line 56 is subtracted from line 64 and the result placed on line 65. In the sad event total

taxes are larger than total payments, line 64 is subtracted from line 56 and the difference placed on line 68. The double quotes ("") following several of these conditional statements tells CalcStar not to print anything.

I have not used CalcStar to calculate actual taxes, since this will require

personalization for your tax bracket. You can either add this or use the spreadsheet to calculate taxable income and then enter the correct amount from the tax tables and recalculate the spreadsheet a second time.

The back of Form 1040 is formatted with three columns. You will notice I have again used rows 1 and 2. Cell C1 is the first cell flagged and allows you to enter the number of dependents so the entry for line 36 can be automatically calculated. A zero has been entered in C1 from the keyboard, so the initial result in C12 does not appear as '!n!'. I have not formatted the boxes in lines 34a, 38 or 39, since these require only an 'x' in the appropriate place.

Using the same measuring procedure, you find the distance between the vertical lines in lines 48 and 47 is 1½ inches, or 15 characters. This means the width of column C must be 14. Subtracting this number from the total column width of 72 leaves 58 for the widths of columns A and B. In order to enter text in A1 and B1, I formatted A to 38 and B to 20.

After typing in the equations from Figure 2, save the template to a disk file.

#### Checking And Printing The Finished Form

To test either of these spreadsheets, use a medium weight paper for a printout. This can be placed behind a blank 1040 form to check for horizontal alignment.

As soon as the proper template is loaded, move the cursor to the right until the 1040 line numbers appear on the screen. Go to automatic form mode by typing ";A" and the cursor will move to the first flagged cell. Each time you hit RETURN to enter data, the cursor will move to the next flagged cell. Pressing RETURN after entering data into the last cell causes CalcStar to begin recalculating the spreadsheet.

If you do not need to enter data onto every line of the tax form, you can either leave that cell blank by pressing RETURN or enter a zero. In the former case, CalcStar will make all calculations and not print on those lines where data was not entered. If you enter zeros, they will be printed on the form. I understand the IRS likes to see the completed forms filled with zeros, so you might take a little extra time to make someone in Washington happy.

This done, save the finished spread-

```
Figure 1: CalcStar File FRT1040, CSD.
Position Al Width 29 Type:
                            Text (Left justified) :Form 1040 Front
Position D1 Width 15 Type:
                            Text (Left justified) :Paper Width 82
Position A2 Width 29 Type:
                            Text (Repeating)
                                                  :-
Position B2 Width 8 Type:
                            Text (Repeating)
Position C2 Width 6 Type:
                            Text
                                (Repeating)
Position D2 Width 15 Type:
                            Text (Repeating)
                                                  . -
Position E2 Width 14 Type:
                            Text (Repeating)
Position F2 Width 8 Type:
                            Text (Repeating)
Position E3 Width 14 Type:F
Position F3 Width 8 Type: Text (Right justified):7
Position E4 Width 14 Type:F
Position F4 Width 8 Type: Text (Right justified):8
Position C5 Width 6 Type:F
Position D5 Width 15 Type:F
Position F5 Width 8 Type: Text (Right justified):9a,9b
Position E6 Width 14 Type:
                            Numeric :+C5-D5 =
                                                    0.0000
Position F6 Width 8 Type:
                            Text (Right justified):9c
Position E8 Width 14 Type:F
Position F8 Width 8 Type: Text (Right justified):10
Position E9 Width 14 Type:F
Position F9 Width 8 Type: Text (Right justified):11
Position BlØ Width 14 Type:F
Position FlØ Width 8 Type:
                             Text (Right justified):12
Position Ell Width 14 Type:F
Position Fl1 Width 8 Type:
                             Text (Right justified):13
 Position E12 Width 14 Type:F
Position F12 Width 8 Type:
                             Text (Right justified):14
Position El3 Width 14 Type:F
Position F13 Width 8 Type: Text (Right justified):15
 Position El4 Width 14 Type:F
 Position Fl4 Width 8 Type:
                             Text (Right justified):16
 Position D15 Width 15 Type:F
 Position F15 Width 8 Type: Text (Right justified):17a
 Position E16 Width 14 Type:F
 Position F16 Width 8 Type:
                             Text (Right justified):17b
 Position E17 Width 14 Type:F
 Position F17 Width 8 Type: Text (Right justified):18
 Position E18 Width 14 Type:F
                              Text (Right justified):19
 Position F18 Width 8 Type:
 Position D19 Width 15 Type:F
                              Text (Right justified):20a
 Position F19 Width 8 Type:
 Position E2Ø Width 14 Type:F
 Position F2Ø Width 8 Type:
                              Text (Right justified):20b
 Position D21 Width 15 Type:F
 Position F21 Width 8 Type:
                              Text (Right justified):21a
 Position E22 Width 14 Type:F
  Position F22 Width 8 Type:
                              Text (Right justified):21b
  Position F24 Width 8 Type:
                              Text (Right justified):22
  Position E25 Width 14 Type:
                              Numeric :+sum(E3>E24)+D15+D19 =
                                                                    Ø.ØØØØ
                              Text (Right justified):23
  Position F25 Width 8 Type:
  Position D26 Width 15 Type:F
  Position F26 Width 8 Type: Text (Right justified):24
  Position D27 Width 15 Type:F
  Position F27 Width 8 Type: Text (Right justified):25
  Position D28 Width 15 Type:F
  Position F28 Width 8 Type: Text (Right justified):26a
  Position B3Ø Width 8 Type:F
  Position D31 Width 15 Type:F
  Position F31 Width 8 Type:
                              Text (Right justified):27
  Position D32 Width 15 Type:F
  Position F32 Width 8 Type: Text (Right justified):28
  Position D33 Width 15 Type:F
  Position F33 Width 8 Type: Text (Right justified):29
  Position D34 Width 15 Type:F
  Position F34 Width 8 Type: Text (Right justified):30
                               Numeric :+sum(D26>D34)+B29 =
                                                                 Ø.ØØØØ
  Position E35 Width 14 Type:
  Position F35 Width 8 Type:
                               Text (Right justified):31
  Position E37 Width 14 Type:
                               Numeric :+E25-E35 =
                               Text (Right justified):32
  Position F37 Width 8 Type:
```

#### Figure 2: CalcStar File BK1040.CSD. Position Al Width 38 Type: Text (Left justified) :Form 1040 Back Paper Width Position Bl Width 20 Type: Text (Left justified) :No. of Dependents Position Cl Width 14 Type:F Numeric : = 0.0000 Position A2 Width 38 Type: Text (Repeating) .-Position B2 Width 20 Type: Text (Repeating) 1800 Position C2 Width 14 Type: Text (Repeating) :-Position D2 Width & Type: Text (Repeating) Position C3 Width 14 Type:F Position D3 Width 8 Type: Text (Right justified):33 Position C4 Width 14 Type:F Position D4 Width 8 Type: Text (Right justified): 34a Position C9 Width 14 Type:F Position D9 Width 8 Type: Text (Right justified):34b Position ClØ Width 14 Type: Numeric :+C4=Ø:+C3-C9:+C3-C4 = 0.0000 Position D1Ø Width 8 Type: Text (Right justified):35 Position Cll Width 14 Type: Numeric :+1000\*C1 = Ø.ØØØØ Position D11 Width 8 Type: Text (Right justified):36 Position C12 Width 14 Type: Numeric :+C1Ø-C11 = Ø. ØØØØ Position D12 Width 8 Type: Text (Right justified):37 Position C14 Width 14 Type:F Position D14 Width 8 Type: Text (Right justified):38 Position C16 Width 14 Type:F Position D16 Width 8 Type: Text (Right justified):39 Position C18 Width 14 Type: Numeric :+C14+C16 = 0.0000 Position D18 Width 8 Type: Text (Right justified):40 Position B19 Width 20 Type:F Position D19 Width 8 Type: Text (Right justified):41 Position B21 Width 20 Type:F Position D21 Width 8 Type: Text (Right justified):42 Position B22 Width 20 Type:F Position D22 Width 8 Type: Text (Right justified):43 Position B23 Width 20 Type:F Position D23 Width 8 Type: Text (Right justified):44 Position C24 Width 14 Type: Numeric :+sum(B19>B23) = Ø.ØØØØ Position D24 Width 8 Type: Text (Right justified):45 Position C25 Width 14 Type: Numeric :+C18>C24:+C18-C24 = 0.0000 Position D25 Width 8 Type: Text (Right justified):46 Position B26 Width 20 Type:F Position D26 Width 8 Type: Text (Right justified):47 Position B28 Width 20 Type;F Position D28 Width 8 Type: Text (Right justified):48 Position C29 Width 14 Type: Numeric :+B26+B28 = 0.0000 Position D29 Width 8 Type: Text (Right justified):49 Numeric :+C25>C29:+C25-C29 = Position C3Ø Width 14 Type: 0.0000 Position D3Ø Width 8 Type: Text (Right justified):50 Position C31 Width 14 Type:F Position D31 Width 8 Type: Text (Right justified):51 Position C32 Width 14 Type:F Position D32 Width 8 Type: Text (Right justified):52 Position C33 Width 14 Type:F Position D33 Width 8 Type: Text (Right justified):53 Position C34 Width 14 Type:F Position D34 Width 8 Type: Text (Right justified):54 Position C35 Width 14 Type:F Position D35 Width 8 Type: Text (Right justified):55 Position C37 Width 14 Type: Numeric :+sum(C3 $\emptyset$ >C35) = 0.0000 Position D37 Width 8 Type: Text (Right justified):56 Position B38 Width 20 Type:F Position D38 Width 8 Type: Text (Right justified):57 Position B39 Width 20 Type:F Position D39 Width 8 Type: Text (Right justified):58 Position B4Ø Width 2Ø Type:F Position D4Ø Width 8 Type: Text (Right justified):59 Position B41 Width 20 Type:F Position D41 Width 8 Type: Text (Right justified):60 Position B43 Width 20 Type:F Position D43 Width 8 Type: Text (Right justified):61 Position B44 Width 20 Type:F Position D44 Width 8 Type: Text (Right justified):62 Position B45 Width 20 Type:F Position D45 Width 8 Type: Text (Right justified):63 Position C47 Width 14 Type: Numeric :+sum(B38>B45) = 0.0000 Position D47 Width 8 Type: Text (Right justified):64 Position C48 Width 14 Type: Numeric :+C47>C37:+C47-C37:"" = "" Position D48 Width 8 Type: Text (Right justified):65 Position C49 Width 14 Type: Numeric :+C48 = 0.0000 Text (Right justified):66 Position D49 Width 8 Type: Position D5Ø Width 8 Type: Text (Right justified):67 Position C52 Width 14 Type: Numeric :+C37>C47:+C37-C47:"" = "" Position D52 Width 8 Type: Text (Right justified):68

sheet to a disk file using a different filename. During the prompts leading to the print sequence, you have to instruct *CalcStar* to begin printing at cell A3 and to end printing at the column to the left of the one containing Form 1040 line numbers (E37 for the front and C52 for the back). In both cases, the printer width is 82.

When the computer asks if you want to "fix ordinates (y,n)," answer no by hitting ENTER

When you finally make a printout onto a 1040 form, you have to remember that *CalcStar* scrolls down one line before beginning to print. This means you have to align the printer one line above the first line to be printed on the form.

In my case I have found that for both front and back, I have to align the right side of the paper with the number 82 on my printer bail. For the front of the form, I move the paper slightly more than one line above line 7 and for the back, exactly one line above line 33.


#### Discussion

Any of the common tax forms can be formatted in the same way used for the 1040. You can use a maximum of seven columns, with a total width of 72 and a printer width of 82.

Once you have formatted your IRS tax forms, you might want to look into the possibility of setting up tax record files. These could cover any area that you currently keep data for income tax purposes. If the data files are formatted properly, they can be merged onto the appropriate tax form and data transferred directly to the tax form spreadsheet. This eliminates the need to type in data. Not only would this save a great deal of time, but it would limit the possibility of errors. Depending upon the size of your data files, this might require more than 128K of RAM.

I think you can see how useful CalcStar is. Calculating and printing tax forms is just one of the many things you can have it do. In fact, any BASIC program for data entry can be formatted and carried out with CalcStar. In addition, this can be done in a shorter time than necessary to write and debug a standard program.

CalcStar is not nearly as fast as BASIC, nor does it have the versatility, but it is quick and simple. As I said earlier, I think you'll continue to use CalcStar long after you've become an expert with your computer.



#### SUPER SYSTEM 800-2 for Sanyo MBC 550

Will Run The Sanyo Video Board

#### \$1395.00 Complete

**Hardware Features:** 

Operates as a standard 555-2 with two 360K drives

Runs copy protected software, such as Michtron's Demon Seed and Cash Man

Works with Sanyo's New Video Graphics Board

Runs both MS-DOS 1.25 and MS-DOS 2.11 operating systems

Flip a switch and run your Super Sanyo System with dual 811K drives

#### Sanyo Software:

Wordstar, Easywriter, Calcstar, Sanyo Basic, MS-DOS 1.25, MS-DOS 2.11

EasyPac or StarPac (optional)

#### **Software Features:**

100% disk compatibility across MS-DOS and PC-DOS, including ability to read, write and format disks from many computers including the IBM PC, the DEC Rainbow, and Tandy 2000

Built-in RAM disk program offering disk access which is hundreds of times faster than floppies

SortDir program to alphabetize and sort the large directories that these drives can hold

ASCII Screen Dump program

Calendar Program, a personal datebook which displays a two-month calendar on the screen

Certificate to purchase a top-selling data base, Personal Pearl, for only \$99.95, a savings of \$200.00. Personal Pearl is a product of Pearlsoft, Inc.

PLUS

Clock/Calendar Board (\$139.95 Value)

Plus

256K of Memory (\$120 Value)

Plus

Video Display Monitor (\$125.00 Value)

18 Dog Lane • Storrs, CT 06268

(203) 928-6555 or (203) 928-3654

#### Continued from page 86

"niceties" are included at the price of \$19.95 should have been mentioned. In fact, the price is one of our selling points and the main reason we feel Knobelspiel Generahl is such a value. The reviewer also neglects to fully point out that one can play against the computer or any combination of up to four players. True, he does quickly state that it is designed for "one to four players," but he does not explain how he felt the computer vs. player version handled its strategy, whether it was a worthy opponent, and whether or not the repartee that the computer engaged in was, in fact, engaging. These were all strong points that we feel should be given coverage.

Now for the reviewer's two complaints. First he says, "I was disappointed in that the program was sensitive to upper/ lowercase input and found that lowercase input was required even though uppercase letters were displayed on the screen." In the game's documentation and in the user prompts, it is stated many times: "When the computer asks for a player's name, type it in capital letters, and while the game is being played, type all choices in lowercase." The reason for this is that the names appear on the screen throughout the game and with the manner in which the programmer sets up the screen, uppercase names look more impressive. After the player's name is entered, the only other input required during the play of the game is either the letters a, b, c, ab, ac, bc, abc, or O. For the convience of the players, the programmer made these entries to be inputted in lowercase. Who wants to hit the SHIFT key every time? And is it that much trouble to toggle the SHIFT LOCK key so that your entries are in lowercase? It is truly puzzling that this system of input would be called a bug by the reviewer, and when he savs "lowercase input was required even though uppercase letters were displayed," I can only wonder what game he was playing, because it certainly wasn't Knobelspiel Generahl.

How nice of the reviewer to admit that, since he doesn't care for games of this genre anyway, he found it difficult to be totally objective. At \$19.95, Wolfsangel never made claims in its ads for "state of the art"; indeed, because we readily admit it is not "SOA," we charge a price well-below the standard price of such SOA releases. The price of \$19.95, when taken into account with the aforementioned "niceties" (flawless and understandable documentation, an ASCII version of the files for experimentation and transportation, a demo program which many dealers are presently displaying in their showrooms, and an Easy Writer file so that extra booklets can be printed by the end user) make Knobelspiel Generahl a good value at a good price, and this is all we've ever claimed. At a price that one usually pays for bug-laden public domain software with no graphics, Wolfsangel Enterprises offers a feature-laden entertainment/educational program which is not copy-protected and can be used as a great learning tool for both budding programmers and those who wish to glean better command

of Sanyo BASIC graphics. If this is not state of the art and is lacking because it is not written in machine language, so be it.

In conclusion, allow me to make this final defense of *Knobelspiel Generahl*: It has been a popular European pastime for well over a century. Just as some people would be bored by chess or checkers, this does not mean those are bad games. We close with the following comments:

1) JB Computers of Fremont, Calif.: "We appreciate your sending our last request so quickly. We have decided to use your game as our free giveaway incentive with our Sanyo Package."

2) Cal Lindell, president of Sanyo PC Hackers/International: "... excellent game ... (You) certainly spent a lot

of time on graphics!"

3) Other dealers from which we have yet to hear a complaint: Proto PC of Minneapolis, Minn.; TWK of Tunkhannock, Penn.; Crown Computers of Hatfield, Penn.; Creative Computer Corp. of Poway, Calif.; and Eastside Electronics of Redmond, Wash. And many individual end users from which we have never heard a complaint or had a return.

Unfortunately, much of what I have written will fall on deaf ears, human nature being what it is. After all, as publisher of Knobelspiel Generahl I am going to defend it against bad reviews, and I'm afraid the outsider will say "Ah, methinks he protesteth too much!" Therefore, since it is well-nigh impossible to defend a piece of software after it has been panned, I must insist that you either give the program to a new reviewer, or don't bother publishing the review at all.

Robert Kvinnesland Wolfsangel Enterprises Hatfield, PA

Editor:

This letter is in response to the review of SDT (Sanyo Direct Transfer). The review was in the January issue of SOFT SECTOR [1985, Page 78].

The reviewers claim that "SDT is not without flaws," and that messages could not be erased from the screen. Had either [of the reviewers] contacted us about this "flaw," we would have been able to correct the situation for them. The flaw is actually one that is in the Mi-Term terminal program that they were using and not that of SDT. When using different colors on Mi-Term, they do not scroll all three video pages and this causes the leftover messages.

All [the reviewers] need to do is change the background and text colors of *Mi-Term* and their review of *SDT* will be "without

flaw."

Ralph Landry Michigan Software Novi, MI



# RACKSELLERS

The stores listed below carry SOFT SECTOR on a regular basis and may have other products of interest to Sanyo 550 series users. We hope you will patronize those in your area.

ALABAMA

Birmingham

Fayette Madison Mobile Montgomery

ARIZONA Flagstaff Phoenix

Tempe

CALIFORNIA Hayward Huntington Beach La Jolla Laguna Niguel Lancaster

Norco Poway Riverside Sacramento San Bruno San Diego

Los Angeles

San Francisco San Luis Obispo

Santa Maria Santa Rosa Sherman Oaks Stockton Upland

Vista Walnut Creek COLORADO

Aurora Colorado Springs Englewood

CONNECTICUT Manchester Meriden Southington Stamford

Wallingford DELAWARE Wilmington FLORIDA Altamonte Springs

Boca Raton Brooksville Clearwater

Davie Ft. Lauderdale Gainesville Hialeah Jacksonville

Longwood Melbourne

Merritt Island

Niceville Orlando

Miami

Ormond Beach Panama City

Point Omge Port Rickey Sanibel Island

Command Computer Computer Engineers Inc. The Computer Store Computer Shoppe Madison Books Mall Tel Trade-N-Books

Datasystems Apollo Computers Far West Computers Tri-Tok Inc Books, Etc.

Computers, Etc. 3E Software & Systems

Hammer Industries Affordable Computers JCS Computers
JCS Computers
Desert Computing
Computer Masters
Computer Phone Mart
OPAMP Wiest Custom Studios

Creative Computer Corp. Famis Computers Softwaire Centre International Home Computing Centers, Inc. Byte & Floppy Computers Programs Unlimited

Aquarian Age Computer Center El Corral Bookstore Paradise Computer Systems

Eash & Ellis Information Center Sawyer's News, Inc. Data Systems West Hardings Way News Computer Haven Friendly Computers The Computer Place ECX Computer Co.

**Devi Computers** The Computer Farm Whole Life Distributors

Computer Training Institute Total Computers
Vincom Computer Systems, Inc. Norman Block Associates Comstat

Nor-Mar — The Smoke Shop

International Music & Recording Micro's Etc. Software, Software, Inc. Software City
Southern Micro Computer Co.
Software Plus More
Total Information Computers

Computerized Applications Southern Microcomputer Co. AA Computer Exchange Florida Computer Resources

Electronic Specialty Products City News Stand D & B Office Equipment Micro's, Etc. Compuworld

Allstate Business Center Computers, Computers, Computers

Computer Image

Advanced Business Systems, Inc. Rainbow Computer Center Micro's Etc.

Computer Systems Group Computer Town Micro's Etc. Micro's Etc. Computer Trends Sanibel Audio

Sarasota

St. Petersburg Stuart Tampa

GEORGIA Augusta Atlanta

Columbus Decatur IDAHO

Boise Moscow Nampa Pocatello ILLINOIS Bloomington

Chicago Rockford Urbana

INDIANA Ft. Wayne Indianapolis Kokomo

Marion West Lafavette KANSAS Lawrence Mulvane Salina

KENTUCKY Cynthiana Louisville Owensboro Prospect Radcliff

LOUISIANA Gretna Opelousas Sulphur Thibodaux MAINE

Bango MARYLAND Baltimore Bethesda Camp Springs Millersville Oakland Pasadena Riverdale Savage Silver Springs Towsend Waldorf

MASSACHUSETTS Danvers Waltham Woburn MICHIGAN

Allen Park Ann Arbor Berkley Charlotte

Farmington Fenton Fremont Grand Rapids

Lapeer Mt. Clemens

Muskegon Novi Owosso Rochester Royal Oak

Southgate Sterling Heights Troy Union Lake Wyandotte Wyoming **Yosllanti** 

1 Computer Place Family Computers
Home Computer Discount, Inc. Software Connection Computer Market Place Computer Dimensions Personal Computer Center Southern Micro Computer Co.

A & S Software Guild News Agency Southern Computer Alboes Computers Corr-Puters Certified, Inc.

Western Computer & Office Supplies H & S Computer Supplies Canyon Computers & Communications Computer Concepts, Inc.

J. Powell & Associates Central Business Machines Hyde Park Computers Learn-A-Rit Sunnycrest Business Systems

**Bytrex** Digital Perspectives A Computer Store Toso Computer Shop Computer Corner Von's Computers

Computer Outlet Computer Education Assoc. Computer Connection

Accounting Data Corp Software Source Computer Stall Bluebird Computer

The Computer Supply Store Sound Electronics Home Computer & Software Great Southern Computer Systems

Personal Computer Learning Center Technology Equipment Center Compudeo Comp-U-Type Englanders Pharmacy **RW Electronics Computer Center Custom Computers** D & H Distributing Co. A-OK Computers Greetings & Readings Waldorf Computer

Microcon Computers & Softwarecenter Computer Magic Microcon Software Centers

**Galaxy Computers** University Cellar Family Computers Computer Options Alpha-K Computer Co.

ComputerTowne Computer Control Systems
Petry Products
POS Electronic Business Systems

Bursma Electronic Dist. Co. Programs Unlimited Computer Corner Business Computer Systems Computer Plus, Inc. Key Book Shop

8-Bit Corner Michigan Software C/C Computer Systems MichTron Rochester Book Center 1-2-3 Compute

New Logic Computers
Popular Computer Centers, Inc.
The Family Room Creative Center Small Business Computers, Inc. ComputerTech Gerry's Book Co. Ye Olde Computer Shoppe

MINNESOTA Minneapolis Rochester

MISSOURI Aurora Columbia Creve Coeur Kansas City Republic St. Louis MONTANA

Billings Whitehall NEBRASKA Omaha NEVADA Las Vegas

Reno NEW HAMPSHIPE Berlin

**NEW JERSEY** Lake Hopatcong Lawrenceville Ocean City **NEW MEXICO** Alamogordo

Albuquerque

Las Cruces NEW YORK Amityville

**Fast Rochester** Farmingville Great Neck Lake Grove Plattsbura Rochester

Downeast Specialty Co.

Kettering Marion Poland Ravenna St. Clairsville Toledo

> **OKLAHOMA** Oklahoma City Tulsa OREGON

Eugene Hillsboro

Salem

PENNSYLVANIA Ardmore Butler Exton Mt. Penn Philadelphia Phoenixville Pittsburgh Warrington RHODE ISLAND Cumberland

Computer Exercise World Computer Exercise World

Southland Electronics Computer Concepts Alcor Associates **Brands Mart Computers** Franklin Computers Softwaire Centre

Rambyte Computer Institute Computers & Components

Computer Magic High-Tek Computer

E&S Computing

PC Center

Jefferson Computer Center Microcon Computer & Software The Computer & Software Store

New Horizons Computer Systems Page One Newsstand Programs Unlimited Zia Computers Zia Computers Las Cruces Computers

Ross Enterprises Foxx Computer Services Datascan Computer Systems P & T Computers Programs Unlimited Adirondack Computer Supply Computer Connections Computer Directions Vixia Computer Center

Wappingers Falls Software City NORTH CAROLINA

Atlantic Beach VBS MicroSystems Triangle Data Systems Carrboro Chapel Hill Mountain Computers Mt Airy Raleigh

Computopia Crazy Bob's Discount Computers Winston-Salem Discount Computer Sales NORTH DAKOTA

Systematics

Infonro

Comtech

Computer Associates

Buxton Riverside OHIO Ashland Cambridge Canal Fulton

Gemstone Computing Canton Micro's Etc. Programs Unlimited Cincinnati

Cincinnati Computer Center Video Barn Columbus The Book Rack Cuyahoga Falls Euclid Friend Chips Computer Warehouse Genesis Micro Systems Fairborn Fairfield Microwave Magic Greenville Hansbarger's Electronic Connexion Lombard Mafield Heights Complete Computing Programs Unlimited
Marion Computer Center Niles North Olmstead Perfect Computers Softwaire Centre International Big Byte Computers

> Reltz Electronics Merit Computers Data Station - Tulsa

Creative Computers & Electronics University of Oregon Bookstore Quest Enterprises, Inc. Nomies Video Tec Super Soft

Alpha Computer Services, Inc.

D & K Computer Sales & Service Computer Gallery

Computers Plus Software Corner Software City Peripherals, Computers & Supplies Some Hole In The Wall Stevens Computer Center Computer Bug Computers Here


Mike's CP & Software

#### SOUTH CAROLINA Charleston Software Haus Heights Concurrent Technologies Corp. Travelers Rest TENNESSEE First Byte Computer Co. Nashville TEXAS Electronics Insight Austin **ABS Business Products** Dallas Computer King Houston Texas Computer Products Wagner Bros. Computer Store San Antonio UTAH Logan Lloyd's Business Machines VERMONT Computer Marketing VIRGINIA Alonso Book & Periodicals Alexandria Custom Computers Micro Flow Co. Arlington BES. Inc Family Computer Centr Fairfax Falls Church Soft Cost Salem Computer Center Fredericksburg Gloucester Point Gloucester Electronics Business Machine World Hampton Micro-Enhancements Springfield Virginia Beach Fairfax Computer Corp. Beach Business Machines The Other Office Supply Store Williamsburg WASHINGTON Commercial Computer Systems Centralia Computer Center Centralla College Place Federal Way Discount Computer Supply Compu-Place Crown Microproducts Marysville More Than Games Computer Centers Computer World Puget Sound Electronics Bits & Chips Pioneer Computers Renton Seattle R&K Enterprises Quality Software WEST VIRGINIA The Computer Tree Charleston Morgantown WISCONSIN **Emerald Computers** Stevens Point Mom's Computers AUSTRALIA: SYDNEY Paris Radio Electronics VICTORIA Computer Biz CANADA: ALBERTA Tesserac Computer Systems Calgary The Computer Shop Edmonton CompuSoft Computique Disk and Chip Kelly Software Distributors Grand Prairie **LEW Computers** BRITISH COLUMBIA Clearbrook Computer Centre Computer King Mainland Magazine Service Richmond Langley Corporate Computers Prince George Computer King Computer King Surrey Victoria Odyssey Computer Services MANITOBA Micro-Mentor, Inc. ONTARIO Burlington **Burlington Business Systems** Neutron Computers, Inc Guelph Kitchener Home Computer Centre London Town & Country Business Machines E.T. Wilson Office Equipment LTD.

# ADVERTISERS INDEX

We encourage you to patronize our advertisers all of whom support the Sanyo 550/555 series computers. We will appreciate your mentioning SOFT SECTOR when you contact these firms

A-OK Computers55, 57
AA Computer Exchange
BGW Systems56
B-T Distributors15
Binary Tree Technology83
Block Marketing, Inc41
CM Associates69
Chryson Computer82
CompuSoft12
Comp-U-Type13
Computer Alpha Corp27
Computer Alpha Corp
Computer Associates, Inc
Computer Creations, inc
Computer Gallery, Inc33
Computer Solutions74
Computer Toolbox, Inc., The31
Computer Warehouse3
Crazy Bob's Computer Warehouse BC
Desert Technologies28
DISKcount Software75
Displayed Video73
Diversified Computers15
EWDP69
Federal Hill Software23
Future Systems47
Greywolf Technologies, Inc39, 92
Hammer Incustries, Inc47
ICR FutureSoft5
ITH, Inc
Irishman Software56
J&M Systems43
James River Group, Inc., The25
LaPlata Research30
Lemberger Company, The74
Level IV Products, Inc
M.W.S. Computers67
Michigan Software Distributors,
Inc50
MichTron
MICRO-G
Migraph Software
Moonwolf Game Co
Olympic Educational Software11
Owl-Services
Owi-Services
Pacific Distributors
Parkwyrth Services
Peripheral Products Distributing 80
Prickly-Pear Software46
Rocky Mountain Micro49
ProgramKey13
Sanyo
The state of the s



Call: Jack Garland Garland Associates, Inc. 10 Industrial Park Road Hingham, MA 02043 (617) 749-5852



Call: Kate Tucci Advertising Representative 9529 U.S. Highway 42 P.O. Box 385 Prospect, KY 40059 (502) 228-4492



Call: Cindy Shackleford Director, West Coast Office 12110 Meridian South-Suite 8 P.O. Box 73-578 Puyallup, WA 98373-0578 (206) 848-7766



Sanyo City42
Sigma Research Associates76
Silver Fox Computers77
Softies15
Soft Sector On Disk35
Spectrum Solutions19
Synergistic Software79
Systems Peripherals Consultants
Tampa Bay Digital47
TOP Software35
TW Technologies59
Thumper Productions76
Total Learning Systems7
U.S. Digital Corporation 78, IBC
Wagner Brothers
Writing Consultants21, 23
Wyndhammer

#### SUBSCRIPTION INFORMATION

If you do not receive your copy of SOFT SECTOR by the 15th of the month on the cover, send us a card and we will mail another immediately via first class mail.

You must notify us of a new address when you move. Notification should reach us no later than the 15th of the month prior to the month in which you change your address. Sorry, we cannot be responsible for sending another copy when you fail to notify us.

Your mailing label also shows an "account number" and the subscription expiration date. Please indicate this account number when renewing or corresponding with us. It will help us help you better and faster.
For Canadian and other non-U.S. subscribers, there may be a mailing

address shown that is different from our editorial office address. Do not send any correspondence to that mailing address. Send it to our editorial offices at P.O. Box 385, Prospect, KY 40059

Ottawa Scarborough

Toronto

Waterloo

Windsor QUEBEC

Montrea SASKATCHEWAN

FNGLAND

Fast Susse

VENEZUELA

Miriebo

94

NEW ZEALAND

Palmerston North Viscount Electronics LTD

Computer Junction

Computer Junction

Molimerx LTD

Memory Lane Computers

Byte Computer Center

Facts & Figures Computer Service

CP&A

# "MERCHANDISER" BOOSTS STORE PROFITABILITY

An easy to use Point-of-Sale/ Inventory Control system pays for itself through faster turns of a more closely managed inventory. After all, it's only moving items that generate profits — "dead" stock is just costly overhead.

# A software solution

The MERCHANDISER program for PC's allows you to retain personal control while providing immediate access to vital information like daily sales reports, suggested reorder items, etc. Every time you make a transaction, it prints an invoice/receipt and automatically updates inventory. MERCHANDISER does not change your everyday counter activity, but only improves it to save you lots of time and grief. It can even record serial numbers if you want.

The following are logically integrated into one streamlined system:

- ☆ Counter point of sale
- ☆ Inventory control
- \* Receiving
- ☆ Daily & monthly reports
- ☆ Customer mailing lists
- ☆ Vendor phone directory
- ☆ Credit/returns

MERCHANDISER is suitable for a wide range of retail businesses. Even wholesalers can use the inventory management capability to their benefit. (For cost of goods, it uses "Weighted Average Cost" which is most accurate for small businesses.)

MERCHANDISER goes beyond making inventory (up to 65,000 items) easy to control. This sophisticated program also updates your customer mailing list every

time you make a sale and can generate



A retail System

selective direct mail campaigns. At the counter, MERCHANDISER immediately figures sales tax, salesperson commissions (as you wish), and product profitability reports. And it warns you if you key in a sales price that is below your standard margin (it won't calculate a commission for sales below margin!).

No experience necessary

MERCHANDISER is very logically menudriven and hardly requires a book, although it comes with an attractive and well-organized manual. Believe it or not, previous computer experience is not necessary. Even the first time computer user will be able to get MERCHANDISER up and running with a minimal investment in learning time.

Runs very fast

MERCHANDISER is provided in machine code, so that all transactions run extremely fast. The average time to search for specific information is less than two seconds on an IBM PC. No annoying delays. MERCHANDISER makes your PC work like a mainframe!

# ATTENTION A ✓ DEALERS! ✓

#### Consignment plan

Order a Demo (which you can duplicate as much as you want) and exercise the option of receiving one fully operational MERCHANDISER product on CONSIGNMENT! When it sells, you can simply receive a replacement unit COD, retaining one on consignment. Thus you get freedom from risk and good cash flow.

DON'T WAIT TO GET IN ON THIS — CALL NOW!

#### **Dealer Support**

- ☆ Duplicatable Demos
- Consignment Software
- ☆ Co-op Ad Program
- Ad slicks


#### Available now


MERCHANDISER runs on PC compatibles and the Sanyo 555 with 192K and floppies or hard disk. Designed for busy store operation, installation onto your computer is easy and fast.

MERCHANDISER is making several stores more profitable right now. It has proven to be more powerful than comparable systems over twice its suggested retail price.

U.S. Digital Corporation

5687 S.E. International Way Portland, Oregon 97222 (503) 654-0668 Telex 888521





# Grazy Bob's Has The Best Prices on Sanyo



CABLE . . .

SANYO CRAZY BOB'S MBC 555-CB 89 16 Bit, 128K, 2-360K Disk Drives, MS-DOS, Wordstar, CalcStar, Easywriter and Sanvo Basic. 16 Bit, 128K, 2-360K Disk Drives, MS-DOS, Wordstar, CalcStar, Easywriter, InfoStar, MailMerge, SpellStar and Sanyo Basic. SANYO MBC 550-2 . . . . . . 12 FOOT KEYBOARD EXTENSION

Run Lotus 1-2-3 GW Basic, DOS 2.11 UPGRADE KIT . . . . . . . 2nd DS/DD Drive to upgrade 550-2. Complete with Instructions and Mounting Hardware. SERIAL PORT (Below Dealer Cost) 59.95
For 550 Series Computers (Limited Supply)

#### PANASONIC CT 1300D Rated Best Monitor for 550 Series in September Soft Sector. 13 Inch Color RGB/Composite, Data Grade, Includes Cable, Ready to Run. (Limited Quantities) TAXAN 105 MONITOR..... 12" Amber Composite While They Last AMDEK 300A ..... 12" Amber Composite Monitor MEMORY UPGRADE SET OF 64K ... 29.95

Dot Matrix That Looks Better Than a Daisy Wheel. EPSON RX-80 100 CPS, 10" Carriage...... 229 PANASONIC KX-P1091 ..... 120 CPS Near Letter Quality Printer with Tractor Feed, 1K Buffer and Proportional Spacing OKIDATA ML 84P 200 CPS, Dual Mode .....699 OKIDATA ML 82A 120 CPS, Serial or Parallel 299 OKIDATA ML 92P 160 CPS, Near Letter Quality 379 EPSON RX-80 F/T Friction or Tractor Feed... 299 EPSON RX-100 NEW Wide Carriage Printer ... 399

Crazy Bob's DS/DD Disks

Price Per Disk in Crazy Bob's Famous 25 Pack - First Quality Lifetime Guarantee

VERBATIM 10 DS/DD ...... 29.95 

4200 Lake Ridge Dr. - Raleigh, N.C. 27609 919 - 373 - 370d

3790 GREEN INDUSTRIAL WAY, ATLANTA, GA 30341 AVAILABILITY AND PRICES SUBJECT TO CHANGE



Corporate Accounts Welcomed

